



QL
692
5853
V. I
113

531
H. W.

THE
BIRDS OF AFRICA,

COMPRISING ALL THE SPECIES WHICH OCCUR

IN THE

ETHIOPIAN REGION.

BY

G. E. SHELLEY, F.Z.S., F.R.G.S., &c.
(LATE GRENADIER GUARDS),

AUTHOR OF 'A HANDBOOK TO THE BIRDS OF EGYPT,' 'MONOGRAPH OF THE SUN-BIRDS,' ETC.

VOL. I.
LIST.


LONDON:

PUBLISHED FOR THE AUTHOR BY

R. H. PORTER, 18 PRINCES STREET, CAVENDISH SQUARE, W.

1896.

ALERE FLAMMAM.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.



~~598.2/08~~
~~. 554~~
~~S Birds~~

TO
MY WIFE.

“OVER EARTH AND OCEAN, WITH GENTLE MOTION,
THIS PILOT IS GUIDING ME.”—*Shelley*.

INTRODUCTION.



IT is nearly thirty years since I began the special study of African birds.

During my second visit to Egypt in 1870, I procured a fine series of a beautiful little Sun-bird, the first truly Ethiopian species I had yet shot; and two years after went, in company with my friend Mr. T. E. Buckley, on a visit to the late Governor Ussher at Cape Coast Castle, where we succeeded in making a fine collection near that town, Accra, and in the Aguapim Mountains.

I next visited the Cape and Natal, and was greatly assisted in the latter place by Mr. T. L. Ayres, son of Mr. Thomas Ayres, who has contributed so many interesting articles to 'The Ibis,' and who accompanied my friend the late Mr. J. S. Jameson in his, last successful, journey in Africa, through Mashonaland.

I soon found that there was an immense amount of work to be done with regard to African ornithology, as but little was really known concerning the avifauna, which includes many birds of unrivalled plumage. Africa may fairly claim to be the metropolis of the Song-birds, for the bush resounds with their melody; it is the winter home of a large proportion of our most attractive small birds, such as the Nightingale and the many Warblers which enliven our English gardens and surrounding country in summer, as well as the Swallow, our well-known harbinger of spring.

The ornithology of Africa is by no means exhausted, and we are daily extending our knowledge of the Ethiopian Region, and only just beginning to appreciate the vastness of its treasures. There must remain many fine birds yet to be discovered, for within the last few weeks two very remarkable species have come to light: one, a Roller belonging to an entirely

new genus, is now in the Tring Museum, and has been described as *Uratelornis chimæra* by the Hon. Walter Rothschild in his 'Novitates Zoologicae,' Dec. 1895; and I may here thank him and Mr. Hartert for having given me particulars of this fine novelty in time for publication in the present volume. The other new species referred to is a splendid Oriole sent home by my friend Sir H. H. Johnston, K.C.B., H.B.M. Commissioner of Nyasaland, who has added considerably, in recent years, to our knowledge of both the fauna and flora of this hitherto unexplored country. This bird has been named *Oriolus chlorocephalus*, after one of its many striking characters, and will be figured in 'The Ibis' for April 1896.

The present work, which I shall call the "Birds of Africa," will, I hope, consist of a series of handy volumes complete in themselves. Thus the first will comprise a list of all the species known to occur in the Ethiopian Region, up to the time of publication, with a reference to a good figure and to the page and volume of the Catalogue of the British Museum where the species is mentioned, while their geographical distribution will be indicated by the initial letters of the subregions in which they are known to occur. This volume may in fact be called a "Nomenclator Avium Æthiopicarum."

Vol. II. will be devoted to the classification and diagnosis of all the species, and, I trust, will be an acceptable work to the Field Naturalist, for whom many of the notes will be specially intended. The preparation of this volume has involved the adoption of a classification in some few details differing from those of my predecessors; but it may be hoped that Vol. II. will fully explain my reasons for following the order adopted in this first volume.

The Ethiopian Region, as I understand it, comprises Africa and the surrounding seas south of the Tropic of Cancer, including the islands of Cape Verde and St. Helena in the Atlantic, Crozet and Marion Islands in the Southern Ocean, and eastward as far as Rodriguez Island in 65° E. long., including Madagascar, the Seychelles Archipelago, the island of Socotra, and the whole of the Red Sea.

Those countries bordering on the Mediterranean and eastward of the Red Sea are considered as not belonging to the Ethiopian Region.

The avifauna of Egypt north of the 1st Cataract comprises only four truly Ethiopian species : *Centropus senegalensis*, *Rhynchos flavi-ventris*, *Charadrius pecuarius*, and *Ædicnemus senegalensis*; while a fairly large proportion of the true Palæaretic species are found there, such as the Chaffinch, Goldfinch, Linnet, Blackbird, Robin, Starling, Rook, Grey Crow, Merlin, Goshawk, Golden Plover, &c.

In such a compact continent as Africa we cannot expect to find very sharply-defined geographical districts for the avifauna—forests, deserts, plains, and mountains much affect the rainfall and consequently the climate; otherwise there are no special obstacles to prevent a wide distribution of the species, except the sea.

Five subregions will be recognized, limited by lines of latitude and longitude, instead of trying to follow more closely the somewhat imaginary outlines of these areas.

W.—WEST AFRICA: consisting of Tropical Africa west of 25° E. long., and southwards to the Quanza River, in about 10° S. lat.

S.—SOUTH AFRICA: south of 10° S. lat. and from 50° W. long. to 41° E. long.; this includes the African continent south of the Quanza and Rovuma Rivers, St. Helena on the west, but not the Comoro Islands on the east, and may include in the Southern Ocean the Crozet and Marion Islands, which are north of 50° S. lat.

E.—EAST AFRICA: Tropical Africa, east of 25° E. long. and between 10° S. lat. and 1° N. lat., including the Victoria Nyanza, but not the Nile.

N.E.—NORTH-EAST AFRICA: Tropical Africa and the Red Sea, east of 25° E. long., north of 1° N. lat., including the whole of the Nile water-shed north to Asuan.

M.—MADAGASCAR: the island region between 41° and 65° E. long., from the Equator to 25° S. lat.

Before concluding the present remarks, I must express my thanks to the many naturalists who have assisted me. In the first place, I am most indebted to the British Museum, and to the many contributors to the 'Catalogue' of the birds. This Catalogue was first started by my

old friend Dr. R. Bowdler Sharpe, who completed the first volume in 1874. The fifth volume was written by the late Mr. Seeböhm and the eighteenth by the late Mr. Hargitt—two names which can never be forgotten by ornithologists. In the other volumes, Mr. P. L. Sclater, Mr. Ogilvie Grant, Count Salvadori, Mr. Howard Saunders, and Mr. Osbert Salvin have all taken part, and have my best thanks for the valuable assistance they have rendered me in the present undertaking.

With regard to friends abroad, I cannot forget the kindness shown to me, in my earlier collecting days, by Professor Barboza du Bocage and Dr. Hartlaub, and the trouble Dr. Cabanis and Dr. Reichenow took in assisting me when I visited the Natural History Museum in Berlin, specially to study the East African birds collected by the great German travellers Dr. Fischer and Dr. Böhm.

To M. Oustalet my thanks are due for his amiability to me when I visited the Museum of the Jardin des Plantes in Paris, to examine many of the types of the old French naturalists.

G. E. SHELLEY.

Feb. 2, 1896.

L I S T.

Order I. PASSERES.

Suborder I. OLIGOMYODÆ.

Family I. PITTIIDÆ.

Genus I. PITTA.

Type.

Pitta, Vieill. Analyse, p. 42 (1816) P. brachyura.

1. angolensis, Vieill. N. Dict. iv. p. 356 (1816). W.
Elliot, Mon. Pitt. pl. 5 (1862); Cat. xiv. p. 422 (1888).

Family II. PHILEPITTIDÆ.

Genus I. PHILEPITTA.

Type.

Philepitta, Geoffr. St.-Hilaire, Mag. Zool. 1839, pl. 3 . . . P. jala.

— 2. jala (Bodd.), Tabl. Pl. Enl. p. 31 (1783). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 296, pls. 109 ♀, 110 ♂ (1879); Cat. xiv. p. 410.
3. schlegeli, Schl. P. Z. S. 1866, p. 422. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 302, pls. 109 ♀, 111 ♂ (1879); Cat. xiv. p. 411.

Suborder II. OSCINES.

Family I. NECTARINIIDÆ.

Subfamily I. NEODREPANINÆ.

Genus I. NEODREPANIS.

Type.

Neodrepanis, Sharpe, P. Z. S. 1875, p. 76 N. coruscans.

— 4. coruscans, Sharpe, P. Z. S. 1875, p. 76. M.
Shelley, Mon. Neet. p. 1, pl. 1 (1876); Cat. ix. p. 2 (1884).

[October 1895.]

Subfamily II. NECTARINIINÆ.

Genus I. HEDYDIPNA.

	Type.
<i>Hedydipna</i> , <i>Cab. Mus. Hein.</i> i. p. 101 (1850)	H. metallica.
<i>Platydipna</i> , <i>Cab. l. c.</i>	H. platura.
5. <i>metallica</i> (<i>Licht.</i>), <i>Verz. Doubl.</i> p. 15 (1823).	W., N.E.
Shelley, <i>Mon. Nect.</i> p. 3, pl. 2 (1878); <i>Cat. ix.</i> p. 10. ♀	
6. <i>platura</i> (<i>Vieill.</i>), <i>N. Dict.</i> xxxi. p. 501 (1819).	W., N.E.
Shelley, <i>Mon. Nect.</i> p. 7, pl. 3 (1879); <i>Cat. ix.</i> p. 10.	

Genus II. NECTARINIA.

	Type.
<i>Nectarinia</i> , <i>Ill. Prodr.</i> p. 210 (1811)	N. famosa.
<i>Panæola</i> , <i>Cab. Mus. Hein.</i> i. p. 101 (1850)	N. pulchella.
<i>Drepanorhynchus</i> , <i>Reichen. J. f. O.</i> 1884, p. 56	N. reichenowi.
7. <i>famosa</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 187 (1766).	S.
Shelley, <i>Mon. Nect.</i> p. 13, pl. 5 (1876); <i>Cat. ix.</i> p. 5.	
8. <i>cupreonitens</i> , <i>Shelley, Mon. Nect.</i> p. 17, pl. 16. fig. 1 (1876).	E., N.E.
<i>Cat. ix.</i> p. 6.	
9. <i>johnstoni</i> , <i>Shelley, P. Z. S.</i> 1885, p. 227, pl. 14.	E.
10. <i>pulchella</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 187 (1766).	W., N.E.
Shelley, <i>Mon. Nect.</i> p. 9, pl. 4 (1878); <i>Cat. ix.</i> p. 7.	
11. <i>melanogastra</i> , <i>Fisch. & Reichen. J. f. O.</i> 1884, p. 181.	E.
12. <i>bocagii</i> , <i>Shelley, Mon. Nect.</i> p. 21, pl. 6. fig. 2 (1879).	S.
13. <i>tacazze</i> (<i>Stanley</i>), <i>in Salt's Trav. Abyss.</i> App. p. 58 (1814).	N.E.
14. <i>kilimensis</i> , <i>Shelley, P. Z. S.</i> 1884, p. 555.	S., E.
15. <i>reichenowi</i> (<i>Fisch.</i>), <i>J. f. O.</i> 1884, p. 56.	E.
Shelley, <i>P. Z. S.</i> 1884, p. 556, pl. 51.	

Genus III. CINNYRIS.

	Type.
<i>Cinnyris</i> , <i>Cuv. Règn. Anim.</i> i. p. 412 (1817)	C. splendidus.
<i>Chromatophora</i> , <i>Reichb. Handb.</i> , <i>Scansoriæ</i> , p. 283 (1854) . .	C. superbus.
<i>Aidemonia</i> , <i>Reichb. t. c.</i> p. 284	C. cupreus.
<i>Angaladiana</i> , <i>Reichb. t. c.</i> p. 285	C. notatus.
16. <i>cupreus</i> (<i>Shaw</i>), <i>Gen. Zool.</i> viii. p. 201 (1811).	W., S., E., N.E.
Shelley, <i>Mon. Nect.</i> p. 191, pl. 58 (1879); <i>Cat. ix.</i> p. 55.	
17. <i>purpureiventris</i> , <i>Reichen. Orn. Monatsb.</i> 1893, p. 61.	E.
Reichen. <i>J. f. O.</i> 1894, pl. 1. fig. 2.	

- 18. *notatus* (*P. L. S. Müll.*), *S. N. Suppl.* p. 99 (1776). M.
Shelley, Mon. Neet. p. 195, pl. 59 (1876); Cat. ix. p. 54.
19. *nesophilus*, *Shelley, Bull. B. O. Club*, 1892, i. p. v; *id. Ibis*, 1893, p. 118. M.
- 20. *superbus* (*Shaw*), *Gen. Zool.* viii. p. 193 (1811). W.
Shelley, Mon. Neet. p. 197, pl. 60 (1876); Cat. ix. p. 48.
21. *johannæ*, *Verr. Rev. et Mag. Zool.* 1851, p. 314. W.
Shelley, Mon. Neet. p. 199, pl. 61 (1876); Cat. ix. p. 49.
- 22. *splendidus* (*Shaw*), *Gen. Zool.* viii. p. 191, pl. 26. W.
Shelley, Mon. Neet. p. 201, pl. 62 (1878); Cat. ix. p. 50.
23. *habessinicus* (*Hempr. & Ehr.*), *Symb. Phys. Zool.* i. Av. pl. 4 (1828). N.E.
Shelley, Mon. Neet. p. 205, pl. 63 (1878); Cat. ix. p. 52.
24. *erythrocerius* (*Heugl.*), *Syst. Uebers.* p. 20 (1856). N.E.
Shelley, Mon. Neet. p. 209, pl. 64. fig. 2 (1878); Cat. ix. p. 44.
25. *mariquensis*, *Smith, Rep. Exp. Centr. Afr.* p. 53 (1836). S.
Shelley, Mon. Neet. p. 211, pl. 65 (1876); Cat. ix. p. 44.
26. *osiris* (*Finsch*), *Vög. Ost-Afr.* p. 230 (1870). E., N.E.
Shelley, Mon. Neet. p. 215, pl. 64. fig. 1 (1876); Cat. ix. p. 44.
27. *bifasciatus* (*Shaw*), *Gen. Zool.* viii. p. 198 (1811). W., S.
Shelley, Mon. Neet. p. 217, pl. 66 (1876); Cat. ix. p. 47.
28. *microrhynchus*, *Shelley, Mon. Nect.* p. 219, pl. 67 (1876). E.
Cat. ix. p. 47.
29. *comorensis*, *Peters, J. f. O.* 1864, p. 161. M.
Shelley, Mon. Neet. p. 221, pl. 68 (1879); Cat. ix. p. 48.
30. *bouvieri*, *Shelley, Mon. Nect.* p. 227, pl. 70 (1877). W.
Cat. ix. p. 53.
31. *leucogaster*, *Vieill. N. Dict.* xxxi. p. 515 (1819). S.
Shelley, Mon. Neet. p. 229, pl. 71 (1876); Cat. ix. p. 40.
32. *albiventris* (*Strickl.*), *Contr. Orn.* 1852, p. 42, pl. 86. E., N.E.
Shelley, Mon. Neet. p. 233, pl. 73 (1876); Cat. ix. p. 40.
33. *oustaleti* (*Bocage*), *Jorn. Lisb.* 1878, p. 254. S.
Shelley, Mon. Neet. p. 231, pl. 72. fig. 1 (1880).
34. *venustus* (*Shaw*), *Nat. Misc.* x. p. 369 (1799). W.
Shelley, Mon. Neet. p. 235, pl. 74. figs. 1, 3 (1879); Cat. ix. p. 39.
35. *affinis*, *Rüpp. N. Wirb. Vög.* p. 87, pl. 31. fig. 1 (1835). N.E.
Shelley, Mon. Neet. p. 239, pl. 74. fig. 2 (1879); Cat. ix. p. 40.
36. *falkensteini*, *Reichen. J. f. O.* 1884, p. 56. S., E.
Cat. ix. p. 291.

37. coquereli (*Verr.*), *J. f. O.* 1860, p. 90. M.
Shelley, Mon. Nect. p. 243, pl. 75 (1879); Cat. ix. p. 39.
38. souimanga (*Gm.*), *S. N. i.* p. 471 (1788). M.
Shelley, Mon. Nect. p. 245, pl. 76 (1876); Cat. ix. p. 43.
39. afer (*Linn.*), *S. N. i.* p. 186 (1766). S.
Shelley, Mon. Nect. p. 219, pl. 77 (1876); Cat. ix. p. 35.
40. ludovicensis (*Bocage*), *Jorn. Lisb.* 1868, p. 41. S.
Trimen, P. Z. S. 1882, p. 451, pl. 32; Cat. ix. p. 38.
41. chalybeus (*Linn.*), *S. N. i.* p. 186 (1766). S.
Shelley, Mon. Nect. p. 253, pl. 78 (1876); Cat. ix. p. 37.
42. regia, *Reichen. Orn. Monatsb.* 1893, p. 32. E.
Reichen. J. f. O. 1894, pl. 1, fig. 1.
43. mediocris, *Shelley*, *P. Z. S.* 1885, p. 228. E.
44. preussi, *Reichen. J. f. O.* 1892, p. 190. W.
45. reichenowi, *Sharpe, Ibis*, 1891, p. 444, pl. 12, fig. 1. E.
46. chloropygius (*Jard.*), *Ann. Nat. Hist.* x. p. 188 (1842). W.
Shelley, Mon. Nect. p. 257, pl. 79 (1876); Cat. ix. p. 34.

Genus IV. CHALCOMITRA.

Type.

- Chalcomitra*, *Reichb. Handb. spec. Orn.* p. 277 (1853) . . . C. amethystina.
Carmelita, *Reichb. t. c.* p. 296 C. fuliginosa.

47. senegalensis (*Linn.*), *S. N. i.* p. 186 (1766). W.
Shelley, Mon. Nect. p. 267, pl. 83 (1878); Cat. ix. p. 94.
48. acik (*Antin.*), *J. f. O.* 1866, p. 205. E., N.E.
Shelley, Mon. Nect. p. 265, pl. 82 (1878); Cat. ix. p. 94.
49. gutturalis (*Linn.*), *S. N. i.* p. 186 (1766). W., S., E.
Shelley, Mon. Nect. p. 261, pl. 81 (1876); Cat. ix. p. 91.
50. cruentata (*Rüpp.*), *Syst. Uebers.* pp. 26, 28, pl. 9 (1845). N.E.
Shelley, Mon. Nect. p. 259, pl. 80 (1878); Cat. ix. p. 93.
51. hunteri (*Shelley*), *P. Z. S.* 1889, p. 365, pl. 41, fig. 2. E.
52. amethystina (*Shaw*), *Gen. Zool.* viii. p. 195 (1811). S.
Shelley, Mon. Nect. p. 269, pl. 84; Cat. ix. p. 97.
53. dimidiata, *Cab. J. f. O.* 1880, p. 419. W., S.
54. kirki (*Shelley*), *Mon. Nect.* p. 273, pl. 85 (1876). S., E.
Cat. ix. p. 97.
55. fuliginosa (*Shaw*), *Gen. Zool.* viii. p. 222 (1811). W.
Shelley, Mon. Nect. p. 275, pl. 86 (1878); Cat. ix. p. 95.

56. *angolensis* (*Less.*), *Traité Orn.* p. 295 (1831). W.
 Shelley, Mon. Nect. p. 279, pl. 87 (1879); Cat. ix. p. 98.
57. *adelberti* (*Gerv.*), *Mag. Zool.* iii. pl. 19 (1834). W.
 Shelley, Mon. Nect. p. 281, pl. 88 (1878); Cat. ix. p. 99.

Genus V. ELÆOCERTHIA.

Elæocerthia, *Reichb. Handb. spec. Orn.* p. 292 (1853) . . . Type. E. verreauxi.

58. *fusca* (*Vieill.*), *N. Dict.* xxxi. p. 506 (1819). S.
 Shelley, Mon. Nect. p. 285, pl. 89 (1877); Cat. ix. p. 75.
59. *verreauxi* (*Smith*), *S. Afr. Quart. Journ.* 1831, p. 13. S., E.
 Shelley, Mon. Nect. p. 287, pl. 90 (1876). *See T. 1874*.
60. *thomensis* (*Bocage*), *Jorn. Lisb.* 1889, p. 143. W.

Genus VI. CYANOMITRA.

Cyanomitra, *Reichb. Handb. spec. Orn.* p. 291 (1853) . . . Type. C. verticalis.

61. *balfouri* (*Selat. & Hartl.*), *P. Z. S.* 1881, p. 169, pl. 15. fig. 2. E.
 Cat. ix. p. 76.
62. *olivacea* (*Smith*), *Ill. S. Afr. Zool. Av.* text to pl. 57 (1843). S., E.
 Shelley, Mon. Nect. p. 289, pl. 91 (1876); Cat. ix. p. 78.
63. *obscura* (*Jard.*), *Mon. Sun-birds*, p. 253 (1842). W.
 Shelley, Mon. Nect. p. 291, pl. 92 (1879); Cat. ix. p. 77.
64. *ragazzii* (*Salvad.*), *Ann. Mus. Civ. Gen.* 1888, p. 247. N.E.
65. *verticalis* (*Lath.*), *Ind. Orn.* i. p. 298 (1790). W., N.E.
 Shelley, Mon. Nect. p. 301, pl. 97 (1879); Cat. ix. p. 80.
66. *cyanolæma* (*Jard.*), *Contr. Orn.* 1851, p. 154. W.
 Shelley, Mon. Nect. p. 297, pl. 95 (1877); Cat. ix. p. 78.
- 67. *dussumieri* (*Hartl.*), *J. f. O.* 1860, p. 340. M.
 Shelley, Mon. Nect. p. 293, pl. 93 (1877); Cat. ix. p. 79.
68. *humbloti* (*Milne-Edw. & Oust.*), *C. R. ei.* p. 220 (1885). M.
 Milne-Edw. & Oust. N. Arch. Mus. (2) x. p. 245, pl. 4 (1888).
69. *newtoni* (*Bocage*), *Jorn. Lisb.* 1887, p. 250. W.
70. *hartlaubi* (*Verr.*), *in Hartl. Orn. W.-Afr.* p. 50 (1857). W.
 Shelley, Mon. Nect. p. 295, pl. 94 (1879); Cat. ix. p. 79.
71. *reichenbachi* (*Hartl.*), *Orn. W.-Afr.* p. 50 (1857). W.
 Shelley, Mon. Nect. p. 290, pl. 96. fig. ♂ (1877); Cat. ix. p. 81.

Genus VII. ANTHOBAPHES.

	<i>Type.</i>
<i>Anthobaphes, Cab. Mus. Hein.</i> i. p. 103 (1850)	A. violacea.
72. <i>violacea (Linn.), S. N.</i> i. p. 188 (1766).	S.
Shelley, Mon. Neet. p. 23, pl. 8 (1876); Cat. ix. p. 11.	

Genus VIII. ANTHOTHREPTES.

	<i>Type.</i>
<i>Anthreptes, Swains. Faun. Bor.-Amer., B.</i> p. 495 (1831)	A. malaccensis.
<i>Cinnyricinclus, Less. Rev. Zool.</i> iii. p. 272 (1840)	A. longuemarii.
<i>Anthodiæta, Cab. Mus. Hein.</i> i. p. 100 (1850)	A. collaris.
<i>Mangusia, Bp. C. R.</i> xxxviii. p. 261 (1851)	A. rectirostris.
<i>Tephrolæma, Heine, J. f. O.</i> 1860, p. 137	A. tephrolæma.
73. <i>fraseri, Jard. & Selby, Ill. Orn.</i> 1842, p. 52.	W.
Shelley, Mon. Neet. p. 307, pl. 99 (1879); Cat. ix. p. 113.	
74. <i>longuemarii (Less.), Bull. Soc. Nat.</i> xxv. p. 242 (1837).	W., S., E., N.E.
Shelley, Mon. Neet. p. 335, pl. 108 (1879); Cat. ix. p. 115.	
75. <i>orientalis, Hartl. J. f. O.</i> 1880, p. 213.	E. Cat. ix. p. 284.
76. <i>aurantia, J. & E. Verr. Rev. et Mag. Zool.</i> 1851, p. 417.	W.
Shelley, Mon. Neet. p. 331, pl. 109 (1879); Cat. ix. p. 116.	
77. <i>collaris (Vieill.), N. Dict.</i> xxxi. p. 502 (1819).	S.
Shelley, Mon. Neet. p. 339, pl. 110 (1876); Cat. ix. p. 116.	
78. <i>hypodila (Jard.), Contr. Orn.</i> 1851, p. 153.	W., S., E.
Shelley, Mon. Neet. p. 345, pl. 111 (1876); Cat. ix. p. 117.	
79. <i>rectirostris (Shaw), Gen. Zool.</i> viii. p. 246 (1811).	W.
Shelley, Mon. Neet. p. 331, pl. 107. figs. 2, 3 (1876); Cat. ix. p. 119.	
80. <i>tephrolæma (Jard. & Fraser), Contr. Orn.</i> 1851, p. 154.	W.
Shelley, Mon. Neet. p. 333, pl. 72. fig. 2 (1876); Cat. ix. p. 120.	
81. <i>anchietæ (Bocage), Jorn. Lisb.</i> 1878, p. 208.	S.
Shelley, Mon. Neet. p. 329, pl. 106; Cat. ix. p. 115.	
82. <i>gabonica (Hartl.), J. f. O.</i> 1861, p. 13.	W.
Shelley, Mon. Neet. p. xlv, pl. 107. fig. 1 (1880); Cat. vii. p. 174 (1883).	

Family II. PROMEROPIDÆ.

Genus I. PROMEROOPS.

	<i>Type.</i>
<i>Promerops, Briss. Orn.</i> ii. p. 460 (1760)	P. cafer.
83. <i>cafer (Linn.), S. N.</i> i. p. 183 (1766).	S.
Shelley, Mon. Neet. p. 377, pl. 121 (1876); Cat. ix. p. 283.	

84. *gurneyi*, *Verr. P. Z. S.* 1871, p. 135, pl. 8. S.
Cat. ix. p. 284.

Family III. ZOSTEROPIDÆ.

Genus I. ZOSTEROPS.

	Type.
<i>Zosterops</i> , Vig. & Horsf. <i>Trans. Linn. Soc.</i> xv. p. 235 (1827) .	<i>Z. cærulescens.</i>
<i>Speirops</i> , Reichb. <i>Handb. Merop.</i> p. 93 (1851)	<i>Z. lugubris.</i>
<i>Cyclopteroops</i> , Bp. <i>C. R.</i> xxxviii. p. 264 (1854)	<i>Z. chloronota.</i>
“ <i>Zosteropisylvia</i> , Würt.,” Heugl. <i>J. f. O.</i> 1867, p. 295 . . .	<i>Z. senegalensis.</i>

85. *semiflava*, *E. Newton*, *Ibis*, 1867, p. 354. M.
Cat. ix. p. 190.

86. *mayottensis*, *Schl. P. Z. S.* 1866, p. 422. M.
Schl. & Poll. Faun. Madag., *Ois.* p. 73, pl. 19; Cat. ix. p. 191.

87. *senegalensis*, *Bp. Consp.* i. p. 399 (1850). W., E., N.E.
Swains. B. W. Afr. ii. p. 43, pl. 3 (1837); Cat. ix. p. 181.

88. *anderssoni*, *Shelley, Bull. B. O. Club*, 1892, i. p. v; *id. Ibis*, 1893, p. 118. S.

89. *kirkii*, *Shelley, P. Z. S.* 1879, p. 676. M.
Milne-Edw. & Oust. N. Arch. Mus. N. H. Paris, (2) x. p. 242, pl. 5. f. 1 (1888); Cat. ix. p. 182.

90. *mouroniensis*, *Milne-Edw. & Oust. C. R. Ac. Sc. ci.* p. 121 (1885). M.
Milne-Edw. & Oust. N. Arch. Mus. H. N. Paris, (2) x. p. 247, pl. 5. fig. 2 (1888).

91. *virens*, *Bp. Consp.* i. p. 399 (1850). S.
Cat. ix. p. 182.

92. *eurycricota*, *Fisch. & Reichen. J. f. O.* 1884, p. 55. E.
Shelley, P. Z. S. 1889, p. 366, pl. 41. fig. 1; Cat. ix. p. 292.

93. *stuhlmanni*, *Reichen. J. f. O.* 1892, p. 54. E.

94. *stenocricota*, *Reichen. J. f. O.* 1892, p. 191. W.

95. *kikuyuensis*, *Sharpe, Ibis*, 1891, pp. 444, 594, pl. 12. fig. 1. E.

96. *ficedulina*, *Hartl. P. Z. S.* 1866, p. 327. W.
Cat. ix. p. 203.

97. *griseovirens*, *Bocage, Jorn. Lisb.* 1893, p. 18. W.

98. *pallida*, *Swains. An. in Menag.* p. 294 (1837). S.
Cat. ix. p. 160.

99. *capensis*, *Sundev. Öefv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 102. S.
Levaill. Ois. Afr. iii. pl. 132 (1802); Cat. ix. p. 171.

100. *abyssinica*, *Guér. Rev. Zool.* 1843, p. 162. N.E.
Ferr. et Gall. *Voy. Abyss.* iii. pl. 3 (1847); *Cat. ix.* p. 168.
101. *poliogaster*, *Heugl. Ibis*, 1861, p. 357, pl. 13. N.E.
Cat. ix. p. 169.
102. *madagascariensis* (*Gm.*), *S. N. i.* p. 981 (1788). M.
Milne-Edw. & Grand. Hist. Madag., *Ois.* p. 291, p. 113. fig. 2 (1882); *Cat. ix.* p. 170.
103. *anjuanensis*, *E. Newton, P. Z. S.* 1877, p. 297, pl. 33. fig. 1. M.
Cat. ix. p. 170.
104. *olivacea* (*Linu.*), *S. N. i.* p. 185 (1766). M.
Schl. & Poll. Faun. Madag., *Ois.* p. 73, pl. 19. fig. 3 (1868); *Cat. ix.* p. 192.
105. *chloronota* (*Vieill.*), *N. Dict. ix.* p. 408 (1817). M.
Schl. & Poll. Faun. Madag., *Ois.* p. 74, pl. 19. fig. 4 (1868); *Cat. ix.* p. 193.
106. *lugubris*, *Hartl. Rev. Zool.* 1848, p. 109. W.
Hartl. Abhandl. nat. Ver. Hamb. p. 49, pl. 2, lower fig. (1848); *Cat. ix.* p. 199.
107. *modesta*, *E. Newton, Ibis*, 1867, p. 345. M.
Cat. ix. p. 194.
108. *hovarum*, *Tristr. Ibis*, 1887, p. 235, pl. 11. fig. 2. M.

Genus II. MALACIROPS.

Type.

- Malacirops*, *Bp. C. R.* xxxviii. p. 264 (1854) M. *boronica*.
Parinia, *Hartl. Orn. W.-Afr.* p. 71 (1857) M. *leucophæa*.
109. *borbonica* (*Gm.*), *S. N. i.* p. 981 (1788). M.
Schl. & Poll. Faun. Madag., *Ois.* p. 74, pl. 19. fig. 6 (1868); *Cat. ix.* p. 195.
110. *mauritiana* (*Gm.*), *S. N. i.* p. 981 (1788). M.
Schl. & Poll. Faun. Madag., *Ois.* p. 74, pl. 19. fig. 5 (1868); *Cat. ix.* p. 194.
111. *melanocephala* (*Gray*), *Ann. & Mag. N. H.* (3) x. p. 444 (1862). W.
Shelley, P. Z. S. 1887, p. 125, pl. 14. fig. 1; *Cat. ix.* p. 200.
112. *leucophæa* (*Hartl.*), *Orn. W.-Afr.* p. 71 (1857). W.
Cat. ix. p. 200.

Family IV. PARIDÆ.

Genus I. PARUS.

Type.

- Parus*, *Linu. S. N. i.* p. 341 (1766) P. *major*.
Pentheres, *Cab. Mus. Hein.* i. p. 92 (1850) P. *niger*.
Melaniparus, *Bp. Conspl.* i. p. 228 (1850) P. *niger*.

113. *leuconotus*, *Guérin*, *Rev. et Mag. Zool.* 1843, p. 162.
Rüpp. *Syst. Uebers.* p. 42, pl. 18 (1845); *Cat. viii.* p. 10 (1883). N.E.

114. *funereus* (*Verr.*), *J. f. O.* 1855, p. 104.
Cat. viii. p. 9. W.

115. *leucopterus*, *Swains. B. W. Afr.* ii. p. 45 (1837). W., E., N.E.
Rüpp. *N. Wirb. Vög.* p. 100, pl. 37, fig. 2 (1838); *Cat. viii.* p. 7.

116. *insignis*, *Cab. J. f. O.* 1880, p. 419. W.

117. *niger*, *Vieill. Enc. Méth.* p. 508 (1823). S.
Levaill. *Ois. Afr.* iii. pl. 137, figs. 1, 2 (1802); *Cat. viii.* p. 7.

118. *xanthostomus*, *Shelley, Bull. B. O. Club*, 1892, i. p. vi; *id. Ibis*, 1893, p. 118. S.

119. *albiventris*, *Shelley, Ibis*, 1881, p. 116.
Cat. viii. p. 10. E.

120. *fasciiventris*, *Reichen. Orn. Monatsb.* 1893, p. 31. E.

121. *pallidiventris*, *Reichen. J. f. O.* 1885, p. 217. S., E.

122. *rufiventris*, *Bocage, Jorn. Lisb.* 1877, p. 161.
Bocage, *Orn. Angola*, p. 287, pl. 10, fig. 1 (1881); *Cat. viii.* p. 40 (1883). W., S.

123. *fringillinus*, *Fisch. & Reichen. J. f. O.* 1884, p. 56. E.

124. *afer*, *Gm. S. N.* i. p. 1010 (1788). S.
Jard. & Selby, *Ill. Orn.* pl. 117; *Cat. viii.* p. 39.

125. *griseiventris*, *Reichen. J. f. O.* 1882, p. 210.
Reichen. *J. f. O.* 1886, pl. 2, fig. 1; *Cat. viii.* p. 40. E.

126. *thruppi*, *Shelley, Ibis*, 1885, p. 406, pl. 11, fig. 2. N.E.

Genus II. ÆGITHALUS.

Type.

130. *flavifrons*, *Cass. Proc. Philad. Acad.* 1855, p. 325. W., S.
Cass. Proc. Philad. Acad. 1858, pl. 1, fig. 2; *Cat. viii.* p. 72 (1883).
131. *calotrophilus*, *Rochebrune, Bull. Soc. Philom.* (7) vii. p. 166 (1883). W.
Rochebrune, Act. Soc. Linn. Bordeaux, 1884, p. 271, pl. 16.
132. *caroli*, *Sharpe, Ibis*, 1871, p. 415. S., E.
Gadow, Cat. B. M. viii. p. 71, pl. 1, fig. 1.
133. *musculus*, *Hartt. J. f. O.* 1882, p. 326. N.E.
Cat. viii. p. 71.

Genus III. PARISOMA.

Type.

- Parisoma*, *Swains. Faun. Bor.-Amer.*, B. p. 490 (1831) . . . *P. subcaeruleum*.
134. *subcaeruleum* (*Vieill.*), *N. Dict.* xi. p. 188 (1817). S.
Levaill. Ois. Afr. iii. p. 103, pl. 126 (1802); *Cat. iv.* p. 268 (1879).
135. *layardi*, *Hartt. Ibis*, 1862, p. 147. S.
Cat. iv. p. 270.
136. *boehmi*, *Reichen. J. f. O.* 1882, p. 209, pl. 2, fig. 2. E.
137. *plumbeum* (*Hartl.*), *J. f. O.* 1858, p. 41. W., S., N.E.
Heugl. Orn. N.O.-Afr. p. 432, pl. 17 (1870); *Cat. iv.* p. 269.
138. *orientalis*, *Reichen. & Neumann, Orn. Monatsb.* 1895, p. 74. E.

Family V. CERTHIIDÆ.

Subfamily I. HYPOSITTINÆ.

Genus I. HYPOSITTA.

Type.

- Hypositta*, *A. Newton, P. Z. S.* 1881, p. 434 *H. corallirostris*.
139. *corallirostris* (*A. Newton*), *P. Z. S.* 1863, p. 85, pl. 13. M.
M.-Edw. & Grand. Hist. Madag., *Ois.* p. 319, *pls.* 121–121c (1882); *Cat. viii.* p. 366 (1883).

Subfamily II. CERTHIINÆ.

Genus I. TICHODROMA.

Type.

- Tichodroma*, *Ill. Prod. Syst.* p. 210 (1811) *T. muraria*.
140. *muraria* (*Linn.*), *S. N. i.* p. 184 (1766). N.E.
Dresser, B. Eur. iii. p. 207, pl. 123 (1871); *Cat. viii.* p. 331.

Genus II. SALPORNIS.

Type.

- Salpornis*, Gray, P. Z. S. 1847, p. 7 S. spilonotus.
Hylapsornis, Boe. Jorn. Lisb. 1878, p. 211 S. salvatorii.

141. *salvatorii* (*Bocage*), Jorn. Lisb. 1878, pp. 195, 211. S., E., N.E.
 Boe. Orn. Ang. p. 289, pl. 10. f. 2 (1881); Hartl. P.Z.S. 1884, p. 415, pl. 37; Cat. viii, p. 330.

Subfamily III. FALCULINÆ.

Genus I. FALCULIA.

Type.

- Falculia*, Geoffr. St.-Hilaire, Mag. Zool. 1836, Cl. ii. pls. 49, 50. F. palliata.

142. *palliata*, Geoffr. St.-Hilaire, Bull. Soc. Sc. Nat. 1835, p. 115. M.
 Milne-Edw. & Grand. Hist. Madag., Ois. p. 304, pl. 117 (1882); Cat. iii. p. 145 (1877).

Family VI. MOTACILLIDÆ.

Genus I. MOTACILLA.

Type.

- Motacilla*, Linn. S. N. i. p. 328 (1766) M. alba.
Budytes, Cuv. Règne Anim. i. p. 371 (1817) M. flava.
Calobates, Kaup, Natürl. Syst. p. 33 (1829) M. melanope.

143. *vidua*, Sundev. Öfsv. K. Vet.-Ak. Förh. Stockh. 1850, p. 128. W., S., E., N.E.
 Levaill. Ois. Afr. iv. p. 82, pl. 178 (1805); Cat. x. p. 488 (1885).

144. *alba*, Linn. S. N. i. p. 331 (1766). W., N.E.
 Dresser, B. Eur. iii. p. 233, pls. 125, 126; Cat. x. p. 464.

145. *capensis*, Linn. S. N. i. p. 333 (1766). S.
 Levaill. Ois. Afr. iv. p. 80, pl. 177 (1805); Cat. x. p. 493.

146. *longicauda*, Rüpp. N. Wirb. Vög. p. 84, pl. 29. fig. 2 (1835). W., S., E., N.E.
 Cat. x. p. 495.

147. *flaviventris*, Verr. Cat. Rivoli Coll. p. 9 (1846). M.
 Milne-Edw. & Grand. Hist. Madag., Ois. p. 342, pl. 133; Cat. x. p. 496.

148. *melanope*, Pall. Reis. Russ. Reichs, iii. Anhang, p. 696 (1776). W., N.E.
 Dresser, B. Eur. iii. p. 251, pl. 128 (1875); Cat. x. p. 497.

149. *campestris*, Pall. Reis. Russ. Reichs, iii. Anhang, p. 697 (1776). W., S., N.E.
 Dresser, B. Eur. iii. p. 277, pl. 131 (1875); Cat. x. p. 510, pl. 6. figs. 1, 2.

150. *flava*, Linn. S. N. i. p. 331 (1766). W., S., E., N.E.
 Dresser, B. Eur. iii. p. 261, pl. 129. figs. 1, 2 (1875); Cat. x. p. 516, pl. 6. figs. 3–5.

151. borealis, *Sundev. Öfv. K. Vet.-Ak. Förh. Stockh.* 1840, p. 53. S.
Dresser, *B. Eur.* iii. p. 181, pl. 129, fig. 3 (1875); *Cat. x.* p. 522, pl. 7, figs. 1-3.
152. cinereicapilla, *Savi, Nuovo Gioru. di Lettere*, no. 57, p. 190 (1831). W.
Cat. x. p. 526, pl. 7, figs. 4-6.
153. melanocephala, *Licht. Verz. Dbl. p. 36* (1823); *Gm. S. N. i. p. 970* (1788). S., E., N.E.
Dresser, *B. Eur.* iii. p. 273, pl. 160 (1875); *Cat. x.* p. 527, pl. 8, figs. 1-4.

Genus II. ANTHUS.

Type.

- Anthus*, *Bechst. Naturg. Deutschl.* iii. p. 704 (1807) . . . A. trivialis.
Leimoniptila, *Kaup, Natürl. Syst.* p. 39 (1829) A. pratensis.
Agrodroma, *Swains. Class. B.* ii. p. 241 (1837) A. campestris.
Cynædium, *Sundev. Öfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 100. A. lineiventris.

154. chloris, *Licht. Verz. Summl. Kaffernl.* p. 13 (1842). S.
Shelley, *P. Z. S.* 1882, p. 336, pl. 18; *Cat. x.* p. 539.
155. lineiventris, *Sundev. Öfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 100. S.
Cat. x. p. 540.
156. crenatus, *Finsch & Hartl. Vög. Ost-Afr.* p. 275 (1870). S.
Cat. x. p. 541.
157. trivialis, *Linn. S. N. i.* p. 288 (1766). W., S., E., N.E.
Dresser, *B. Eur.* iii. p. 309, pl. 132, fig. 2 (1875); *Cat. x.* p. 543.
158. brachyurus, *Sundev. Öfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 100. S.
Cat. x. p. 55.
159. nicholsoni, *Sharpe, ed. Layard's B. S. Afr.* p. 536 (1884). S.
Cat. x. p. 553.
160. pyrrhonotus (*Vieill.*), *N. Dict. i.* p. 361 (1816). S., E., N.E.
Levaill. *Ois. Afr.* iv. pl. 197 (1805); *Cat. x.* p. 555.
161. gouldi, *Fraser, P. Z. S.* 1843, p. 27. W.
Cat. x. p. 558.
162. pallidiventris, *Sharpe, Cat. B. M.* x. p. 560. W.
163. sordidus, *Rüpp. N. Wirb. Vög.* p. 103, pl. 39, fig. 1 (1835). N.E.
Cat. x. p. 560.
164. campestris (*Linn.*), *S. N. i.* p. 288 (1766). W., N.E.
Dresser, *B. Eur.* iii. p. 317, pl. 137 (1874); *Cat. x.* p. 569.
165. rufulus, *Vieill. N. Dict. xxvi.* p. 494 (1818). S., E.
Hodgs. *Icon. ined. in Brit. Mus. Passeres*, pl. 122. ff. 1, 2, pl. 122 a. f. 2; *Cat. x.* p. 574.
166. bocagii, *Nicholson, Ibis*, 1881, p. 469. S.
Boeage, *Orn. Angola*, p. 294, pl. 8, fig. 2 (1881); *Cat. x.* p. 579.

167. *pratensis* (*Linnaeus*), *S. N.* i. p. 287 (1766). N.E.
Dresser, *B. Eur.* iii. p. 285, pl. 132. fig. 1 (1874); *Cat. x.* p. 580.
168. *cervinus* (*Pallas*), *Zoogr. Rosso-Asiat.* i. p. 511 (1811). N.E.
Dresser, *B. Eur.* iii. p. 299, pl. 136 (1874); *Cat. x.* p. 585.

Genus III. TMETOTHYLAGUS.

Type.

- Tmetothylacus*, *Cab. J. f. O.* 1879, p. 438 T. *teuillus*.
169. *tenellus* (*Cab.*), *J. f. O.* 1878, pp. 205, 220, pl. 2. fig. 3. E., N.E.
Cat. x. p. 618.

Genus IV. MACRONYX.

Type.

- Macronyx*, *Swains. Zool. Journ.* iii. p. 344 (1817) M. *capensis*.
- 170. *croceus* (*Vieill.*), *N. Dict.* i. p. 365 (1816). W., S., E.
Jard. & Selby, *Ill. Orn.* (n. s.) i. pl. 22 (1838); *Cat. x.* p. 626.
- 171. *capensis* (*Linnaeus*), *S. N.* i. p. 288 (1766). S.
Levaill. *Ois. Afr.* iv. p. 132, pl. 195 (1805); *Cat. x.* p. 623.
- 172. *aurantiigula*, *Reichen. J. f. O.* 1891, p. 444. E. 222
173. *flavicollis*, *Rüpp. N. Wirb. Vög.* p. 102, pl. 38. fig. 2 (1835). N.E.
Cat. x. p. 625.
174. *ameliae*, *De Tarragon, Rev. Zool.* 1845, p. 452. S., E.
Gray, *Gen. B.* i. pl. 54 (1848); *Cat. x.* p. 628.
175. *wintoni*, *Sharpe, Ibis*, 1891, pp. 444, 589. E.

Family VII. ALAUDIDÆ.

Genus I. CERTHILAUDA.

Type.

- Certhilauda*, *Swains. Zool. Journ.* iii. p. 344 (1727) C. *capensis*.
- Chersomanes*, *Cab. Mus. Hein.* i. p. 126 (1850) C. *rufula*.
176. *capensis* (*Bodd.*), *Tabl. Pl. Enl.* p. 48 (1783). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 90. fig. 1 (1843); *Cat. xiii.* p. 514 (1890).
177. *rufula* (*Vieill.*), *N. Dict.* xxvi. p. 494 (1818). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 106. fig. 1 (1846); *Cat. xiii.* p. 515.

Genus II. ALÆMON.

Type.

- Alæmon*, *Keys. u. Blas. Wirb. Eur.* p. xxxvi (1840) A. *alaudipes*.
- Calendulauda*, *Blyth, J. A. S. Bengal*, xxiv. p. 258 (1855) A. *nivosa*.
178. *alaudipes* (*Desf.*), *Mém. Acad.* 1787, p. 504. W., N.E.
Dresser, *B. Eur.* iv. p. 275, pl. 226 (1874); *Cat. xiii.* p. 518.

179. *desertorum* (*Stanley*), in *Salt's Exped. Abyss.* App. p. lx (1814). N.E.
Cat. xiii. p. 519.
180. *semitorquata* (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 47. S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 106, fig. 2 (1846); Cat. xiii. p. 521.
181. *nivosa* (*Swains.*), *B. W. Afr.* i. p. 213 (1837). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 87, fig. 1 (1843); Cat. xiii. p. 522.

Genus III. HETEROCORYS.

- Heterocorys*, *Sharpe*, *P. Z. S.* 1874, p. 625 Type.
H. breviunguis.
182. *breviunguis* (*Sundev.*), *Oefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 99. S.
Sharpe, *P. Z. S.* 1874, p. 626, pl. 76, fig. 1; Cat. xiii. p. 524.

Genus IV. OTOCORYS.

- Otocorys*, *Bp. Nuovi Ann. Sc. Nat. Bologna*, ii. p. 407 (1833). Type.
O. alpestris.
183. *berlepschi*, *Hartert*, *J. f. O.* 1890, p. 103. S.

Genus V. MELANOCORYPHA.

- Melanocorypha*, *Boie, Isis*, 1828, p. 322 Type.
M. calandra.
- Calandrina*, *Blyth, Journ. A. S. Beng.* xxiv. p. 265 (1859) . M. bimaculata.
184. *bimaculata* (*Ménétr.*), *Cat. Rais. Cauc.* p. 37 (1832). N.E.
Dresser, *B. Eur.* iv. p. 361, pl. 238, figs. 2, 3 (1871); Cat. xiii. p. 555.

Genus VI. TEPHROCORYS.

- Tephrocorys*, *Sharpe*, *P. Z. S.* 1874, p. 633 Type.
T. cinerea.
185. *cinerea* (*Gm.*), *S. N.* i. p. 798 (1788). S.
Levaill. *Ois. Afr.* iv. p. 137, pl. 199 (1805); Cat. xiii. p. 561.
186. *spleniata* (*Strickl.*), *Contr. Orn.* 1852, p. 152. S.
Cat. xiii. p. 563.
187. *ruficeps* (*Rüpp.*), *N. Wirb. Vög.* p. 102, pl. 38, fig. 1 (1835). N.E.
Cat. xiii. p. 563.
188. *anderssoni*, *Tristr. Ibis*, 1869, p. 434. S.
Cat. xiii. p. 564.

Genus VII. SPIZOCORYS.

- Spizocorys*, *Sundev. Av. Meth. Tent.* p. 55 (1873) Type.
S. conirostris.
189. *conirostris* (*Sunder.*), *Oefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 99. S.
Ayres, *Ibis*, 1874, p. 103, pl. 3, fig. 1; Cat. xiii. p. 564.
190. *personata*, *Sharpe*, *P. Z. S.* 1895, p. 471. N.E.

Genus VIII. ALAUDA.

- Type.*
- Alauda*, *Linn. S. N.* i. p. 287 (1766) A. arvensis.
191. *prætermissa*, *Blanf. Geol. & Zool. Abyss.* p. 388, pl. 6 (1870). N.E.
Cat. xiii. p. 579.

Genus IX. CALANDRELLA.

- Type.*
- Calandrella*, *Kaup, Natürl. Syst.* p. 39 (1829) C. brachydactyla.
192. *brachydactyla* (*Leisler*), *Wetterau Gesellsch. Ann.* iii. pp. 357, 359 (1814). N.E.
Dresser, *B. Eur.* iv. p. 341, pl. 235 (1873); Cat. xiii. p. 580.

Genus X. ALAUDULA.

- Type.*
- Alaudula*, *Horsf. & Moore, Cat. B. Mus. E. I. Co.* ii. p. 471 (1856) . A. raytal.
193. *minor* (*Cab.*), *Mus. Hein.* i. p. 123 (1850). N.E.
Dresser, *B. Eur.* iv. p. 349, pl. 236, fig. 1 (1873); Cat. xiii. p. 588.
194. *somalica*, *Sharpe, P. Z. S.* 1895, p. 472. N.E.

Genus XI. MIRAFRA.

- Type.*
- Mirafra*, *Horsf. Trans. Linn. Soc.* xiii. p. 159 (1820) . . . M. javanica.
Corypha, *Gray, List Gen. B.* 1840, p. 48 M. apiata.
195. *rufipilea* (*Vieillt.*), *N. Dict.* i. p. 345 (1816). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 110, fig. 2 (1847); Cat. xiii. p. 597.
196. *apiata* (*Vieillt.*), *N. Dict.* i. p. 342 (1816). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 110, fig. 1 (1847); Cat. xiii. p. 598.
197. *buckleyi* (*Shelley*), *Ibis*, 1873, p. 142. W.
Cat. xiii. p. 599.
198. *fischeri* (*Reichen.*), *J. f. O.* 1878, p. 266. W., S., E.
Cat. xiii. p. 600.
199. *ruficinnamomea* (*Salvad.*), *Atti Soc. Ital. Sc. Nat.* 1865, p. 378. E.
Shelley, *P. Z. S.* 1882, p. 308, pl. 17; Cat. xiii. p. 600.
- 200. *hova*, *Hartl. J. f. O.* 1860, p. 106. M.
Milne-Edw. & Grand. *Hist. Madag.*, *Ois.* p. 456, pl. 183, fig. 3; Cat. xiii. p. 601.
201. *cheniana*, *Smith, Ill. Zool. S. Afr. Av.* pl. 89, fig. 2 (1843). S.
Cat. xiii. p. 603.
202. *fringillaris*, *Sundev. Öfr. K. Vet.-Ak. Förh. Stockh.* 1850, p. 99. S.
Sharpe, *P. Z. S.* 1874, p. 649, pl. 75, fig. 1; Cat. xiii. p. 606.
203. *angolensis*, *Bocage, Jorn. Lisb.* 1880, p. 60. W., S.
Cat. xiii. p. 593.

204. *cordofanica*, *Strickl.* *P. Z. S.* 1850, p. 218, pl. 23. N.E.
Cat. xiii. p. 606.
205. *gilletti*, *Sharpe*, *Bull. B. O. Club*, 1895, iv. p. xxix; *id. P. Z. S.* 1895, p. 475. N.E.
206. *africana*, *Smith*, *Rep. Exped. Centr. Afr.* 1836, p. 47. W., S., E.
Smith, *Ill. Zool. S. Afr. Av.* pl. 88, fig. 1 (1843); Cat. xiii. p. 607.
207. *tigrina*, *Oust. Le Naturaliste*, 1892, p. 231. W.
208. *plebeia* (*Cab.*), *J. f. O.* 1875, p. 237. W.
Cat. xiii. p. 593.
209. *damarensis*, *Sharpe*, *P. Z. S.* 1874, p. 650, pl. 75, fig. 2. S.
Cat. xiii. p. 612.
210. *pœcilsterna* (*Reich.*), *Orn. Centralbl.* 1879, p. 155; *id. J. f. O.* 1879, p. 353. E.
Cat. xiii. p. 612.
211. *africanoides*, *Smith*, *Rep. Exped. Centr. Afr.* 1836, p. 47. S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 88, fig. 2 (1843); Cat. xiii. p. 616.
212. *alopex*, *Sharpe*, *Cat. B. M.* xiii. p. 617 (1890). N.E.
213. *nævia* (*Strickl.*), *Contr. Orn.* 1852, p. 152. S.
Cat. xiii. p. 617.
214. *albicauda*, *Reichen. J. f. O.* 1891, p. 223. E.
215. *sabota*, *Smith*, *Rep. Exped. Centr. Afr.* 1836, p. 47. S., E.
Smith, *Ill. Zool. S. Afr. Av.* pl. 89, fig. 2 (1842); Cat. xiii. p. 618.
216. *nigricans* (*Sunder.*), *Afsv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 99. S.
Boeage, *Orn. Angola*, p. 376, pl. 3, fig. 1 (1881); Cat. xiii. p. 619.
217. *erythropygia* (*Strickl.*), *P. Z. S.* 1850, p. 219, pl. 24. N.E.
Cat. xiii. p. 620.

Genus XII. SPILOCORYDON.

- Type.*
- Spilocorydon*, *Reichen. Orn. Centralbl.* 1879, p. 155 S. *hypermetrus*.
218. *hypermetrus* (*Reichen.*), *Orn. Centralbl.* 1879, p. 155. E., N.E.
Cat. xiii. p. 620.

Genus XIII. GALERITA.

- Type.*
- Galerita*, *Boie, Isis*, 1828, p. 321 G. *cristata*.
Heliocorys, *Sharpe*, *Cat. B. M.* xiii. p. 623 (1890) G. *modesta*.
219. *cristata* (*Linn.*), *S. N. i.* p. 288 (1766). W., N.E.
Dresser, *B. Eur.* iv. p. 285, pl. 229 (1873); Cat. xiii. p. 626.
220. *rueppelli*, *Hartert*, *J. f. O.* 1890, p. 102. N.E.

221. *isabellina*, *Bp. Consp.* i. p. 245 (1850). N.E.
Dresser, *B. Eur.* iv. p. 303, pl. 230, fig. 1 (1873); *Cat. xiii.* p. 635.
222. *modesta*, *Heugl. J. f. O.* 1864, p. 274. N.E.
Heugl. *Orn. N.O.-Afr.* p. 691, pl. 23 (1870); *Cat. xiii.* p. 623.

Genus XIV. CALENDULA.

Type.

- Calendula*, *Swains. Class. B.* ii. p. 292 (1837) C. *crassirostris*.
223. *crassirostris* (*Vieill.*), *N. Dict.* i. p. 373 (1816). S.
Levaill. *Ois. Afr.* pl. 193 (1805); *Cat. xiii.* p. 369.

Genus XV. AMMOMANES.

Type.

- Ammomanes*, *Cab. Mus. Hein.* i. p. 125 (1850) A. *deserti*.
224. *grayi* (*Wahlb.*), *Œfv. K. Vet.-Ak. Förh. Stockh.* 1855, p. 213. S.
Sharpe, *P. Z. S.* 1874, p. 629, pl. 76, fig. 2; *Cat. xiii.* p. 643.
225. *cinctura* (*Gould*), *Voy. 'Beagle,' Birds*, p. 87 (1841). W., N.E.
Dresser, *B. Eur.* iv. p. 335, pl. 234 (1875); *Cat. xiii.* p. 644.
226. *deserti* (*Licht.*), *Verz. Doubl.* p. 28 (1823). N.E.
Dresser, *B. Eur.* iv. p. 329, pl. 233 (1874); *Cat. xiii.* p. 647.
227. *erythrochlamys* (*Strickl.*), *Contr. Orn.* 1852, p. 151. S.
Ayres, *Ibis*, 1874, p. 103, pl. 3, fig. 2; *Cat. xiii.* p. 649.
228. *ferruginea*, *Smith, Ill. Zool. S. Afr. Av.* pl. 29 (1839). S.
Cat. xiii. p. 649.

Genus XVI. PYRRHULAUADA.

Type.

- Pyrrhulauda*, *Smith, Ill. Zool. S. Afr. Av.* pl. 26 (1839) . . P. *australis*.
229. *australis* (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 49. S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 24 (1839); *Cat. xiii.* p. 651.
230. *leucoparaea*, *Fisch. & Reichen. J. f. O.* 1884, p. 55. E.
Cat. xiii. p. 651.
231. *melanauchen* (*Cab.*), *Mus. Hein.* i. p. 121 (1850). N.E.
Finsch, *Trans. Z. S.* vii. p. 275, pl. 26 (1870); *Cat. xiii.* p. 655.
232. *verticalis* (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 48. W., S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 25 (1839); *Cat. xiii.* p. 656.
233. *leucotis* (*Stanley*), *in Salt's Trav. App.* p. 60 (1814). W., N.E.
Temm. *Pl. Col.* iii. pl. 269, figs. 2, 3 (1824); *Cat. xiii.* p. 657.
234. *smithi*, *Bp. Consp.* i. p. 512 (1850). S., E.
Smith, *Ill. Zool. S. Afr. Av.* pl. 26 (1836); *Cat. xiii.* p. 658.
[October 1895.]

Family VIII. FRINGILLIDÆ.

Subfamily I. EMBERIZINÆ.

Genus I. EMBERIZA.

Type.

<i>Emberiza</i> , <i>Briss. Orn.</i> iii. p. 257 (1760)	E. citrinella.
<i>Glycispina</i> , <i>Cab. Mus. Hein.</i> i. p. 128 (1850)	E. hortulana.
<i>Polymitra</i> , <i>Cab. Mus. Hein.</i> i. p. 129 (1850)	E. flaviventris.

- 235. *flaviventris* (*Vieill.*), *Enc. Méth.* ii. p. 929 (1823). S., E.
Daubent. *Pl. Enl.* v. pl. 664. fig. 2; *Cat. xii.* p. 499 (1888), pt.
236. *poliopleura* (*Salvad.*), *Ann. Mus. Civ. Gen.* 1888, p. 269. N.E.
237. “*flavigastra*, *Rüpp.*,” *Cretschn. in Rüpp. Atlas*, p. 38, pl. 25 (1826). N.E.
Cat. xii. p. 499, pt.
238. “*affinis*, *Würt.*,” *Heugl. J. f. O.* 1867, p. 297. W., N.E.
Cat. xii. p. 502.
239. *major*, *Cab. J. f. O.* 1880, p. 349, pl. 2. fig. 2. S.
Cat. xii. p. 502.
240. *orientalis* (*Shelley*), *P. Z. S.* 1882, p. 308. S., E.
Cat. xii. p. 502.
241. *cabanisi* (*Reichen.*), *J. f. O.* 1875, p. 233, pl. 2. figs. 2, 3. W.
Cat. xii. p. 503.
242. *hortulana*, *Linn. S. N.* i. p. 309 (1766). N.E.
Dresser, *B. Eur.* iv. p. 185, pl. 210 (1871); *Cat. xii.* p. 530.
243. “*cæsia*, *Rüpp.*,” *Cretschn. in Rüpp. Atlas*, p. 17, pl. 10. fig. B (1826). N.E.
Dresser, *B. Eur.* iv. p. 213, pl. 260 (1871); *Cat. xii.* p. 535.

Genus II. FRINGILLARIA.

Type.

<i>Fringillaria</i> , <i>Swains. Class. B.</i> ii. p. 290 (1837)	F. capensis.
--	--------------

244. *capensis* (*Linn.*), *S. N.* i. p. 310 (1766). S.
Temm. *Pl. Col.* 664. fig. 1; *Cat. xii.* p. 565.
245. *impetuani* (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 48. S.
Cat. xii. p. 563.
246. *tahapisi* (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 48. W., S., N.E.
Cat. xii. p. 558.
247. *septemstriata* (*Rüpp.*), *N. Wirb. Vög.* p. 86, pl. 30. fig. 2 (1835). N.E.
Cat. xii. p. 559.

Subfamily II. FRINGILLINÆ.

Genus I. CHRYSOMITRIS.

- Type.*
- Chrysomitris**, *Boie, Isis*, 1828, p. 322 C. spinus.
248. **nigriceps** (*Rüpp.*), *N. Wirb. Vög.* p. 96, pl. 34. fig. 2 (1835). N.E.
Cat. xii. p. 222.
249. **citrinelloides** (*Rüpp.*), *N. Wirb. Vög.* p. 95, pl. 43. fig. 1 (1835). E., N.E.
Cat. xii. p. 229.
250. **totta** (*Sparrm.*), *Mus. Carls.* i. pl. 18 (1786). S.
Cat. xii. p. 231.

Genus II. RHYNCHOSTRUTHUS.

- Type.*
- Rhynchostruthus**, *Scl. & Hartl. P. Z. S.* 1881, p. 170 . . . R. socotranus.
251. **socotranus**, *Scl. & Hartl. P. Z. S.* 1881, p. 171. N.E.
Hartl. *P. Z. S.* 1881, p. 594, pl. 72; Cat. xii. p. 282.

Genus III. ERYTHROSPIZA.

- Type.*
- Erythrosipa**, *Bp. Faun. Ital. Ucc.* pl. 35, texte (1832–41) . E. githaginea.
252. **githaginea** (*Licht.*), *Verz. Doubl.* p. 24 (1823). N.E.
Dresser, *B. Eur.* iv. p. 85, pl. 196 (1875); Cat. xii. p. 284.

Genus IV. PETRONIA.

- Type.*
- Petronia**, *Kaup, Natürl. Syst.* p. 158 (1829) P. petronia.
- Xanthodira**, *Sundev. Öefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 127. P. dentata.
253. **dentata** (*Sundev.*), *Öefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 127. W., N.E.
Heugl. *Orn. N.O.-Afr.* p. 625, pl. 21. fig. 1 (1870); Cat. xii. p. 295.
254. **pyrgita** (*Hengl.*), *J. f. O.* 1862, p. 30. E., N.E.
Heugl. *Orn. N.O.-Afr.* p. 627, pl. 21. fig. 2; Cat. xii. p. 296.
255. **flavigula** (*Sundev.*), *Öefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 98. S.
Cat. xii. p. 297.

Genus V. PASSER.

- Type.*
- Passer**, *Briss. Orn.* iii. p. 71 (1760) P. domesticus.
- Pyrgitopsis**, *Bp. Consp.* i. p. 510 (1850) P. simplex.
- Salicipasser**, *Boyd. B. Cauc.* p. 60 (1879) P. montanus.
- Sorella**, *Hartl. J. f. O.* 1880, p. 211 P. emini.
- Pseudostruthus**, *Oust. Le Naturaliste*, 1890, p. 274 P. swainsoni.
256. **montanus** (*Linn.*), *S. N.* i. p. 324 (1766). N.E.
Dresser, *B. Eur.* iv. p. 597, pl. 178 (1875); Cat. xii. p. 301.

257. *insularis*, *Scl. & Hartl. P. Z. S.* 1881, p. 169, pl. 16. N.E.
Cat. xii. p. 321.
258. *domesticus* (*Linn.*), *S. N. i.* p. 323 (1766). N.E., M.
Dresser, *B. Eur. iv.* p. 587, pl. 176. fig. 1 (1876); Cat. xii. p. 307.
259. *italiae* (*Vieill.*), *N. Diet. xii.* p. 199 (1817). N.E.
Dresser, *B. Eur. iv.* p. 585, pl. 176. fig. 2 (1876); Cat. xii. p. 315.
260. *hispaniolensis* (*Temm.*), *Man. Orn.* p. 353 (1820). W., N.E.
Dresser, *B. Eur. iv.* p. 593, pl. 117 (1876); Cat. xii. p. 317.
261. *jagoensis* (*Gould*), *P. Z. S.* 1837, p. 77. W.
Gould, *Voy. 'Beagle,' Birds*, p. 95, pl. 31 (1841); Cat. xii. p. 323.
262. *motitensis*, *Smith, Ill. Zool. S. Afr. Av.* pl. 114 (1849). S.
Cat. xii. p. 324.
263. *ruficinctus*, *Fisch. & Reichen. J. f. O.* 1884, p. 55. E., N.E.
Cat. xii. p. 325.
264. *shelleyi*, *Sharpe, Ibis*, 1891, p. 256. E.
265. *castanopterus*, *Blyth, J. A. S. Beng.* xxiv. p. 202 (1855). N.E.
Cat. xii. p. 328.
266. *simplex* (*Licht.*), *Verz. Doubl.* p. 24 (1823). N.E.
Dresser, *B. Eur. iii.* p. 603, pl. 179 (1876); Cat. xii. p. 339.
267. *swainsoni* (*Rüpp.*), *N. Wirb. Vög.* p. 94, pl. 32. fig. 2 (1835). E., N.E.
Cat. xii. p. 334.
268. *diffusus* (*Smith*), *Rep. Exp. Centr. Afr.* 1836, p. 50. W., S., E.
Cat. xii. p. 336.
269. *arcuatus* (*Gm.*), *S. N. i.* p. 912 (1788). S.
Daubent. *Pl. Enl. iv.* pl. 230. fig. 1; Cat. xii. p. 333.
270. *emini* (*Hartl.*), *J. f. O.* 1880, pp. 211, 325. N.E.
Hartl. *J. f. O.* 1881, pl. i. figs. 3, 4; Cat. xii. p. 332.
271. *luteus* (*Licht.*), *Verz. Doubl.* p. 24 (1823). N.E.
Temm. *Pl. Col. iii.* pl. 365 (1825); Cat. xii. p. 341.
272. *euchlorus* (*Bp.*), *Consp. i.* p. 519 (1850). N.E.
Cat. xii. p. 341.

Genus VI. POLIOSPIZA.

- Type.*
- Poliospiza, Bp. Consp. i.* p. 519 (1850) P. tristriata.
Phæospiza, Bocage, Jorn. Lisb. 1888, p. 148 P. rufibrunnea.
273. *gularis* (*Smith*), *Rep. Exp. Centr. Afr.* 1836, p. 49. S.
Cat. xii. p. 343.

274. *reichardi*, *Reichen. J. f. O.* 1882, p. 209. E.
Cat. xii. p. 343.
275. *flegeli*, *Hartert, J. f. O.* 1886, p. 583. W.
Cat. xii. p. 343.
276. *striatipectus*, *Sharpe, Ibis*, 1891, p. 259. E.
277. *tristriata* (*Rüpp.*), *N. Wirb. Vög.* p. 97, pl. 35. fig. 2 (1835). W., S., N.E.
Cat. xii. p. 345.
278. *rufibrunnea* (*Gray*), *Ann. & Mag. N. H.* (3) x. p. 444 (1862). W.
Cat. xii. p. 346, pl. 6 (1888).

Genus VII. ALARIO.

- Alario*, *Bp. Conspl.* i. p. 519 (1850) Type. A. alario.
279. *alario* (*Linn.*), *S. N.* i. p. 319 (1766). S.
Daubent. *Pl. Enl.* v. pl. 204. fig. 2 ; Cat. xii. p. 346.

Genus VIII. SERINUS.

- Serinus*, *Koch, Syst. baier. Zool.* p. 228 (1816) Type. S. serinus.
- Crithagra*, *Swains. Zool. Journ.* iii. p. 348 (1827) S. sulphuratus.
280. *canicollis* (*Swains.*), *An. in Menag.* p. 317 (1837). S.
Dubois, *Orn. Gall.* pl. 104 (1839); Cat. xii. p. 350.
281. *flavivertex* (*Blanf.*), *Geol. & Zool. Abyss.* p. 414, pl. 7 (1870). S., E., N.E.
Cat. xii. p. 351.
282. *sulphuratus* (*Linn.*), *S. N.* i. p. 305 (1766). S.
Jard. & Selby, *Ill. Orn.* iii. pl. 100. fig. 1 ; Cat. xii. p. 352.
283. *flaviventris* (*Swains.*), *Zool. Journ.* iii. p. 348 (1828). S.
Daubent. *Pl. Enl.* iv. pl. 364. fig. 1 ; Cat. xii. p. 353.
284. *imberbis* (*Cab.*), *J. f. O.* 1868, p. 412. S., E.
Cab. in Decken's *Reis.* iii. p. 30, pl. 11 (1869); Cat. xii. p. 355.
285. *icterus* (*Bonn. et Vieill.*), *Enc. Méth.* iii. p. 972 (1823). W., S., E., N.E.
Swains. *B. W. Afr.* i. p. 206, pl. 17 (1837); Cat. xii. p. 356.
286. *huillensis*, *Sousa, Jorn. Lisb.* 1889, p. 40. S.
287. *capistratus* (*Finsch & Hartl.*), *Vög. Ostafri.* p. 458 (1870). W.
Cat. xii. p. 359.
288. *donaldsoni*, *Sharpe, Bull. B. O. Club*, 1895, iv. p. xli. N.E.
Sharpe, *P. Z. S.* 1895, p. 470, pl. 27. fig. 2.
289. *albigularis* (*Smith*), *S. Afr. Quart. Journ.* ii. p. 48 (1833). S.
Jard. & Selby, *Ill. Orn.* ii. pl. 104. fig. 2 (1839); Cat. xii. p. 360.

290. *crocopygius* (*Sharpe*), *Ibis*, 1871, p. 101. S.
Sharpe, Cat. B. M. xii. p. 360, pl. 8 (1888).
291. *leucopterus* (*Sharpe*), *Ann. & Mag. N. H.* (4) viii. p. 235 (1871). S.
Sharpe, Cat. B. M. xii. p. 361, pl. 9 (1888).
292. *rendalli*, *Tristr. Ibis*, 1895, p. 130. S.
293. *scotops* (*Sundev.*), *Oefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 94. S.
Cat. xii. p. 362.
294. *striolatus* (*Rüpp.*), *N. Wirb. Vög.* p. 99, pl. 37. fig. 1 (1835). E., N.E.
Cat. xii. p. 363.
295. *burtoni* (*Gray*), *Ann. & Mag. N. H.* (3) x. p. 444 (1862). W.
Sharpe, Cat. B. M. xii. p. 365, pl. 7 (1888).
296. *albibrons* (*Sharpe*), *Ibis*, 1891, pp. 118, 255. E.
297. *leucopygius* (*Sundev.*), *Oefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 127. W., E.
Vieill. Ois. Chant. pl. 11 (1805); Cat. xii. p. 366.
298. *xanthopygius*, *Rüpp. N. Wirb. Vög.* p. 96, pl. 35. fig. 1 (1835). N.E.
Cat. xii. p. 365.
299. *flavigula*, *Salvad. Ann. Mus. Civ. Gen.* 1888, p. 272. N.E.
300. *dorsostriatus*, *Reichen. J. f. O.* 1887, p. 72. E.
301. *reichenowi*, *Salvad. Ann. Mus. Civ. Gen.* 1888, p. 272. N.E.
302. *angolensis* (*Gm.*), *S. N. i.* p. 918 (1788). W., S., E.
Edwards, *Nat. Hist. B.* iii. p. 129 (1750); Cat. xii. p. 367.
303. *maculicollis*, *Sharpe, Bull. B. O. Club*, 1895, iv. p. xli. N.E.
Sharpe, *P. Z. S.* 1895, p. 470, pl. 27. fig. 1.

Genus IX. LINURGUS.

- Linurgus*, *Reichb. Syst. Av.* pl. 78. fig. 9 (1850) Type.
L. olivaceus.
304. *olivaceus* (*Fraser*), *P. Z. S.* 1842, p. 144. W.
Fraser, *Zool. Typ.* pl. 47 (1849); Cat. xii. p. 434.

Family IX. PLOCEIDÆ.

Subfamily I. VIDUINÆ.

Genus I. HYPOCHERA.

- Hypochæra*, *Bp. Conspl.* i. p. 450 (1850) Type.
H. ænea.
305. *ænea*, *Hartl. J. f. O.* 1854, p. 115. W.
Vieill. Ois. Chant. p. 44, pl. 21 (1805); Cat. xiii. p. 308.

- | | |
|--|--------|
| 306. ultramarina (<i>Gm.</i>), <i>S. N. i.</i> p. 927 (1788). | N.E. |
| Cat. xiii. p. 309. | |
| 307. orientalis, <i>Reichen.</i> <i>Vög. Deutsch-Ost-Afr.</i> p. 188 (1894). | E. |
| Cat. xiii. p. 310, pt. | |
| 308. purpurascens, <i>Reichen.</i> <i>J. f. O.</i> 1883, p. 221. | E. |
| Cat. xiii. p. 310, pt. | |
| 309. funerea (<i>De Tarray.</i>), <i>Rev. Zool.</i> 1817, p. 120. | W., S. |
| Cat. xiii. p. 310. | |
| 310. nigerrima, <i>Sharpe</i> , <i>P. Z. S.</i> 1871, p. 133. | W., S. |
| Cat. xiii. p. 311. | |
| 311. amauroptera, <i>Sharpe</i> , <i>Cat. B. M.</i> xiii. p. 309 (1890). | S. |

Genus II. VIDUA.

	<i>Type.</i>
Vidua, <i>Cuv. Leçons Anat. Comp.</i> i. Tabl. 2 (1800) . . .	V. <i>principalis</i> .
Videstrelida, <i>Lafr. Rev. et Mag. Zool.</i> 1850, p. 325 . . .	V. <i>regia</i> .
Steganura, <i>Reichb. Syst. Av.</i> pl. 76. fig. 3 (1850) . . .	V. <i>paradisea</i> .
Linura, <i>Reichen. Orn. Centralbl.</i> 1882, p. 91 . . .	V. <i>fischeri</i> .

312. *principalis* (*Linn.*), *S. N.* i. p. 313 (1766). W., S., E., N.E.
Swains. B. W. Afr. i. p. 176, pl. 12 (1837); Cat. xiii. p. 203.

313. *hypocherina*, *J. & E. Verr. Rev. et Mag. Zool.* 1856, p. 260, pl. 16. E.
Forbes, *P. Z. S.* 1880, p. 475, pl. 47. figs. 1, 3; Cat. xiii. p. 208.

314. *fischeri* (*Reichen.*), *J. f. O.* 1882, p. 350, pl. 2. fig. 1. E., N.E.
Cat. xiii. p. 210.

315. *regia* (*Linn.*), *S. N.* i. p. 313 (1766). S.
Vieill. *Ois. Chant.* pls. 34, 35 (1805); Cat. xiii. p. 209.

316. *paradisea* (*Linn.*), *S. N.* i. p. 312 (1766). W., S., E., N.E.
Vieill. *Ois. Chant.* pls. 37, 38 (1805); Cat. xiii. p. 211.

Genus III. COLIIPASSER.

	<i>Type.</i>
<i>Coliuspasser</i> , <i>Rüpp. N. Wirb. Vög.</i> p. 98 (1835-40) C. laticauda.	
<i>Chera</i> , <i>Gray, Gen. B.</i> ii. p. 355 (1849) C. proene.	
<i>Niobe</i> , <i>Reich. Singv.</i> p. 61 (1861) C. ardens.	
<i>Penthetriopsis</i> , <i>Sharpe, Cat. B. M.</i> xiii. p. 220 (1890) . . . C. macrura.	
<i>Drepanoplectes</i> , <i>Sharpe, Ibis</i> , 1891, p. 216 C. jacksoni.	

317. *procne* (*Bodd.*), *Tabl. Pl. Engl.* p. 39 (1783). S.
Vieill. Ois. Chant. p. 66, pls. 39, 40 (1805): Cat. xiii. p. 213.

318. *ardens* (*Bodd.*), *Tabl. Pl. Engl.* p. 39 (1783). W., S., E.
Daub. Pl. Engl. pl. 75 (1776); *Cass. J. Phil. Ac.* i. p. 211, pl. 30, f. 1 (1849), var.; Cat. xiii. p. 215.

319. *laticaudus* (*Licht.*), *Verz. Doubl.* p. 24 (1823). E., N.E.
Rüpp. *N. Wirb. Vög.* p. 98, pl. 36, fig. 2 (1835); Cat. xiii. p. 218.
320. *hartlaubi* (*Bocage*), *Orn. Angola*, p. 341 (1881).
Cat. xiii. p. 219.
321. *albonotatus* (*Cuss.*), *Proc. Philad. Acad.* 1848, p. 65. W., S.
Cass. *Journ. Philad. Acad.* i. p. 241, pl. 30, fig. 1 (1841); Cat. xiii. p. 219.
322. *asymmetrurus* (*Reichen.*), *J. f. O.* 1892, p. 126. W.
- 323. *eques* (*Hartl.*), *P. Z. S.* 1863, p. 106, pl. 15. E.
Cat. xiii. p. 220.
324. *macrurus* (*Gm.*), *S. N.* i. p. 845 (1788). W.
Vieill. *Ois. Chant.* pl. 41 (1805); Cat. xiii. p. 220.
325. *macrocercus* (*Licht.*), *Verz. Doubl.* p. 24 (1823). N.E.
Brown, *Ill. Zool.* pl. 11 (1776); Cat. xiii. p. 223.
326. *soror*, *Reichen. J. f. O.* 1887, p. 70. E.
Cat. xiii. p. 223.
327. *jacksoni* (*Sharpe*), *Ibis*, 1891, p. 246, pl. 5. E.

Genus IV. UROBRACHYA.

- Type.*
- Urobrachya*, *Bp. Conspl.* i. p. 447 (1850) U. *axillaris*.
328. *axillaris*, *Smith, Ill. Zool. S. Afr.* pl. 17 (1838). S., E.
Cat. xiii. p. 224.
329. *hildebrandti*, *Sharpe, Cat. B. M.* xiii. p. 225 (1890). E.
330. *phœnicea* (*Hengl.*), *J. f. O.* 1862, p. 304. E., N.E.
Reichenb. *Singv.* pl. 29, fig. 228 (1861); Cat. xiii. p. 225.
331. *traversii*, *Salvad. Ann. Mus. Civ. Gen.* 1888, p. 287. N.E.
Cat. xiii. p. 226.
332. *bocagii*, *Sharpe, Cat. Afr. B.* p. 63 (1871). W., S.
Sharpe, *Cat. B. M.* xiii. p. 226, pl. 9 (1890).

Genus V. PYROMELANA.

Type.

- Pyromelana*, *Bp. Saggio Distr. Met. Anim. Vertebr.* p. 141 (1831). P. *orix*.
Orynx, *Cab. Mus. Hein.* i. p. 176 (1850) P. *capensis*.
Taha, *Reichenb. Singv.* p. 73 (1861) P. *taha*.

- 333. *xanthomelana* (*Rüpp.*), *N. Wirb. Vög.* p. 94 (1835). W., E., N.E.
Rüpp. *Syst. Uebers.* p. 76, pl. 28 (1845); Cat. xiii. p. 239.
- 334. *capensis* (*Linn.*), *S. N.* i. p. 306 (1766). S.
Daubent. *Pl. Enl.* iv. pl. 101, fig. 1, pl. 659, fig. 1 (1875); Cat. xiii. p. 236.

335. *minor* (*Reichb.*), *Singv.* p. 59, pl. 24. figs. 210, 211 (1861). S.
Cat. xiii. p. 238.
336. *phoenicomera* (*Gray*), *Ann. & Mag. N. H.* (3) x. p. 444 (1862). W.
Cat. xiii. p. 239.
337. *aurea* (*Gm.*), *S. N.* i. p. 816 (1788). W., S.
Shelley, *Ibis*, 1886, p. 354, pl. 9. fig. 2; Cat. xiii. p. 235.
338. *flammiceps* (*Swains.*), *B. W. Afr.* i. p. 186, pl. 13 (1837). W., S., E., N.E.
Cat. xiii. p. 228.
339. *friederichseni* (*Fisch. & Reichen.*), *J. f. O.* 1884, p. 54. E.
Fisch. Zeitschr. ges. Orn. 1884, p. 327, pl. 19. fig. 2; Cat. xiii. p. 235.
340. *gierowi* (*Cab.*), *J. f. O.* 1886, p. 106, pl. 6. fig. 2. W.
Cat. xiii. p. 235.
341. *franciscana* (*Isert*), *Schrift. Geb. nat. Fr. Berlin*, ix. p. 332, pl. 9 (1789). W., N.E.
Vieill. Ois. Chant. p. 92, pl. 59 (1805); Cat. xiii. p. 233.
342. *nigrifrons*, *Böhm*, *J. f. O.* 1884, p. 177. E.
Reichen. *J. f. O.* 1886, pl. 2. fig. 2; Cat. xiii. p. 233.
343. *orix* (*Linn.*), *S. N.* i. p. 309 (1766). S.
Vieill. Ois. Chant. p. 100, pl. 66 (1805); Cat. xiii. p. 230.
344. *nigriventris* (*Cass.*), *Proc. Philad. Acad.* 1848, p. 66. E.
Cass. Journ. Philad. Acad. i. p. 242, pl. 31. fig. 1 (1849); Cat. xiii. p. 230.
345. *diademata* (*Fisch. & Reichen.*), *J. f. O.* 1878, p. 354, pl. 2. fig. 4.
Cat. xiii. p. 236.
346. *afra* (*Gm.*), *S. N.* i. p. 857 (1788). W.
Vieill. Ois. Chant. p. 52, pl. 28 (1805); Cat. xiii. p. 241.
347. *ladoensis*, *Reichen.* *J. f. O.* 1885, p. 218. E., N.E.
Cat. xiii. p. 244.
348. *scioana* (*Salvad.*), *Ann. Mus. Civ. Gen.* 1884, p. 185. N.E.
Cat. xiii. p. 241.
349. *taha* (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 50. S.
Smith, Ill. Zool. S. Afr. Av. pl. 7 (1838); Cat. xiii. p. 242.

Genus VI. QUELEA.

Type.

Quelea, *Reichb. Syst. Nat.* pl. 76. fig. 1 (1850) Q. quelea.

350. *quelea* (*Linn.*), *S. N.* i. p. 310 (1766). W., S.
Vieill. Ois. Chant. p. 46, pls. 22, 23 (1835); Cat. xiii. p. 257, pl. 10. fig. 3 (head).
351. *intermedia* (*Reichen.*), *J. f. O.* 1886, p. 293. E.
Sharpe, Cat. B. M. xiii. p. 259. pl. 10. fig. 4 (1890, head).

352. *aethiopica* (*Sundev.*), *Defv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 126. E., N.E.
Sharpe, Cat. B. M. xiii. p. 259, pl. 10. fig. 5 (1890, head).
353. *russi*, *Finsch, Gefied. Welt*, 1877, p. 317. W., S., N.E.
Sharpe, Cat. B. M. xiii. p. 260, pl. 10. fig. 6 (1890).
354. *erythrops* (*Hartl.*), *Rev. Zool.* 1848, p. 109. W.
Sharpe, Cat. B. M. xiii. p. 255, pl. 10. fig. 1 (1890, head).
355. *cardinalis* (*Hartl.*), *J. f. O.* 1880, p. 325; 1881, pl. 1. fig. 1. N.E.
Sharpe, Cat. B. M. xiii. p. 256, pl. 10. fig. 2 (1890, head).

Subfamily II. ESTRILDINÆ.

Genus I. PYRENESTES.

- Pyrenestes*, *Swains. B. W. Afr.* i. p. 156 (1837) *Type.*
P. ostrinus.
356. *ostrinus* (*Vieill.*), *Ois. Chant.* p. 79, pl. 48 (1805). W.
Swains. B. W. Afr. i. p. 156, pl. 9 (1837); Cat. xiii. p. 252.
357. *coccineus*, *Cass. Proc. Philad. Acad.* 1848, p. 67. W.
Cass. Journ. Philad. Acad. 1848, p. 242, pl. 31. fig. 2; Cat. xiii. p. 253.
358. *minor*, *Shelley, Ibis*, 1894, p. 20. S.

Genus II. AMADINA.

- Amadina*, *Swains. Zool. Journ.* iii. p. 349 (1827) *Type.*
A. fasciata.
- 359. *fasciata* (*Gm.*), *S. N.* i. p. 859 (1788). W., N.E.
Swains. B. W. Afr. i. p. 197, pl. 15 (1835); Cat. xiii. p. 289.
360. *marginalis*, *Sharpe, Cat. B. M.* xiii. p. 290 (1890). W.
361. *erythrocephala* (*Linn.*), *S. N.* i. p. 301 (1766). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 69 (1841); Cat. xiii. p. 290.

Genus III. MUNIA.

- Munia*, *Hodgs. Asiat. Researches*, xix. p. 153 (1836) *Type.*
M. atricapilla.
- Padda*, *Reichb. Syst. Nat.* pl. 76. fig. 6 (1850) M. oryzivora.
362. *oryzivora* (*Linn.*), *S. N.* i. p. 302 (1766). E. Introduced.
Vieill. *Ois. Chant.* p. 94, pl. 61 (1805); Cat. xiii. p. 328.

Genus IV. UROLONCHA.

- Uroloncha*, *Cab. Mus. Hein.* i. p. 173 (1850) *Type.*
U. molucca.
- Euodice*, *Reichb. Singv.* p. 46 (1861) U. cantans.

363. caniceps, *Reichen. J. f. O.* 1879, p. 326, pl. 2. fig. 3. E.
Cat. xiii. p. 356.

364. cantans (*Gm.*), *S. N. i.* p. 859 (1788). W., N.E.
Vieill. *Ois. Chant.* p. 88, pl. 57 (1805); Cat. xiii. p. 371.

Genus V. **NIGRITA.***Type.*

Nigrita, *Strickl. P. Z. S.* 1842, p. 145 N. canicapilla.
Percnopsis, *Heine, J. f. O.* 1860, p. 144 N. fusconota.

365. canicapilla (*Strickl.*), *P. Z. S.* 1841, p. 30. W.
Fraser, *Zool. Typ. pl.* 48 (1849); Cat. xiii. p. 315.

Kretschmari Schu. E.

366. emiliae, *Sharpe, Ibis*, 1869, p. 384, pl. 11. fig. 2. W.
Cat. xiii. p. 317.

367. schistacea, *Sharpe, Ibis*, 1891, p. 118 (January). E.

368. luteifrons, *Verr. Rev. et Mag. Zool.* 1851, p. 420. W.
Cat. xiii. p. 317.

369. lucieni, *Sharpe & Bouvier, Bull. S. Z. France*, 1878, p. 75. W.
Cat. xiii. p. 317.

370. bicolor (*Hartl.*), *Syst. Verz. Brem.* 1844, p. 76. W.
Selat. *Contr. Orn.* 1852, p. 83, pl.; Cat. xiii. p. 318.

371. fusconota, *Fraser, P. Z. S.* 1842, p. 145. W.
Fraser, *Zool. Typ. pl.* 49 (1849); Cat. xiii. p. 318.

372. uropygialis, *Sharpe, Ibis*, 1869, p. 384, pl. 11. fig. 1. W.
Cat. xiii. p. 319.

373. cabanisi, *Fisch. & Reichen. J. f. O.* 1884, p. 54. E.
Shelley, *Ibis*, 1888, p. 292, pl. 6; Cat. xiii. p. 251.

Genus VI. **PHILÆTERUS.***Type.*

Philæterus, *Smith in Charlesw. Mag.* 1837, p. 536 P. socius.

374. socius (*Lath.*), *Ind. Orn. i.* p. 381 (1790). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 8 (1838); Cat. xiii. p. 249.

375. arnaudi (*Bp.*), *Consp. i.* p. 444 (1850). E., N.E.
Heugl. *Orn. N.O.-Afr.* p. 541, pl. 20 (1870); Cat. xiii. p. 250.

376. dorsalis (*Reichen.*), *J. f. O.* 1887, p. 71. E.
Cat. xiii. p. 251.

377. emini (*Reichen.*), *J. f. O.* 1891, p. 210. E.

Genus VII. CRYPTOSPIZA.

*Type.**Cryptospiza*, *Salvad. Ann. Mus. Civ. Gen.* 1884, p. 180 . . . *C. reichenowi*.

378. *reichenowi* (*Hartl.*), *J. f. O.* 1874, p. 346; 1875, pl. 2. fig. 1. W., S.
Cat. xiii. p. 254.

379. *salvadorii*, *Reichen. J. f. O.* 1892, pp. 187, 221. N.E.

Genus VIII. SPERMESTES.

*Type.**Spermestes*, *Swains. B. W. Afr.* i. p. 201 (1837) *S. cucullatus*.*Lepidopygia*, *Reichb. Singv.* p. 48 (1861) *S. nana*.*Amaurestes*, *Reichb. Singv.* p. 86 (1861) *S. fringilloides*.

380. *fringilloides* (*Lafr.*), *Mag. de Zool.* 1835, pl. 48. W., S., E.
Cat. xiii. p. 267.

381. *cucullatus*, *Swains. B. W. Afr.* i. p. 201 (1837). W., N.E.
Müll. *Deser. N. Ois. Afr.* pt. iv. pl. 16 (1854); Cat. xiii. p. 264.

382. *scutatus* (*Heugl.*), *Syst. Uebers.* p. 39; *id. J. f. O.* 1863, p. 18. W., S., E., N.E.
Cat. xiii. p. 265.

383. *nigriceps*, *Cass. Proc. Philad. Acad.* 1852, p. 185. S., E.
Bianc. *Spec. Zool. Mosamb.* fasc. xviii. p. 323, pl. 41. fig. 1 (1867); Cat. xiii. p. 263.

384. *bicolor* (*Fraser*), *P. Z. S.* 1842, p. 145. W.
Fraser, *Zool. Typ.* pl. 50. figs. 2, 3 (1849); Cat. xiii. p. 261.

385. *punctatus*, *Heugl. Orn. N.O.-Afr.* p. 594, note (1870). W.
Cat. xiii. p. 262.

386. *poensis* (*Fraser*), *P. Z. S.* 1842, p. 145. W.
Fraser, *Zool. Typ.* pl. 50. fig. 1 (1849); Cat. xiii. p. 262.

387. *stigmatophorus*, *Reichen. J. f. O.* 1892, p. 46. N.E.

- 388. *nana* (*Pucher.*), *Rev. Zool.* 1845, p. 50. M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 455, pl. 183 (1885); Cat. xiii. p. 266.

Genus IX. ORTYGOSPIZA.

*Type.**Ortygospiza*, *Sundev. Öefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 98. *O. polyzona*.

389. *polyzona* (*Temm.*), *Pl. Col.* iii. pl. 221. fig. 3 (1823). W., S., E., N.E.
Cat. xiii. p. 269.

390. *atricollis* (*Vieill.*), *N. Dict.* xii. p. 182 (1817). W., N.E.
Cat. xiii. p. 271.

Genus X. COCCOPYGIA.

	<i>Type.</i>
Coccopygia, <i>Reichb. Singv.</i> p. 23 (1861)	C. dufresnii.
391. dufresnii (<i>Vieill.</i>), <i>N. Dict.</i> xii. p. 181 (1817).	S.
Temm. <i>Pl. Col.</i> iii. pl. 221. fig. 1 (1833); <i>Cat.</i> xiii. p. 305.	
— 392. kilimensis, <i>Sharpe, Cat. B. M.</i> xiii. p. 307 (1890).	E.
393. quartinia (<i>Bp.</i>), <i>Consp.</i> i. p. 461 (1850).	N.E.
Heugl. <i>Orn. N.O.-Afr.</i> p. 607, pl. 19. fig. 2 (1870); <i>Cat.</i> xiii. p. 307.	
394. salvatieri (<i>Rochebrune</i>), <i>Faun. Sénégamb.</i> , <i>Ois.</i> p. 252, pl. 21. fig. 1 (1884).	W.
<i>Cat.</i> xiii. p. 307, note.	

Genus XI. GRANATINA.

	<i>Type.</i>
Granatina, <i>Bp. Consp.</i> i. p. 458 (1850)	G. granatina.
Uræginthus, <i>Cab. Mus. Hein.</i> i. p. 171 (1850)	G. phœnicotis.
Mariposa, <i>Reichb. Singv.</i> p. 48 (1861)	G. angolensis.
395. granatina (<i>Linn.</i>), <i>S. N.</i> i. p. 318 (1766).	S.
Vieill. <i>Ois. Chant.</i> p. 40, pls. 17, 18 (1805); <i>Cat.</i> xiii. p. 403 (1890).	
396. ianthinogaster (<i>Reichen.</i>), <i>Orn. Centralbl.</i> 1879, p. 114.	E., N.E.
Fisch. & Reichen. <i>J. f. O.</i> 1879, p. 353, pl. 2. figs. 1, 2; <i>Cat.</i> xiii. p. 404.	
— 397. angolensis (<i>Linn.</i>), <i>S. N.</i> i. p. 323 (1766).	S., E.
Edwards, <i>Nat. Hist. B.</i> iii. p. 131 (1750); <i>Cat.</i> xiii. p. 402.	
— 398. phœnicotis (<i>Swains.</i>), <i>B. W. Afr.</i> i. p. 196, pl. 16 (1837).	W., E., N.E.
Swains. <i>B. W. Afr.</i> i. p. 192, pl. 14 (1837); <i>Cat.</i> xiii. p. 400.	

Genus XII. ESTRILDA.

	<i>Type.</i>
Estrilda, <i>Swains. Zool. Journ.</i> iii. p. 349 (1827)	E. astrild.
Melpoda, <i>Reichb. Singv.</i> p. 26 (1863)	E. melpoda.
399. astrild (<i>Linn.</i>), <i>S. N.</i> i. p. 303 (1766).	S., E., N.E.
Vieill. <i>Ois. Chant.</i> p. 35, pl. 12 (1805); <i>Cat.</i> xiii. p. 391.	
400. rufiventris (<i>Vieill.</i>), <i>Enc. Méth.</i> iii. p. 992 (1823).	W.
Vieill. <i>Ois. Chant.</i> p. 36, pl. 13 (1805); <i>Cat.</i> xiii. p. 393.	
401. rufibarba (<i>Cab.</i>), <i>Mus. Hein.</i> i. p. 169 (1850).	N.E.
<i>Cat.</i> xiii. p. 394.	
402. cinerea (<i>Vieill.</i>), <i>N. Dict.</i> xii. p. 176 (1817).	W., E., N.E.
Vieill. <i>Ois. Chant.</i> p. 25, pl. 6 (1805); <i>Cat.</i> xiii. p. 394.	

403. *rhodopyga*, *Sundev. Öfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 126. N.E.
Cat. xiii. p. 396.
404. *subflava* (*Vieill.*), *N. Dict.* xxx. p. 575 (1819). W., S., E., N.E.
Gray, Gen. B. ii. pl. 90. figs. 2, 3 (1849): Cat. xiii. p. 324.
405. *melpoda* (*Vieill.*), *N. Dict.* xii. p. 177 (1817). W.
Vieill. Ois. Chant. p. 26, pl. 7 (1805); Cat. xiii. p. 325.
406. *paludicola*, *Heugl. J. f. O.* 1863, p. 163. N.E.
Heugl. J. f. O. 1868, p. 9, pl. 1. fig. 2; Cat. xiii. p. 397.
407. *roseicrissa*, *Reichen. J. f. O.* 1892, p. 47. N.E.
408. *atricapilla*, *J. & E. Verr. Rev. et Mag. Zool.* 1851, p. 421. W.
Shelley, *Ibis*, 1886, p. 330, pl. 9. fig. 1; Cat. xiii. p. 399.
409. *nonnula*, *Hartl. J. f. O.* 1886, p. 425. N.E.
Hartl. Zool. Jahrb. 1887, p. 321, pl. 13. fig. 5; Cat. xiii. p. 400.
410. *erythronota* (*Vieill.*), *N. Dict.* xii. p. 182 (1817). S.
Gray, Gen. B. ii. p. 368, pl. 90. fig. 1 (1849); Cat. xiii. p. 397.
411. *charmosina*, *Reichen. J. f. O.* 1881, p. 333. E.
Cat. xiii. p. 399.
412. *nigrimentum*, *Salvad. Ann. Mus. Civ. Gen.* 1888, p. 281. N.E.
Cat. xiii. p. 399.
413. *cærulescens* (*Vieill.*), *N. Dict.* xii. p. 176 (1817). W.
Vieill. Ois. Chant. p. 27, pl. 8 (1805); Cat. xiii. p. 284.
414. *cinereovinacea*, *Sousa, Jorn. Lisb.* 1889, p. 49. S.
415. *perreini* (*Vieill.*), *N. Dict.* xii. p. 179 (1817). W.
Cat. xiii. p. 285.
416. *thomensis*, *Sousa, Jorn. Lisb.* 1888, p. 155. W.
417. *incana* (*Sundev.*), *Öfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 98. S.
Cat. xiii. p. 284.
418. *poliogastra* (*Reichen.*), *J. f. O.* 1886, p. 121. S.
Cat. xiii. p. 284, note.
419. *capistrata*, *Hartl. J. f. O.* 1861, p. 259. W.
Nicholson, *P. Z. S.* 1878, p. 130, pl. 10; Cat. xiii. p. 303.

Genus XIII. LAGONOSTICTA.

	<i>Type.</i>
<i>Lagonosticta</i> , <i>Cab. Mus. Hein.</i> i. p. 171 (1850)	L. <i>rubicata</i> .
<i>Mormolycia</i> , <i>Reichb. Singr.</i> p. 21 (1863)	L. <i>larvata</i> .
<i>Rhodopyga</i> , <i>Heugl. J. f. O.</i> 1868, p. 13	L. <i>rhodopsis</i> .
<i>Lychnidaspiza</i> , <i>Heugl. Orn. N.O.-Afr. App.</i> p. cxxxvii (1871) .	L. <i>rara</i> .

420. *rubicata* (*Licht.*), *Verz. Doubl.* p. 27 (1823). S.
Vieill. Ois. Chant. pl. 9 (1805); Cat. xiii. p. 281.
421. *congica*, *Sharpe, Cat. B. M.* xiii. p. 280, pl. 11. fig. 3 (1890). W.
422. *polionota*, *Shelley, Ibis*, 1873, p. 131. W.
Sharpe, *Cat. B. M.* xiii. p. 280, pl. 11. fig. 2.
423. *rara* (*Antin.*), *Cat.* p. 72 (1864). W., N.E.
Heugl. J. f. O. 1868, p. 13, pl. 1. fig. 4; *Cat. xiii.* p. 282.
424. *rhodoparia*, *Heugl. J. f. O.* 1868, p. 16. S., E., N.E.
Cat. xiii. p. 282.
425. *jamesoni*, *Shelley, Ibis*, 1882, p. 355. S.
Sharpe, *Cat. B. M.* xiii. p. 283, pl. 11. fig. 1 (1890).
426. *landanæ*, *Sharpe, Cat. B. M.* xiii. p. 283, pl. 12. fig. 2. W.
427. *senegala* (*Linn.*), *S. N. i.* p. 320 (1766). W.
Buff. Pl. Enl. iv. pl. 157. fig. 1; *Cat. xiii.* p. 275.
428. *minuta* (*Vieill.*), *N. Dict.* xii. p. 183 (1817). W.
Vieill. Ois. Chant. pl. 10 (1805); *Cat. xiii.* p. 276.
429. *somaliensis*, *Salvad. Mem. R. Acc. Sc. Torino*, 1894, p. 557. N.E.
430. *brunneiceps*, *Sharpe, Cat. B. M.* xiii. p. 277 (1890). S., E., N.E.
431. *rufopicta* (*Fraser*), *P. Z. S.* 1843, p. 27. W.
Fraser, *Zool. Typ.* pl. 51 (1849); *Cat. xiii.* p. 278.
432. *nitidula*, *Hartl. Bull. Mus. R. Belg.* 1886, p. 145, pl. 4. figs. 1, 2. N.E.
Cat. xiii. p. 279.
433. *vinacea* (*Hartl.*), *Orn. W.-Afr.* p. 143 (1857). W.
Cat. xiii. p. 286.
434. *larvata* (*Rüpp.*), *N. Wirb. Vög.* p. 97, pl. 36. fig. 1 (1835–40). N.E.
Cat. xiii. p. 286.
435. *nigricollis*, *Heugl. J. f. O.* 1863, p. 273. W., N.E.
Heugl. J. f. O. 1868, p. 17, pl. 1. fig. 1; *Cat. xiii.* p. 286.

Genus XIV. PYTELIA.

Type.

- Pytelia*, *Swains. Class. B.* ii. p. 280 (1837) P. *phœnicoptera*.
Zonogastris, *Cab. Mus. Hein.* i. p. 172 (1850) P. *eiterior*.
Marquetia, *Reichb. Singv.* p. 48 (1863) P. *melba*.

436. *phœnicoptera*, *Swains. B. W. Afr.* i. p. 203, pl. 16 (1887). W., N.E.
Cat. xiii. p. 301.
437. *lineata*, *Heugl. J. f. O.* 1863, p. 17. N.E.
Heugl. *Orn. N.O.-Afr.* p. 623, pl. 19. fig. 1 (1870); *Cat. xiii.* p. 301.

438. *hypogrammica*, Sharpe, *Ibis*, 1870, p. 56. W.
Sharpe, Cat. B. M. xiii. p. 302, pl. 12, fig. 2 (1890).
439. *afra* (*Gm.*), S. N. i. p. 905 (1788). W., S., E.
Forbes, P. Z. S. 1880, p. 476, pl. 47, fig. 2; Cat. xiii. p. 302.
440. *citerior*, Strickl. *Contr. Orn.* 1852, p. 151. W., N.E.
Edwards, *Gleanings*, vi. p. 130, pl. 272, fig. 2 (1760); Cat. xiii. p. 299.
441. *melba* (*Linn.*), S. N. i. p. 319 (1766). W., S., E.
Vieill. *Gal. Ois.* p. 77, pl. 64 (1825); Cat. xiii. p. 297.
442. *soudanensis* (*Sharpe*), Cat. B. M. xiii. p. 298 (1890). N.E.

Genus XV. HYPARGUS.

- Type.*
- Hypargus, Reichb. *Singv.* p. 2 (1863) H. *margaritatus*.
443. *margaritatus* (*Strickl.*), Ann. & Mag. N. H. xiii. p. 418, pl. x. (1844). S.
Cat. xiii. p. 275.
- 444. *niveiguttatus* (*Peters*), J. f. O. 1868, p. 133. S., E.
Shelley, P. Z. S. 1881, p. 558, pl. 52, fig. 2; Cat. xiii. p. 274.
445. *dybowskii* (*Oust.*), *Le Naturaliste*, 1892, p. 231. W.
446. *schlegeli* (*Sharpe*), *Ibis*, 1870, p. 482, pl. 14, figs. 2, 3. W.
Cat. xiii. p. 304.
447. *nitidulus* (*Hartl.*), *Ibis*, 1865, p. 269. S., E.
Bianc. Spec. Zool. Mosamb. pt. xviii. p. 324, pl. 4, fig. 2 (1867); Cat. xiii. p. 305.

Subfamily III. PLOCEINÆ.

Genus I. SPERMOSPIZA.

- Type.*
- Spermospiza, Gray, *List Gen. B.* 1840, p. 43 S. *haematinia*.
448. *haematinia* (*Vieill.*), *Ois. Chant.* p. 102, pl. 67 (1805). W.
Cat. xiii. p. 498.
449. *guttata* (*Vieill.*), *Ois. Chant.* p. 103, pl. 68 (1805). W.
Cat. xiii. p. 500.
450. *rubricapilla*, Shelley, P. Z. S. 1888, p. 30. W.
Sharpe, Cat. B. M. xiii. p. 50, pl. 15 (1890).

Genus II. CLYTOSPIZA.

- Type.*
- Clytospiza, gen. nov. C. *monteiri*.
451. *monteiri* (*Hartl.*), P. Z. S. 1860, p. 111, pl. 161. W., N.E.
Cat. xiii. p. 273.

Genus III. SPOROPIPES.

Type.

- Sporopipes**, *Cab. Arch. f. Naturg.* viii. p. 332 (1847) . . . S. squamifrons.
Pholidocoma, *Reichb. Singv.* p. 49, pl. xix. figs. 160–170 (1861). S. frontalis.

452. **squamifrons** (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 49. S.
 Smith, *Ill. Zool. S. Afr. Av.* pl. 95 (1844); *Cat. xiii.* p. 407.
453. **frontalis** (*Daud.*), *Trailé*, ii. p. 445 (1800). W., N.E.
 Vieill. *Ois. Chant.* p. 39, pl. 16 (1805); *Cat. xiii.* p. 409.

Genus IV. AMBLYOSPIZA.

Type.

- Amblyospiza**, *Sundev. Öefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 98. A. albifrons.

454. **albifrons** (*Vigors*), *P. Z. S.* 1831, p. 92. S.
 Smith, *Ill. Zool. S. Afr. Av.* pls. 61, 62 (1840); *Cat. xiii.* p. 501.
455. **unicolor** (*Fisch. & Reich.*), *Orn. Centralbl.* 1878, p. 88; *id. J. f. O.* 1878, p. 264. E.
Cat. xiii. p. 503.
456. **melanota** (*Heugl.*), *J. f. O.* 1863, p. 21. N.E.
Cat. xiii. p. 504.
457. **capitalba** (*Bp.*), *Consp.* i. p. 451 (1850). W.
Cat. xiii. p. 504.
458. **concolor**, *Bocage, Jorn. Lisb.* 1888, p. 229. W.
Cat. xiii. p. 670.

Genus V. DINEMELLIA.

Type.

- Dinemellia**, *Reichb. Singv.* p. 88 (1861) D. dinemelli.
459. **dinemelli** (*Rüpp.*), *Syst. Uebers.* p. 72, pl. 30 (1845). E., N.E.
Cat. xiii. p. 506.
460. **russpolii**, *Salvad. Mem. R. Acc. Sc. Torino*, 1894, p. 558. N.E.
461. **boehmi** (*Reichen.*), *J. f. O.* 1885, p. 370. E.
Cat. xiii. p. 507.

Genus VI. TEXTOR.

Type.

- Textor**, *Temm. Pl. Col.* iii. text to pl. 446 (1828) T. albirostris.
Bubalornis, *Smith, Rep. Exped. Centr. Afr.* 1836, p. 51 . . . T. niger.
462. **albirostris** (*Vieill.*), *N. Dict.* xiii. p. 535 (1817). N.E.
 Gray, *Gen. B.* ii. p. 351, pl. 87, fig. 1 (1849); *Cat. xiii.* p. 508.
463. **scioanus**, *Salvad. Ann. Mus. Civ. Gen.* 1884, p. 195. N.E.
Cat. xiii. p. 511.

- 464. *intermedius*, *Cab. in Decken's Reis.* iii. p. 33, pl. 2 (1869). E., N.E.
Cat. xiii. p. 511.
465. *niger* (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 52. S.
Smith, Ill. Zool. S. Afr. Av. pl. 64 (1841); Cat. xiii. p. 509.
466. * *senegalensis*, sp. n. W.

Genus VII. HISTURGOPS.

*Type.**Histurgops*, *Reichen. J. f. O.* 1887, p. 67 H. ruficauda.

467. *ruficauda*, *Reichen. J. f. O.* 1887, p. 67. E.
Cat. xiii. p. 505, fig. (head).

Genus VIII. PLOCEIPASSER.

*Type.**Ploceipasser*, *Smith, Rep. Exped. Centr. Afr.* 1836, p. 51 . . . P. mahali.
Agrophilus, *Swains. B. IV. Afr.* i. p. 209 (1837) . . . P. superciliosus.

468. *mahali*, *Smith, Rep. Exped. Centr. Afr.* 1836, p. 51. S.
Smith, Ill. Zool. S. Afr. Av. pl. 65 (1841); Cat. xiii. p. 245.

469. *melanorhynchus* (*Rüpp.*), *Syst. Uebers.* p. 78 (1845). E., N.E.
Heugl. Orn. N.O.-Afr. p. 538, pl. 21 (1870); Cat. xiii. p. 246.

470. *pectoralis* (*Peters*), *J. f. O.* 1868, p. 133. S.
Cat. xiii. p. 247.

471. " *propinquatus*, *Oust.*," *Shelley, Ibis*, 1887, p. 6. N.E.
Cat. xiii. p. 247.

472. " *superciliosus* (*Rüpp.*)" *Cretzsch. in Rüpp. Atl. Vög.* p. 24, pl. 15 (1826). W., N.E.
Cat. xiii. p. 248.

473. *rufoscapulatus*, *Büttik. Notes Leyd. Mus.* x. p. 238, pl. 9, fig. 2 (1888). S.
Cat. xiii. p. 248.

Genus IX. SHARPIA.

*Type.**Sharpia*, *Bocage, Jorn. Lisb.* 1878, p. 258 S. angolensis.

474. *angolensis*, *Bocage, Jorn. Lisb.* 1878, p. 258. S.
Shelley, *Ibis*, 1887, p. 18, pl. 1, fig. 2; Cat. xiii. p. 413.

475. *sancti-thomæ* (*Hartl.*), *Rev. Zool.* 1848, p. 100. W.
Hartl. Abhandl. nat. Ver. Hamb. pl. 9 (1848); Cat. xiii. p. 418.

* Bill smooth and reddish black; no trace of white on the under surface of the wings.
(Type ex River Gambia, in Brit. Mus.; Cat. xiii. p. 509, specimen α .)

Genus X. ANAPLECTES.

Type.

- Anaplectes, Reichb. Singv. p. 86 (1861) A. melanotis.
 476. melanotis (Lafr.), Rev. Zool. 1839, p. 20. W., E., N.E.
 Lafr. Mag. Zool. 1839, pl. 7; Cat. xiii. p. 413.
 477. gurneyi (Shelley), Ibis, 1887, p. 17, pl. 1. fig. 1. S.
 Cat. xiii. p. 412.
 478. rubriceps (Sunder.), Cefv. K. Vet.-Ak. Förh. Stockh. 1850, p. 97. S., E.
 Elliot, Ibis, 1876, p. 466, pl. 13. f. 2, ♂; Shelley, Ibis, 1882, p. 353, pl. 7. f. 2, ♀; Cat. xiii. p. 411.

Genus XI. MALIMBUS.

Type.

- Malimbus, Vieill. Ois. Chant. p. 71, pl. 42 (1805) M. cristatus.
 Atalochrous, Elliot, Ibis, 1876, p. 458 M. racheliae.
 479. malimbus (Daud.), Ann. du Mus. i. p. 151, pl. 10. fig. 2 (1802, ♀). W.
 Vieill. Ois. Chant. p. 71, pl. 43 (1805, ♀); Fraser, Zool. Typ. pl. 46 (1849); Cat. xiii. p. 478.
 480. bartletti, Sharpe, Cat. B. M. xiii. p. 479 (1890). W.
 481. centralis, Reichen. Orn. Monatsb. 1893, p. 30. E.
 482. cristatus, Vieill. Ois. Chant. p. 71, pl. 42 (1805). W.
 Bartlett, Mon. Weaver-B. pt. iv. pl. 11 (1889); Cat. xiii. p. 480.
 483. cassini (Elliot), Ibis, 1859, p. 392. W.
 Elliot, Ibis, 1876, p. 461, pl. 13. fig. 1; Cat. xiii. p. 482.
 484. nitens (Gray), Zool. Misc. p. 7 (1831). W., N.E.
 Gray, Gen. B. ii. p. 352, pl. 87. fig. 1 (1849); Cat. xiii. p. 481.
 485. scutatus (Cass.), Proc. Philad. Acad. 1849, p. 157. W.
 Cass. J. Ph. Ac. i. p. 297, pl. 41. ff. 1, 2 (1850); Shell. Ibis, 1887, p. 41, pl. 2. f. 2; Cat. xiii. p. 482.
 486. scutopartitus, Reichen. J. f. O. 1894, p. 38. W.
 487. erythrogaster, Reichen. Orn. Monatsb. 1893, p. 205. W.
 488. racheliae (Cass.), Proc. Philad. Acad. 1857, p. 36. W.
 Cass. Journ. Philad. Acad. (2) v. p. 185, pl. 3 (1862); Cat. xiii. p. 483.
 489. rufoniger (Reichen.), Orn. Monatsb. 1893, p. 29. E.
 490. interscapularis (Reichen.), Orn. Monatsb. 1893, p. 29. E.

Genus XII. MELANOPTERYX.

Type.

- Melanopteryx, Reichen. Zool. Jahrb. i. p. 125 (1886). . . . M. nigerrima.
 491. nigerrima (Vieill.), N. Dict. xxxiv. p. 130 (1819). W.
 Cat. xiii. p. 476.
 492. albinucha (Bocage), Jorn. Lisb. 1876, p. 247. W.
 Cat. xiii. p. 477.

Genus XIII. NELICURVIUS.

- Type.*
- Nelicurvius*, *Bp. Consp.* i. p. 439 (1850) N. nelicourvi.
 — 493. *nelicourvi* (*Scop.*), *Del. Faun. et Flor. Insubr.* p. 96 (1786). M.
 Milne-Edw. & Grand. Hist. Madag., Ois. p. 446, pl. 179 (1885); Cat. xiii. p. 436.

Genus XIV. PACHYPHANTES.

- Type.*
- Pachyphantes*, gen. nov. P. superciliosus.
 494. *superciliosus* (*Shelley*), *Ibis*, 1873, p. 140. W.
 Sharpe, *Cat. B. M.* xiii. p. 470, pl. 14 (1890).
 495. *pachyrhynchus* (*Reichen.*), *Orn. Monatsb.* 1893, p. 29. E.

Genus XV. PLOCEUS.

- Type.*
- Ploceus*, *Cur. Règne An.* i. p. 363 (1817) P. baya.
 496. *sakalava*, *Hartl. Beitr. Faun. Madag.* p. 54 (1861). M.
 Milne-Edw. & Grand. Hist. Madag., Ois. p. 453, pl. 178 (1885); Cat. xiii. p. 487.

Genus XVI. FOUDIA.

- Type.*
- Foudia*, *Reichb. Syst. Av.* pl. 79. fig. 20 (1850) . . . F. madagascariensis.
Nesacanthis, *Sharpe, Cat. B. M.* xiii. p. 483 (1890) . . F. eminentissima.
 — 497. *madagascariensis* (*Lim.*), *S. N.* i. p. 300 (1766). M.
 M.-Edw. & Grand. Hist. Mad., Ois. p. 449, pls. 177a. fig. 3, 181, 182 (1885); Cat. xiii. p. 433.
 — 498. *eminentissima*, *Bp. Consp.* i. p. 449 (1850). M.
 Schl. & Poll. *Faun. Madag.*, Ois. p. 109, pl. 34 (1868); Cat. xiii. p. 484.

Genus XVII. NESHYPHANTES.

- Type.*
- Neshyphantes*, gen. nov. N. flavicans.
 499. *ruber* (*Gm.*), *S. N.* i. p. 877 (1788). M.
 Vieill. *Ois. Chant.* p. 52, pl. 28 (1805); Cat. xiii. p. 485.
 500. *flavicans* (*E. Newton*), *P. Z. S.* 1865, p. 47, pl. 1. figs. 1, 2. M.
 Cat. xiii. p. 434.
 — 501. *seychellensis* (*E. Newton*), *P. Z. S.* 1867, p. 346. M.
 Cat. xiii. p. 486.
 — 502. *aldabranus* (*Ridgway*), *Proc. U.S. Nat. Mus.* xvi. p. 598 (1893). M.

Genus XVIII. SYCOBROTUS.

	<i>Type.</i>
Sycobrotus , <i>Cab. Mus. Hein.</i> i. p. 182 (1850)	S. bicolor.
503. bicolor (<i>Vieill.</i>), <i>N. Dict.</i> xxxiv. p. 127 (1819).	S.
Jard. & Selby, <i>Ill. Orn.</i> n. s. pl. 10 (1837); <i>Cat.</i> xiii. p. 422.	
504. stictifrons (<i>Fisch. & Reichen.</i>), <i>J. f. O.</i> 1885, p. 373.	S., E.
<i>Cat.</i> xiii. p. 424.	
505. amaurocephalus , <i>Cab. J. f. O.</i> 1880, p. 349, pl. 31. fig. 1.	W.
<i>Cat.</i> xiii. p. 423.	
506. tephronotus (<i>Reichen.</i>), <i>J. f. O.</i> 1892, p. 219.	W.
507. kersteni , <i>Finsch & Hartl. Vög. Ost-Afr.</i> p. 404, pl. 6 (1870).	E.
<i>Cat.</i> xiii. p. 423.	

Genus XIX. OTHYPHANTES.

	<i>Type.</i>
Othyphantes , gen. nov.	O. reichenowi.
— 508. reichenowi (<i>Fisch.</i>), <i>J. f. O.</i> 1884, p. 180.	E.
<i>Cat.</i> xiii. p. 418.	
509. baglafecht (<i>Vieill.</i>), <i>N. Dict.</i> xxxiv. p. 127 (1819).	N.E.
Müll. <i>Deser. N. Ois. Afr.</i> pt. iv. pl. 2 (1854); <i>Cat.</i> xiii. p. 419.	
510. temporalis (<i>Bocage</i>), <i>Jorn. Lisb.</i> 1880, p. 244.	S.
<i>Cat.</i> xiii. p. 419.	
511. emini (<i>Hartl.</i>), <i>Orn. Centralbl.</i> 1882, p. 92.	N.E.
Hartl. <i>J. f. O.</i> 1882, pl. 1. fig. 1; <i>Cat.</i> xiii. p. 420.	

Genus XX. HETERHYPHANTES.

	<i>Type.</i>
Heterhyphantes , <i>Sharpe, Cat. B. M.</i> xiii. p. 414 (1890). . .	H. melanogaster.
512. melanogaster (<i>Shelley</i>), <i>P. Z. S.</i> 1887, p. 126, pl. 14. fig. 2.	W.
<i>Cat.</i> xiii. p. 417.	
513. stephanophorus , <i>Sharpe, Ibis</i> , 1891, pp. 117, 253, pl. 6. fig. 2.	E.
514. melanoxanthus (<i>Cab.</i>), <i>J. f. O.</i> 1878, pp. 205, 232.	E.
<i>Cat.</i> xiii. p. 416.	
515. nigricollis (<i>Vieill.</i>), <i>Ois. Chant.</i> p. 74, pl. 45 (1805).	W.
<i>Cat.</i> xiii. p. 415.	
516. insignis (<i>Sharpe</i>), <i>Ibis</i> , 1891, pp. 117, 253, pl. 6. fig. 1.	E.
517. croconotus (<i>Reichen.</i>), <i>J. f. O.</i> 1892, pp. 185, 219.	W.
518. preussi (<i>Reichen.</i>), <i>J. f. O.</i> 1892, p. 442.	W.
519. dorsomaculatus (<i>Reichen.</i>), <i>Orn. Monatsb.</i> 1893, p. 177.	W.

Genus XXI. HYPHANTURGUS.

Type.

- Hyphanturgus*, *Cab. Mus. Hein.* i. p. 182 (1851) II. ocularius.
520. *ocularius* (*Smith*), *Proc. S. Afr. Inst.* 1828, Nov. W., S., E., N.E.
Smith, *Ill. Zool. S. Afr. Av.* pl. 30, fig. 2 (1839); *Cat. xiii.* p. 427.
521. *brachypterus* (*Swains.*), *B. W. Afr.* i. p. 168, pl. 10 (1837). W.
Cat. xiii. p. 429.
522. *stuhlmanni* (*Reichen.*), *Orn. Monatsb.* 1893, p. 29. E.
523. *subpersonatus* (*Cab.*), *J. f. O.* 1876, p. 92. W.
Reichen. Zool. Jahrb. i. p. 152, pl. 5. fig. 4 (1886); *Cat. xiii.* p. 427.

Genus XXII. SITAGRA.

Type.

- Sitagra*, *Reichb. Syst. Nat.* pl. 79, fig. 15 (1850) S. luteola.
- Icteropsis*, *Pelz. Verh. z.-b. Ges. Wien*, xxxi. p. 149 (1881) . . S. pelzelni.
524. *luteola* (*Licht.*), *Verz. Doubl.* p. 23 (1823). W., N.E.
Vieill. Gal. Ois. i. pl. 84 (1825); *Cat. xiii.* p. 425.
525. *monacha*, *Sharpe*, *Cat. B. M.* xiii. p. 426 (1890). W.
Jard. Contr. Orn. 1849, p. 35, pl. 7; *Cat. xiii.* p. 426.
526. *pelzelni* (*Hartl.*), *Zool. Jahrb.* ii. p. 343, pl. 14. figs. 9, 10 (1887). N.E.
Cat. xiii. p. 410, fig. head.

Genus XXIII. XANTHOPHILUS.

Type.

- Xanthophilus*, *Reichb. Singv.* p. 84 (1861) X. aureiflavus.
- Oreolinus*, *Reichb. t. c.* p. 84 X. subaureus.
527. *aurantius* (*Vieill.*), *Ois. Chant.* p. 73, pl. 44 (1805). W.
Cat. xiii. p. 444, pl. 13. fig. 3 (head).
528. *castanops* (*Shelley*), *P. Z. S.* 1888, p. 35. N.E.
Cat. xiii. p. 443, pl. 13. fig. 1 (head).
529. *xanthopterus* (*Finsch & Hartl.*), *Vög. Ost-Afr.* p. 392 (1870). S.
Cab. J. f. O. 1884, p. 240, pl. 3. fig. 1; *Cat. xiii.* p. 444, pl. 13. fig. 2 (head).
530. *capensis* (*Linnaeus*), *S. N.* i. p. 163 (1766). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 66. fig. 2 (1841); *Cat. xiii.* p. 430.
531. *caffer* (*Licht.*), *Verz. Doubl.* p. 19 (1823). S.
Hahn, *Vög. aus Asien, &c.* pt. vi. pl. 4 (1822); *Cat. xiii.* p. 431.
532. *galbula* (*Rüppell*), *N. Wirb. Vög.* p. 92, pl. 32. fig. 2 (1835-40). N.E.
Heugl. Orn. N.O.-Afr. p. 557, pl. 18. fig. d (1870, head); *Cat. xiii.* p. 442.

533. *aureoflavus* (*Smith*), *Ill. Zool. S. Afr.* text to pl. 30. fig. 1 (1839). E.
Cat. xiii. p. 446, pl. 13. fig. 4 (head).
- 534. *castaneiceps* (*Sharpe*), *Cat. B. M.* xiii. p. 448, pl. 13. fig. 5 (1890, head). E.
535. *holoxanthus* (*Hartl.*), *Abhandl. nat. Ver. Brem.* 1891, p. 22. N.E.
- 536. *bojeri* (*Finsch & Hartl.*), in *Decken's Reis.* iii. p. 32 (1869). E.
Cat. xiii. p. 448.
537. *subaureus* (*Smith*), *Proc. S. Afr. Inst.* 1832. S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 30. fig. 1 (1839); Cat. xiii. p. 445.
538. *xanthops* (*Hartl.*), *Ibis*, 1862, p. 342. W., S.
Reichen. *Zool. Jahrb.* i. p. 123, pl. 5. fig. 1 (1886); Cat. xiii. p. 477.
539. *jamesoni* (*Sharpe*), *Cat. B. M.* xiii. p. 447 (1890). S.
540. *princeps* (*Bp.*), *Consp.* i. p. 439 (1850). W.
Cat. xiii. p. 449.

Genus XXIV. HYPHANTORNIS.

*Type.**Hyphantornis*, *Gray, Gen. B.* ii. p. 351 (1849) II. *eucullatus*.

541. *vitellinus* (*Licht.*), *Verz. Doubl.* p. 23 (1823). W., N.E.
Müll. *Deser. Ois. Afr.* pl. 12 (1854); Cat. xiii. p. 462.
542. *reichardi* (*Reichen.*), *Zool. Jahrb.* i. p. 148 (1886). E.
Reichen. *J. f. O.* 1886, pl. 2. fig. 3; Cat. xiii. p. 463.
543. *shelleyi*, *Sharpe*, *Cat. B. M.* xiii. p. 464 (1890). S.
544. *tæniopterus* (*Reichb.*), *Singv.* p. 78, pl. 36. figs. 281, 282 (1861). N.E.
Heugl. Orn. N.O.-Afr. p. 554, pl. 18 b (1870, head); Cat. xiii. p. 467.
545. *spilonotus* (*Vig.*), *P. Z. S.* 1831, p. 92. S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 66. fig. 1 (1841); Cat. xiii. p. 468.
546. *spekii*, *Heugl. in Peterm. Mitth.* 1861, p. 24. E., N.E.
Cat. xiii. p. 469.
547. *heuglini* (*Reichen.*), *Zool. Jahrb.* i. p. 147 (1886). W., N.E.
Heugl. Orn. N.O.-Afr. p. 559, pl. 19 (1870); Cat. xiii. p. 468.
548. *bertrandi*, *Shelley*, *Ibis*, 1893, p. 23, pl. 2. S.
549. *velatus* (*Vieill.*), *N. Dict.* xxxiv. p. 132 (1819). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 103 (1845); Cat. xiii. p. 464.
- 550. *intermedius* (*Rüpp.*), *Syst. Uebers.* p. 71 (1845). N.E.
Heugl. Orn. N.O.-Afr. p. 550, pl. 18. fig. a (1870, head); Cat. xiii. p. 460.
- 551. *cabanisi*, *Peters*, *J. f. O.* 1868, p. 133. S., E.
Cat. xiii. p. 461.

552. *nyasæ*, *Shelley*, *Ibis*, 1894, p. 20. S.
553. *melanocephalus* (*Linn.*), *S. N.* i. p. 306 (1766). W.
- Hartl. Bull. Mus. R. Belg. iv. p. 144, pl. 4, fig. 1 (1886); Cat. xiii. p. 457.
554. *capitalis* (*Lath.*), *Ind. Orn.* i. p. 432 (1790). W.
- Shelley, *Ibis*, 1867, p. 34, pl. 2, fig. 1; Cat. xiii. p. 458.
555. *fischeri* (*Reichen.*), *J. f. O.* 1887, p. 69. E., N.E.
- Cat. xiii. p. 458.
- 556. *dimidiatus*, *Salvad.* & *Antin.* *Atti R. Ac. Sc. Torino*, viii. p. 360 (1873). N.E.
- Antin. & Salvad. Ann. Mus. Civ. Gen. 1873, p. 483, pl. 3; Cat. xiii. p. 459.
- 557. *jacksoni* (*Shelley*), *Ibis*, 1888, p. 292, pl. 7. E.
558. *badius*, *Cass. Proc. Philad. Acad.* 1850, p. 57. N.E.
- Reichb. Singv. p. 83, pl. 41, figs. 309, 310 (1861); Cat. xiii. p. 460.
559. *grandis*, *Gray*, *Gen. B.* ii. p. 351 (1849). W.
- Fraser, Zool. Typ. pl. 45 (1849); Cat. xiii. p. 450.
560. *collaris* (*Vieill.*), *N. Dict.* xxxiv. p. 129 (1819). W., S.
- Cass. Journ. Philad. Acad. i. p. 184, pl. 23, fig. 2 (1862); Cat. xiii. p. 455.
561. *nigriceps*, *Layard*, *B. S. Afr.* p. 180 (1867). W., S., E.
- Cat. xiii. p. 456.
562. *cucullatus* (*P. L. S. Müll.*), *S. N. Suppl.* p. 87 (1776). W.
- Swains. Zool. Ill. n.s. pl. 37; Cat. xiii. p. 451.
563. *abyssinicus* (*Gm.*), *S. N.* i. p. 360 (1788). W., N.E.
- Rp. N.Wb. Vög. p. 91, pl. 32, f. 1, ♂ (1835); id. Syst. Ueb. p. 66, pl. 29, ♀ (1845); Cat. xiii. p. 453.
564. *bohndorffi* (*Dubois*), *Bull. Mus. R. Belg.* iv. p. 148 (1886). W.
- Cat. xiii. p. 455.

Genus XXV. CINNAMOPTERYX.

*Type.**Cinnamopteryx*, *Reichen. Zool. Jahrb.* i. p. 126 (1886) . . . *C. castaneofusca*.

565. *castaneofusca* (*Less.*), *Rev. Zool.* 1840, p. 99. W.
- Cat. xiii. p. 472.
- 566. *rubiginosa* (*Rüpp.*), *N. Wirb. Vög.* p. 93, pl. 33, fig. 1 (1835-40). E., N.E.
- Cat. xiii. p. 473.
567. *tricolor*, *Hartl. J. f. O.* 1854, p. 110. W.
- Cat. xiii. p. 471.

Family X. ORIOLIDÆ.

Genus ORIOLUS.

Type.

- Oriolus*, *Linn. S. N. i.* p. 160 (1766) O. galbula.
Baruffius, *Bp. C. R. xxxviii.* p. 538 (1854) O. brachyrhynchus.

- 568. *galbula*, *Linn. S. N. i.* p. 160 (1766). W., S., E., N.E.
 Dresser, *B. Eur.* iii. p. 365, pl. 144 (1875); *Cat. iii.* p. 191 (1877).
569. *auratus*, *Vieill. N. Dict. xviii.* p. 194 (1817). W., E., N.E.
 Levaill. *Ois. Afr. vi.* p. 49, pl. 260 (1808); *Cat. iii.* p. 195.
- 570. *notatus*, *Peters, J. f. O.* 1868, p. 132. W., S., E.
 Sharpe, *Ibis*, 1870, p. 218, pl. 7. fig. 2; *Cat. iii.* p. 196.
571. *monachus* (*Gm.*), *S. N. i.* p. 824 (1788). N.E.
 Rüpp. *N. Wirb. Vög.* p. 29, pl. 12 (1831); *Cat. iii.* p. 216.
572. *larvatus*, *Licht. Verz. Doubl.* p. 20 (1823). W., S., E., N.E.
 Levaill. *Ois. Afr. vi.* p. 52, pl. 261 (1808); *Cat. iii.* p. 217 (1877).
573. *brachyrhynchus*, *Swains. B. IV. Afr.* p. 35 (1837). W.
 Sharpe, *Ibis*, 1870, p. 226, pl. 8. figs. 1, 2; *Cat. iii.* p. 218.
574. *nigripennis*, *Verr. J. f. O.* 1855, p. 105. W.
 Sharpe, *Ibis*, 1870, p. 228, pl. 7. fig. 1; *Cat. iii.* p. 220.
575. *crassirostris*, *Hartl. Orn. IV.-Afr.* p. 266 (1857). W.
Cat. iii. p. 217.

Family XI. STURNIDÆ.

Subfamily I. BUPHAGINÆ.

Genus BUPHAGA.

Type.

- Buphaga*, *Linn. S. N. i.* p. 154 (1766). B. africana.
 — 576. *africana*, *Linn. S. N. i.* p. 154 (1766). W., S., E., N.E.
 Gray, *Gen. B. ii.* p. 332, pl. 82 (1847); *Cat. xiii.* p. 195 (1890).
 577. *erythrorhyncha* (*Stanl.*), *in Salt's Voy. Abys.* App. p. 59 (1814). W., S., E., N.E.
 Hempr. & Ehr. *Symb. Phys. fol. w.* pl. 9 (1828); *Cat. xiii.* p. 196.

Subfamily II. STURNINÆ.

Genus I. HYPOCOLIUS.

Type.

- Hypocolius*, *Bp. Consp. i.* p. 420 (1850). H. ampelinus.
 578. *ampelinus*, *Bp. Consp. i.* p. 420 (1850). N.E.
 Heuglin, *Ibis*, 1868, p. 181, pl. 5; *Cat. iii.* p. 316 (1877).

Genus II. HARTLAUBIUS.

- Type.
- Hartlaubius, *Bp. C. R.* xxxvii. p. 830 (1853) H. madagascariensis.
579. madagascariensis (*Bodd.*), *Tabl. Pl. Enl.* p. 32 (1783). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 311, pl. 115 (1879); Cat. xiii. p. 120.

Genus III. PHOLIDAUAGES.

- Type.
- Pholidauges, *Cab. Mus. Hein.* i. p. 198 (1850) P. leucogaster.
- Speculipastor, *Reichen. Orn. Centralbl.* 1879, p. 120. . . . P. bicolor.
580. leucogaster (*Gm.*), *S. N.* i. p. 819 (1788). W., N.E.
Swains. B. W. Afr. i. p. 152, pl. 8 (1837); Cat. xiii. p. 121.
581. verreauxi, *Bocage in Finsch & Hartl. Vög. Ost-Afr.* p. 867 (1870). W., S., E.
Bocage, Orn. Angola, p. 314, pl. 5 (1877); Cat. xiii. p. 123.
582. bicolor (*Reichen.*), *Orn. Centralbl.* 1879, p. 108. E.
Fisch. & Reichen. J. f. O. 1879, p. 349, pl. 1. figs. 2, 3; Cat. xiii. p. 125.
583. fischeri (*Reichen.*), *J. f. O.* 1884, p. 54. E.
Fisch. Zeitschr. ges. Orn. 1884, p. 335, pl. 20. fig. 1; Cat. xiii. pp. 198, 667.

Genus IV. COSMOPSARUS.

- Type.
- Cosmopsarus*, *Reichen. Orn. Centralbl.* 1879, p. 108 C. regius.
584. regius, *Reichen. Orn. Centralbl.* 1879, p. 108. E., N.E.
Fisch. & Reichen. J. f. O. 1879, p. 349, pl. 1. fig. 1; Cat. xiii. p. 160.
585. unicolor, *Shelley, Ibis*, 1881, p. 116. E.
Cat. xiii. p. 160.

Genus V. LAMPROTORNIS.

- Type.
- Lamprotornis, *Temm. Man. Orn.* i. p. xi (1820) L. caudatus.
586. caudatus (*P. L. S. Müll.*), *S. N. Suppl.* p. 144 (1876). W.
Swains. B. W. Afr. i. p. 148, pl. 7 (1837); Cat. xiii. p. 154.
587. viridipectus, *Salvad. Mem. R. Accad. Sc. Torino*, 1894, p. 560. E., N.E.
588. eytoni (*Fraser*), *P. Z. S.* 1856, p. 368. W., N.E.
Cat. xiii. p. 155, pt.
589. porphyropterus, *Rüpp. Syst. Uebers.* p. 64, pl. 25 (1845). N.E.
Cat. xiii. p. 156.
590. mevesi (*Wahlb.*), *J. f. O.* 1857, p. 1. S.
Cat. xiii. p. 157.
591. purpureus, *Bocage, Jorn. Lisb.* 1867, p. 334. S.
Bocage, Orn. Angola, p. 305, pl. 7 (1881); Cat. xiii. p. 158.

Genus VI. CHALCOP SAR.

- Type.
- Chalcopsar, Sharpe, Cat. B. M. xiii. p. 158 (1890) C. australis.
 592. australis (Smith), Rep. Exped. Centr. Afr. 1836, p. 52. S.
 Smith, Ill. Zool. S. Afr. Av. pl. 47 (1840); Cat. xiii. p. 158.

Genus VII. LAMPROCOLIUS.

- Type.
- Lamprocolius, Sundev. Öfv. K. V.-Ak. Förh. Stkh. 1835, p. 104. L. phoenicopterus.
 Heteropsar, Sharpe, Cat. B. M. xiii. p. 185 (1890) . . . L. acuticauda.
593. ignitus (Nordm.), in Erman's Reis. Atlas, p. 7, pl. 3 (1835). W.
 Gray, Gen. B. ii. p. 327, pl. 8 (1846); Cat. xiii. p. 174, pl. 7. fig. 1 (head).
594. splendidus (Vieill.), Enc. Méth. ii. p. 653 (1823). W.
 Swains. B. W. Afr. i. p. 143, pl. 6 (1837); Cat. xiii. p. 172, pl. 7. fig. 4 (head).
595. lessoni (Pucher), Rev. et Mag. Zool. 1858, pp. 256–259.
 Cat. xiii. p. 173, pl. 7. fig. 3 (head).
596. glaucovirens, Elliot, Ann. & Mag. N. H. (4) xx. p. 169 (1877). W., N.E.
 Cat. xiii. p. 173, pl. 7. fig. 2 (head).
597. acuticauda, Boeage, Jorn. Lisb. 1870, p. 345. S.
 Boeage, Orn. Angola, p. 309, pl. 6 (1881); Cat. xiii. p. 185.
598. phoenicopterus (Swains.), An. in Menag. p. 360 (1837). S.
 Levaill. Ois. Afr. ii. p. 157, pl. 89 (1800); Cat. xiii. p. 180.
599. chalybaeus (Ehr.), Symb. Phys. fol. y, pl. 10 (1828). W., N.E.
 Rüpp. N. Wirb. Vög. p. 27, pl. 11. fig. 2 (1835); Cat. xiii. p. 176.
600. sycobius (Licht.), Nomen. Av. Berol. p. 53 (1854); Hartl. J.f.O. 1859, p. 19. S.E.
 Holub & Pelz. Beitr. Orn. Südafri. p. 110, pl. 3 (1882); Cat. xiii. p. 178.
601. chloropterus (Swains.), An. in Menag. p. 359 (1837). W., S., E., N.E.
 Cat. xiii. p. 178.
602. chalcurus (Nordm.), in Erman's Reis. Atlas, p. 8 (1835). W., N.E.
 Cat. xiii. p. 179.
603. purpureus (P. L. S. Müll.), S. N. Suppt. p. 143 (1776). W., N.E.
 Nordm. in Erman's Reis. Atlas, p. 8, pl. 3. fig. 2 (1835); Cat. xiii. p. 175.
604. cupreicauda, Hartl. Orn. W.-Afr. p. 119 (1857). W.
 Cat. xiii. p. 184.
605. purpureiceps, J. & E. Verr. Rev. et Mag. Zool. 1851, p. 418. W.
 Cat. xiii. p. 184.
606. melanogaster, Swains. An. in Menag. p. 297 (1837). S., E.
 Cat. xiii. p. 182.

Genus VIII. COCCYCOLIUS.

- Type.
- Coccycolius*, *Oust. N. Arch. Mus.* (2) ii. p. 155 (1879) C. iris.
 607. *iris*, *Oust. Bull. Assoc. Sc. France*, no. 580, p. 158 (1878). W.
Oust. N. Arch. Mus. (2) ii. p. 155, pl. 7 (1879); *Cat. xiii.* p. 185.

Genus IX. SPREO.

Type.

- Spreo*, *Less. Traité*, p. 406 (1831) S. bicolor.
 608. *bicolor* (*Gm.*), *S. N.* i. p. 385 (1788). S.
Levaill. Ois. Afr. ii. p. 155, pl. 88 (1800); *Cat. xiii.* p. 187.
 609. *albicapillus*, *Blyth, J. A. S. Beng.* xxxiv. p. 301 (1855). N.E.
Speke, Ibis, 1860, p. 246, pl. 7; *Cat. xiii.* p. 186.
 — 610. *superbus* (*Rüpp.*), *Syst. Uebers.* p. 65, pl. 26 (1845). E., N.E.
 Cat. xiii. p. 189.
 — 611. *hildebrandti* (*Cab.*), *J. f. O.* 1878, p. 233, pl. 3. fig. 1. E.
 Cat. xiii. p. 190.
 612. *shelleyi*, *Sharpe, Cat. B. M.* xiii. p. 190 (1890). N.E.
 613. *pulcher* (*P. L. S. Müll.*), *S. N. Suppl.* p. 139 (1776). W., N.E.
Rüpp. N. Wirb. Vög. p. 27, pl. 11. fig. 1 (1835); *Cat. xiii.* p. 191.

Genus X. AMYDRUS.

Type.

- Amydrus*, *Cab. Mus. Hein.* i. p. 201 (1850) A. morio.
Pyrrhocheira, *Reichb. Syst. Av.* pl. 53. fig. 15 (1850) A. caffer.
 614. *caffer* (*Linn.*), *S. N.* i. p. 159 (1766). S.
Levaill. Ois. Afr. ii. p. 168, pl. 91 (1800); *Cat. xiii.* p. 169.
 — 615. *walleri*, *Shelley, Ibis*, 1880, p. 335, pl. 8. E.
 Cat. xiii. p. 164.
 616. *morio* (*Linn.*), *S. N.* i. p. 297 (1766). S., E., N.E.
Levaill. Ois. Afr. ii. p. 134, pls. 83, 84 (1800); *Cat. xiii.* p. 161.
 617. *blythi*, *Hartl. J. f. O.* 1859, p. 32. N.E.
 Cat. xiii. p. 164.
 618. *frater*, *Sclat. & Hartl. P. Z. S.* 1881, p. 171. N.E.
 Cat. xiii. p. 164.

Genus XI. ONYCOGNATHUS.

Type.

- Onycognathus*, *Hartl. Rev. et Mag. Zool.* 1849, p. 495 O. fulgidus.

619. *fulgidus*, *Hartl. Rev. et Mag. Zool.* 1849, p. 495, pl. 14. figs. 2, 3. W.
Cat. xiii. p. 165.
620. *hartlaubi*, *Gray, P. Z. S.* 1858, p. 291. W., N.E.
Cat. xiii. p. 166.
621. *preussi*, *Reichen. J. f. O.* 1892, p. 184. W.
622. *intermedius*, *Hartert, Novit. Zool.* 1895, p. 56. W.

Genus XII. CINNAMOPTERUS.

Type.

- Cinnamopterus*, *Bp. C. R.* xxxvii. p. 830 (1853) C. tenuirostris.
623. *tenuirostris* (*Rüpp.*), *N. Wirb. Vög.* p. 26, pl. 10. fig. 1 (1835–40). N.E.
Cat. xiii. p. 166.

Genus XIII. PILORHINUS.

Type.

- Pilorhinus*, *Cab. Mus. Hein.* i. p. 201 (1850) P. albirostris.
624. *albirostris* (*Rüpp.*), *N. Wirb. Vög.* p. 22, pl. 9. figs. 1, 2 (1835–40). N.E.
Cat. xiii. p. 167.

Genus XIV. GALEOPSAR.

Type.

- Galeopsar*, *Sharpe, Ibis*, 1891, p. 241 G. salvadorii.
625. *salvadorii*, *Sharpe, Ibis*, 1891, p. 241, pl. 4. E.

Genus XV. PŒOPTERA.

Type.

- Pœoptera*, *Bp. C. R.* xxxviii. p. 381 (1854) P. lugubris.
626. *lugubris*, *Bp. C. R.* xxxviii. p. 381 (1854). W.
Sharpe, *P. Z. S.* 1878, p. 803, pl. 49; Cat. iii. p. 281 (1877).
627. *kenricki*, *Shelley, Bull. B. O. C.* 1894, iii. p. xlvi; *id. Ibis*, 1894, p. 434. E.

Genus XVI. STILBOPSISAR.

Type.

- Stilbopsis*, *Reichen. Orn. Monatsb.* 1893, p. 31 S. stuhlmanni.
628. *stuhlmanni*, *Reichen. Orn. Monatsb.* 1893, p. 31. E.

Genus XVII. ACRIDOTHERES.

Type.

- Acridotheres*, *Vieill. Analyse*, p. 42 (1816) A. tristis.
629. *tristis* (*Linn.*), *S. N. i.* p. 167 (1766). M. Introduced.
Hodgs. *Icon. ined.* in *Brit. Mus.*, *Passeres*, pl. 272. figs. 1, 2; Cat. xiii. p. 80.

Genus XVIII. DILOPHUS.

Type.

- Dilophus*, *Vieill. Analyse*, p. 34 (1816) D. carunculatus.
 630. *carunculatus* (*Gm.*), *S. N.* i. p. 399 (1788). W., S., E., N.E.
 Levaill. *Ois. Afr.* ii. p. 178, pls. 193, 194 (1880); *Cat. xiii.* p. 61.

Genus XIX. FREGILUPUS.

Type.

- Fregilupus*, *Less. Traité*, p. 324 (1831) F. varius.
 631. *varius* (*Bodd.*), *Tabl. Pl. Enl.* p. 43. M.
 Levaill. *Hist. Nat. Promerops*, p. 43, pl. 10 (1806); *Cat. xiii.* p. 194.

Family XII. CORVIDÆ.

Genus I. CORVULTUR.

Type.

- Corvultur*, *Less. Traité Orn.* p. 327 (1831) C. albicollis.
 632. *albicollis* (*Lath.*), *Ind. Orn.* i. p. 151 (1790). S., E.
 Levaill. *Ois. Afr.* ii. p. 5, pl. 50 (1799); *Cat. iii.* p. 24 (1877).
 633. *crassirostris* (*Rüpp.*), *N. Wirb. Vög.* p. 19, pl. 8 (1835–40). N.E.
 Cat. iii. p. 25.

Genus II. CORVUS.

Type.

- Corvus*, *Linn. S. N.* i. p. 155 (1766) C. corax.
Heterocorax, *Sharpe, Cat. B. M.* iii. p. 11 (1877) C. eapensis.
Rhinocorax, *Sharpe, t. c.* pp. 5, 45 C. affinis.
 — 634. *scapulatus*, *Daud. Traité*, ii. p. 232 (1800). W., S., E., N.E., M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 444, pl. 177 (1879); *Cat. iii.* p. 22.
 635. *affinis*, *Rüpp. N. Wirb. Vög.* p. 20, pl. 10, fig. 2 (1835–40). E., N.E.
 Cat. iii. p. 46.
 636. *umbrinus*, *Sundev. Cefv. K. Vet.-Akad. Förh. Stockh.* 1838, p. 199. E., N.E.
 Dresser, *B. Eur.* iv. p. 577, pl. 265, fig. 2 (1874); *Cat. iii.* p. 17.
 637. *leptonyx*, *Peale, U.S. Expl. Exped.* viii. p. 105 (1848). W.
 Cat. iii. p. 17.
 638. *edithæ*, *Lort Phillips, Bull. B.O.C.* 1895, iv. p. xxxvi; *id. Ibis*, 1895, p. 383. N.E.

639. *capensis*, *Licht. Verz. Doubl.* p. 30 (1823). S., E., N.E.
 Levaill. *Ois. Afr.* ii. p. 11, pl. 52 (1799); *Cat. iii.* p. 12.

Genus III. PYRRHOCORAX.

	Type.
Pyrrhocorax, Vieill. Analyse, p. 36 (1816)	P. pyrrhocorax.
Fregilus, Cuv. Règne An. i. p. 406 (1817)	P. graculus.
640. <i>pyrrhocorax</i> (<i>Linn.</i>), S. N. i. p. 158 (1766).	? N.E.
Dresser, B. Eur. iv. p. 445, pl. 251. fig. 2 (1875); Cat. iii. p. 148.	
641. <i>graculus</i> (<i>Linn.</i>), S. N. i. p. 158 (1766).	N.E.
Dresser, B. Eur. iv. p. 437, pl. 251. fig. 1 (1875); Cat. iii. p. 146.	

Genus IV. PICATHARTES.

	Type.
Picathartes, Less. Man. Orn. p. 330 (1828)	P. gymnocephalus.
642. <i>gymnocephalus</i> (<i>Temm.</i>), Pl. Col. pl. 327 (1828).	W.
Ussher, Ibis, 1874, p. 67, pl. 2; Cat. xiii. p. 141.	

Genus V. CRYPTORHINA.

	Type.
Cryptorhina, Wagl. Syst. Av. art. Cryptorhina (1827)	C. afra.
643. <i>afra</i> (<i>Linn.</i>), S. N. i. p. 157 (1766).	W., N.E.
Levaill. Ois. Afr. ii. p. 17, pl. 54 (1799); Cat. iii. p. 75.	

Family XIII. DICRURIDÆ.

Genus DICRURUS.

	Type.
Dicrurus, Vieill. N. Dict. ix. p. 585 (1817)	D. balicassius.
Edolius, Cuv. Règn. An. i. p. 365 (1829)	D. forficatus.
Musicus, Reichb. Syst. Av. pl. 88. fig. 9 (1850)	D. afer.
— 644. <i>forficatus</i> (<i>Linn.</i>), S. N. i. p. 134 (1766).	M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 339, pl. 152 (1879); Cat. iii. p. 254 (1877).	
645. <i>waldeni</i> , Schl. Ned. Tijdschr. Dierk. 1865, p. 86.	M.
Schl. & Poll. Faun. Madag., Ois. p. 80, pl. 23 (1868); Cat. iii. p. 253.	
— 646. <i>afer</i> (<i>Licht.</i>), Cat. Rer. Nat. Hamb. p. 10 (1793).	W., S., E., N.E.
Levaill. Ois. Afr. iv. p. 72, pl. 174 (1805); Cat. iii. p. 247.	
647. <i>modestus</i> , Hartl. Rev. et Mag. Zool. 1849, p. 495.	W.
Cat. iii. p. 232.	
648. <i>Iudwigii</i> , Smith, Proc. S. Afr. Instit. 1834.	W., S., E.
Smith, Ill. Zool. S. Afr. Av. pl. 34 (1839); Cat. iii. p. 233.	

Family XIV. VANGIDÆ.

Genus I. XENOPIROSTRIS.

Type.

"*Xenopirostris, Lafr.*," *Bp. Conspl.* i. p. 366 (1850) X. xenopirostris.

- 649. *polleni* (*Scl. & Poll.*), *Faun. Madag., Ois.* p. 174 (1868). M.
Milne-Edw. & Grand. Hist. Madag., Ois. p. 432, pl. 169 (1879); Cat. viii. p. 110 (1883).
- 650. *xenopirostris* (*Lafr.*), *Rev. et Mag. Zool.* 1850, p. 106, pl. 1. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 429, pl. 168 (1879); Cat. viii. p. 110.
- 651. *damii*, *Schl. Contr. Ned. Tijdschr.* iii. p. 82 (1866). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 431, pl. 170 (1879); Cat. viii. p. 110.

Genus II. ARTAMIA.

Type.

Artamia, Geöffr. St.-Hilaire, N. Ann. Mus. Paris, i. p. 389 (1832). A. leucocephala.
Cyanolanius, Bp. C. R. xxxviii. pp. 387, 538 (1854) A. bicolor.

- 652. *leucocephala* (*Gm.*), *S. N.* i. p. 307 (1788). M.
Milne-Edw. & Grand. Hist. Madag., Ois. p. 404, pl. 154, fig. 1 (1879); Cat. viii. p. 107.
- 653. *annæ*, *Stejneger, Nyt Mag. Naturvid.* xxv. (1879). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 407, pl. 154, fig. 2 (1879).
- 654. *chabert* (*P. L. S. Müll.*), *S. N. Suppl.* p. 72 (1776). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 414, pl. 158 (1879); Cat. iii. p. 282 (1877).
- 655. *bicolor* (*Linn.*), *Mantiss.* p. 524 (1771). M.
Milne-Edw. & Grand. Hist. Madag., Ois. p. 410, pl. 156 (1879); Cat. viii. p. 108.
- 656. *comorensis*, *Shelley, Bull. B. O. C.* 1894, iii. p. xlvi; *id. Ibis*, 1894, p. 434. M.

Genus III. ORIOLIA.

Type.

Oriolia, Geöffr. St.-Hilaire, Mém. Acad. Sc. 1838, p. 50 . . . O. bernieri.

- 657. *bernieri*, *Geöffr. St.-Hilaire, Rev. Zool.* 1838, p. 50. M.
Milne-Edw. & Grand. Hist. Madag., Ois. p. 422, pl. 162 (1879); Cat. viii. p. 108.

Genus IV. VANGA.

Type.

Vanga, Vieill. Analyse, p. 41 (1816) V. curvirostris.
Lantzia, Hartl. Vög. Madag. p. 194 (1877) V. rufa.

- 658. *curvirostris* (*Linn.*), *S. N.* i. p. 135 (1766). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 423, pl. 166 (1879); Cat. viii. p. 104.
- 659. *rufa* (*Linn.*), *S. N.* i. p. 137 (1766). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 419, pl. 160 (1879); Cat. viii. p. 105.

Genus V. CALICALICUS.

*Type.**Calicalicus*, *Bp. C. R.* xxxviii. p. 535 (1854) *C. madagascariensis.*— 660. *madagascariensis* (*Linn.*), *S. N. i.* p. 137 (1766). *M.*Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 440, pl. 164 (1879); *Cat. viii.* p. 119.

Genus VI. EURYCEROS.

*Type.**Euryceros*, *Less. Cent. Zool.* 1830, p. 217, pl. 74 *E. prevosti.*— 661. *prevosti*, *Less. Cent. Zool.* 1830, p. 217, pl. 74. *M.*Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 435, pl. 172 (1879); *Cat. iii.* p. 326.

Family XV. PRIONOIDÆ.

Genus I. PRIONOPS.

*Type.**Prionops*, *Vieill. N. Dict. iii.* p. 145 (1816) *P. plumatus.*— 662. *plumatus* (*Shaw*), *Gen. Zool. vii.* p. 292 (1809). *W.*Swains. *B. W. Afr.* p. 246, pl. 26 (1837); *Cat. iii.* p. 320 (1877).663. *poliolophus*, *Fisch. & Reichen. J. f. O.* 1884, p. 180. *E.*664. *poliocephalus* (*Stanley*), *in Salt's Trav. Abyss.* App. p. 50 (1814). *W., E., N.E.*
Cat. iii. p. 321.665. *cristatus* (*Rüpp.*), *N. Wirb. Vög.* p. 30, pl. 12, fig. 2 (1835-40). *E., N.E.*
Cat. iii. p. 321, pt.666. *talacoma*, *Smith, Rep. Exp. Centr. Afr.* p. 45 (1836). *S., E.*
Smith, *Ill. Zool. S. Afr. Av.* pl. 5 (1838); *Cat. iii.* p. 321.

Genus II. SIGMODUS.

Type.“*Sigmodus*, *Temm.*,” *Bp. Consps. i.* p. 365 (1850) *S. caniceps.*667. *caniceps*, *Bp. Consps. i.* p. 365 (1850). *W.*
Jard. *Contr. Orn.* 1852, p. 140, pl. 94; *Cat. iii.* p. 323.668. *rufiventris*, *Bp. Rev. et Mag. Zool.* 1853, p. 441. *W.*
Oust. *N. Arch.* (2) ii. p. 134, pl. 5, fig. 1 (1879); *Cat. iii.* p. 323.669. *mentalis*, *Sharpe, Journ. Linn. Soc., Zool.* xvii. p. 425 (1884). *N.E.*670. *scopifrons*, *Peters, J. f. O.* 1854, p. 422. *S., E.*
Shelley, *P.Z. S.* 1881, p. 582, pl. 51, fig. 1; *Cat. iii.* p. 324.671. *retzii* (*Wahlb.*), *Gesv. K. Vet.-Akad. Förh. Stockh.* 1856, p. 174. *S.*
Cat. iii. p. 324672. *tricolor* (*Gray*), *P. Z. S.* 1864, p. 45. *S., E.*
Cab. *J. f. O.* 1868, p. 412, pl. 3; id. in Deeken's *Reis.* iii. p. 24, pl. 3 (1869); *Cat. iii.* p. 325.

[October 1895.]

Family XVI. CAMPOPHAGIDÆ.

Genus I. LOBOTUS.

- Type.
- Lobotos, *Reichb. Syst. Av.* pl. 54, fig. 12 (1850) L. lobatus.
673. lobatus (*Temm.*), *Pl. Col.* pls. 279, 280 (1824). W.
Cat. iv. p. 58 (1879).

Genus II. CAMPOPHAGA

- Type.
- Campephaga, *Vieill. Analyse*, pp. 39, 69 (1816) C. nigra.
- Lanicterus, *Less. Ann. Sc. Nat.* (2) ix. p. 169 (1838) . . . C. xanthornoides.
674. quiscalina, *Finsch, Ibis*, 1869, p. 189. W.
Cat. iv. p. 63.
- 675. nigra, *Vieill. N. Dict.* x. p. 50 (1817). W., S., E.
Levaill. *Ois. Afr.* ii. pp. 49, 51, pls. 164, 165 (1799); Cat. iv. p. 62.
676. hartlaubi (*Salvad.*), *Ann. Mus. Civ. Gen.* 1873, p. 439. S., E.
Cat. iv. p. 62.
677. xanthornoides (*Less.*), *Ann. Sc. Nat.* (2) ix. p. 169 (1838). W., E., N.E.
Cat. iv. p. 60.
678. phœnicea (*Lath.*), *Ind. Orn.* i. p. 367 (1790). W., N.E.
Swains. *B. W. Afr.* i. p. 252, pls. 27, 28 (1837); Cat. iv. p. 59.

Genus III. GRAUCALUS.

- Type.
- Graucalus, *Cuv. Règne An.* i. p. 341 (1817) G. papnensis.
- Ceblepyris, *Cuv. t. c.* p. 348 G. canus.
- Cyanograucus, *Hartt. J. f. O.* 1861, p. 170 G. azureus.
679. cinereus (*P. L. S. Müll.*), *S. N. Suppl.* p. 171 (1776). M.
Milne-Edw. & Grani. *Hist. Mad.*, *Ois.* p. 393, pl. 163 (1879); Cat. iv. p. 28.
680. cucullatus, *Milne-Edw.* & *Oust. C. R. Ac. Sc. ci.* p. 221 (1885). M.
Milne-Edw. & Oust. *N. Arch. Mus. H. N. Paris*, (2) x. p. 258, pl. 7, figs. 1, 2 (1888).
681. pectoralis, *Jard. & Selby, Ill. Orn.* ii. pl. 57. W., S., E., N.E.
Sharpe, *P. Z. S.* 1870, p. 70, pl. 4; Cat. iv. p. 29.
682. preussi, *Reichen. J. f. O.* 1892, pp. 183, 220. W.
683. caesius (*Licht.*), *Verz. Doubt.* p. 51 (1823). S.
Levaill. *Ois. Afr.* iv. p. 47, pls. 162, 163 (1803); Cat. iv. p. 26
684. purus, *Sharpe, Ibis*, 1891, p. 121. E., N.E.
685. azureus, *Cass. Pr. Philad. Acad.* 1851, p. 348. W.
Cat. iv. p. 27.

Genus IV. LALAGE.

	Type.	
Lalage, Boie, <i>Isis</i> , 1826, p. 973	L. terat.	
Oxynotus, Swains. <i>Faun. Bor.-Amer.</i> , B. p. 483 (1831) . . .	L. rufiventer.	
686. rufiventer (Swains.), <i>Faun. Bor.-Amer.</i> , B. p. 483 (1831).	M.	
Poll. Ibis, 1866, p. 278, pl. 7; Cat. iv. p. 101.		
687. newtoni (Pall.), <i>Ibis</i> , 1866, p. 278, pl. 8.	M.	
Cat. iv. p. 102.		

Family XVII. LANIIDÆ.

Subfamily I. LANIINÆ.

Genus I. EUROCEPHALUS.

	Type.	
Eurocephalus, Smith, <i>Rep. Exp. Centr. Afr.</i> p. 52 (1836) .	E. anguitimens.	
688. anguitimens, Smith, <i>Rep. Exp. Centr. Afr.</i> p. 53 (1836).	S.	
Cat. iii. p. 279 (1877).		
689. rueppelli, Bp. <i>Rev. et Mag. Zool.</i> 1853, p. 440.	E., N.E.	
Rüpp. <i>Syst. Uebers.</i> p. 53, pl. 27 (1845); Cat. iii. p. 280.		

Genus II. UROLESTES.

	Type.	
Urolestes, Cab. <i>Mus. Hein.</i> i. p. 75 (1850)	U. melanoleucus.	
690. melanoleucus (Jard. & Selby), Ill. <i>Orn.</i> iii. pl. 115 (1835).	S., E.	
Cat. viii. p. 229 (1883).		

Genus III. CORVINELLA.

	Type.	
Corvinella, Less. <i>Traité</i> , p. 372 (1831)	C. corvina.	
691. corvina (Shaw), Gen. <i>Zool.</i> vii. p. 337 (1809).	W.	
Levaill. <i>Ois. Afr.</i> ii. p. 118, pl. 78 (1799); Cat. viii. p. 231.		
692. affinis, Heugl. <i>Syst. Uebers.</i> p. 34 (1855).	E., N.E.	
Cat. viii. p. 231.		

Genus IV. FISCUS.

	Type.	
Fiscus, Bp. <i>Rev. Zool.</i> (2) v. p. 433 (1853)	F. collaris.	
693. collaris (Linn.), S. N. i. p. 135 (1766).	S., E., N.E.	
Levaill. <i>Ois. Afr.</i> ii. p. 35, pls. 61, 62 (1799); Cat. viii. p. 255.		
694. subcoronatus (Smith), Ill. <i>Zool. S. Afr. Av.</i> pl. 63 (1841).	S.	
Cat. viii. p. 260.		

695. *smithi* (*Fraser*), *P. Z. S.* 1843, p. 16. W.
Cat. viii. p. 258.
696. *newtoni*, *Bocage, Jorn. Lisb.* ii. p. 79 (1891). W.
- 697. *caudatus* (*Cab.*), *in Decken's Reis.* iii. p. 28, pl. 5 (1869). E.
Cab. J. f. O. 1869, pl. 3; Cat. viii. p. 254.
698. *excubitorius* (*De Murs*), *in Lefebvre's Voy. Abyss.* p. 99, pl. 8 (1849). E., N.E.
Cat. viii. p. 253.

Genus V. LANIUS.

Type.

- Lanius*, *Linn. S. N. i.* p. 131 (1766) L. *excubitor*.
699. *dorsalis*, *Cab. J. f. O.* 1878, pp. 205, 225. E., N.E.
Cat. viii. p. 255.
700. *mackinnoni*, *Sharpe, Ibis*, 1891, pp. 444, 596, pl. 13. W., E.
701. *sousæ*, *Bocage, Jorn. Lisb.* 1878, p. 213. S.
Cat. viii. p. 254.
702. *elegans*, *Swains. Faun. Bor.-Am.* ii. p. 122 (1831). N.E.
Dresser, *B. Eur.* iii. p. 381, pl. 146 (1872); Gadow, *Cat. B. M.* viii. pp. 247–252, pls. 7, 8 (1883).
703. *uncinatus*, *Sclat. & Hartl. P. Z. S.* 1881, p. 168. N.E.
Cat. viii. p. 245.
704. *minor*, *Gm. S. N. i.* p. 308 (1788). S., E., N.E.
Dresser, *B. Eur.* iii. p. 393, pl. 149 (1873); Cat. viii. p. 235.

Genus VI. PHONEUS.

Type.

- Phoneus*, *Kaup, Natürl. Syst.* p. 33 (1829) P. *auriculatus*.
Leucometopon, *Bp. Rev. Zool.* (2) v. p. 438 (1853) P. *nubicus*.
705. *auriculatus* (*P. L. S. Müll.*), *S. N. Suppl.* p. 71 (1776). W., N.E.
Dresser, *B. Eur.* iii. p. 407, pl. 151 (1871); Cat. viii. p. 283.
706. *badius* (*Hartl.*), *J. f. O.* 1854, p. 100. W.
Cat. viii. p. 285.
707. *nubicus* (*Licht.*), *Verz. Doubl.* p. 47 (1823). N.E.
Dresser, *B. Eur.* iii. p. 417, pl. 282 (1873); Cat. viii. p. 282.
708. *isabellinus* (*Ehr.*), *Symb. Phys.* fol. ee, note (1828). N.E.
Dresser, *B. Eur.* iii. p. 413, pl. 152 (1878); Cat. viii. p. 277.

Genus VII. ENNEOCTONUS.

Type.

- Enneoctonus*, *Boie, Isis*, 1826, p. 973 E. *collnrio*.

709. *collurio* (*Linn.*), *S. N.* i. p. 136 (1766). S., E., N.E.
 Dresser, *B. Eur.* iii. p. 399, pl. 50 (1871) : Cat. viii. p. 286.
710. *reichenowi* (*Shelley*), *Bull. B. O. C.* 1894, iii. p. xlvi; *id. Ibis*, 1894, p. 434. E.
711. *gubernator* (*Hartl.*), *Orn. Centralbl.* 1882, p. 91. N.E.
 Hartl. *J. f. O.* 1882, p. 323, pl. 1. fig. 2.

Genus VIII. NILAUS.

- Nilaus*, *Swains. Zool. Journ.* iii. p. 162 (1827) Type. N. *brubru*.
712. *afer* (*Lath.*), *Ind. Orn.* ii. *Suppl.* p. xix (1801). W., N.E.
 Gadow, *Cat. B. M.* viii. p. 169, pl. 5. fig. 2 (1883).
713. *brubru* (*Lath.*), *Ind. Orn.* ii. *Suppl.* p. xx (1801). S.
 Gadow, *Cat. B. M.* viii. p. 168, pl. 5. fig. 1 (1883).
- 714. *minor*, *Sharpe*, *P. Z. S.* 1895, p. 471. N.E.
715. *nigritemporalis*, *Reichen. J. f. O.* 1892, pp. 36, 218. S., E.
716. *affinis*, *Bocage*, *Jorn. Lisb.* 1878, pp. 204, 213, 271. S.
 Cat. viii. p. 170.

Genus IX. LANIOTURDUS.

- Lanioturdus*, *Waterh. App. Alexander's Exp. Int. Afr.* p. 264 (1833). L. *torquatus*. Type.
717. *torquatus*, *Waterhouse, App. Alex. Exp. Int. Afr.* p. 264 (1833). S.
 Bp. Rev. et Mag. Zool. 1857, p. 52, pl. 5 ; Cat. iv. p. 237 (1879).

Subfamily II. LANIARIINÆ.

Genus I. LANIARIUS.

- Laniarius*, *Vieill. Analyse*, p. 41 (1816) Type. L. *barbarus*.
Rhynchastatus, *Bp. C. R.* xxxviii. p. 535 (1854) L. *leucorhynchus*.
718. *ruficeps* (*Shelley*), *Ibis*, 1885, p. 402, pl. 10. fig. 1. N.E.
719. *rufinuchalis* (*Sharpe*), *P. Z. S.* 1895, p. 471. N.E.
720. *luehderi*, *Reichen. J. f. O.* 1884, p. 101 (Dec. 1873). W.
 Sharpe, *P. Z. S.* 1874, p. 205, pl. 33. fig. 2 (Feb. 1874) : Cat. viii. p. 134.
721. *castaneiceps*, *Sharpe*, *Ibis*, 1891, pp. 445, 598. E.
722. *ferrugineus* (*Gm.*), *S. N.* i. p. 306 (1788). S., E.
 Levaill. *Ois. Afr.* ii. p. 73, pl. 68 (1799) : Cat. viii. p. 134.
723. *mosambicus* (*Fisch.* & *Reichen.*), *J. f. O.* 1880, p. 141. S., E.
724. *aethiopicus* (*Gm.*), *S. N.* i. p. 824 (1788). N.E.
 Rüpp. *Syst. Uebers.* p. 50, pl. 23 (1845) : Cat. viii. p. 139.

725. major, *Hartl. Beitr. Orn. W.-Afr.* p. 51, pl. 5 (1818). W.
Cat. viii. p. 136.
726. guttatus (*Hartl.*), *P. Z. S.* 1865, p. 86. S.
Finsch & Hartl. Vög. Ost-Afr. p. 342, pl. 15 (1870); Cat. viii. p. 137.
727. atrococcineus (*Burchell*), *Zool. Journ.* i. p. 461, pl. 28 (1825). S.
Swains. Zool. Ill. 2nd series, pl. 76 (1830); Cat. viii. p. 152.
728. atrocroceus, *Trimen*, *P. Z. S.* 1880, p. 623, pl. 59. S.
Cat. viii. p. 153.
729. "erythrogaster (*Rüpp.*)", *Crelz. in Rüpp. Atlas, Vög.* p. 43, pl. 29 (1826). E., N.E.
Cat. viii. p. 154.
730. barbarus (*Linn.*), *S. N.* i. p. 137 (1766). W.
Swains. Zool. Ill. 3rd series, ii. pl. 71; id. *B. W. Afr.* i. p. 243 (1837) Cat. viii. p. 153.
731. atroflavus, *Shelley*, *P. Z. S.* 1887, p. 124, pl. 13. W.
732. leucorhynchus (*Hartl.*), *Rev. Zool.* 1848, p. 108. W.
Hartl. Abhandl. nat. Ver. Hamburg, 1852, p. 51, pl. 6; Cat. viii. p. 132.
733. nigerrimus (*Reichen.*), *J. f. O.* 1879, p. 322. E.
Cat. viii. p. 133.
734. funebris (*Hartl.*), *P. Z. S.* 1863, p. 105. E.
Finsch & Hartl. Vög. Ost-Afr. p. 352, pl. 4, fig. 2 (1870); Cat. viii. p. 133.
735. turatii (*Verr.*), *Rev. et Mag. Zool.* 1858, p. 304, pl. 7. W.
Cat. viii. p. 140.
736. sublacteus (*Cass.*), *Proc. Philad. Acad.* 1851, p. 246. E.
Cab. in Decken's Reis. iii. p. 26, pl. 4 (1869); Cat. viii. p. 140.

Genus II. DRYOSCOPUS.

Type.

- Dryoscopus*, *Boie, Isis*, 1826, p. 973 D. cubla.
Chaunonotus, *Gray in Charlesworth's Mag. N. H.* i. p. 487 (1837). D. sabinii.

737. atrialatus, *Cass. Proc. Philad. Acad.* 1851, p. 246. E.
Cat. viii. p. 143.
738. affinis (*Gray*), *in Charlesworth's Mag. N. H.* i. p. 489 (1837). E.
Finsch & Hartl. Vög. Ost-Afr. pl. 5, fig. 2 (1870); Cat. viii. p. 141.
739. verreauxi, *Cab. in Deken's Reis.* iii. p. 26 (1869). W.
Cat. viii. p. 141, pt.
740. angolensis, *Hartl. P. Z. S.* 1860, p. 111. W.
Cat. viii. p. 134.
741. tricolor, *Cab. & Reichen. J. f. O.* 1877, p. 103. W.
Cat. viii. p. 150.

742. *cubla* (*Shaw*), *Gen. Zool.* vii. p. 328 (1809). S., E.
Lev. Ois. Af. ii. p. 89, pl. 72 (1799); H. & F. Vög. O.-Afr. pl. v. f. 3 (1870); Cat. viii. pp. 142, 144, 148.
743. *thamnophilus*, *Cab. in Decken's Reise*, iii. p. 26, pl. 8 (1869). E.?
Cab. J. f. O. 1869, pl. 2; Cat. viii. p. 147.
744. *pringlii*, *Jackson*, *Bull. B. O. C.* 1893, iii. p. iii; *id. Ibis*, 1894, p. 117. E.
745. *cinerascens*, *Hartl. J. f. O.* 1880, p. 212. N.E.
Cat. viii. p. 146, note.
746. *senegalensis* (*Hartl.*), *Orn. W.-Afr.* p. 112. W.
Cat. iii. p. 313 (1877).
747. *gambensis* (*Licht.*), *Verz. Doubl.* p. 48 (1823). W., N.E.
Swains. B. W. Afr. i. p. 240, pl. 23 (1837); Cat. viii. p. 146.
748. *sabinii* (*J. E. Gray*), *Zoot. Misc.* i. p. 6 (1831). W.
Jard. Ill. Orn. iv. pl. 27 (1843); Cat. viii. p. 143.

Genus III. BOCAGIA.

Type.

- Bocagia*, *Shelley*, *Bull. B. O. C.* iii. p. xliv (1894); *id. Ibis*, 1894, p. 434. B. *minuta*.
749. *minuta* (*Hartl.*), *P. Z. S.* 1858, p. 292. W., N.E.
Cat. viii. p. 128.
750. *anchietæ* (*Bocage*), *Jorn. Lisb.* 1870, p. 344. S., E.
Bocage, *Orn. Angola*, p. 225, pl. 4 (1881); Cat. viii. p. 129.

Genus IV. TELEPHONUS.

Type.

- Telephonus*, *Swains. Class. B.* ii. p. 219 (1837) T. *senegalus*.
- 751. *senegalus* (*Linn.*), *S. N.* i. p. 137 (1766). W., S., E., N.E.
Dresser, *B. Eur.* iii. p. 423, pl. 154 (1872); Cat. viii. pp. 124, 126.
752. *blanfordi* (*Sharpe*), *ed. Layard's B. S. Afr.* p. 397, note (1882). E., N.E.
Gadow, *Cat. B. M.* viii. p. 127, pl. 2, fig. 2 (1883).
753. *remigialis*, *Finsch & Hartl. Vög. Ost-Afr.* p. 340, note (1870). N.E.
Cat. viii. p. 138.
754. *australis* (*Smith*), *Rep. Exped. Centr. Afr.* p. 44 (1836). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 94 (1844); Cat. viii. p. 122.
755. *emini*, (*Reichen.*) *Orn. Monatsb.* 1893, p. 60. E.
756. *minor*, *Reichen. J. f. O.* 1887, p. 61. E.
757. *ussheri* (*Sharpe*), *ed. Layard's B. S. Afr.* p. 397, note (1882). W., N.E.
Gadow, *Cat. B. M.* viii. p. 124, pl. 2, fig. 1 (1883).

758. *tchagra* (*Vieill.*), *N. Dict.* iii. p. 317 (1816). S.
Levaill. *Ois. Afr.* ii. p. 81, pl. 70, figs. 1, 2 (1799); *Cat. viii.* p. 121.
759. *jamesi*, *Shelley, Ibis*, 1885, p. 403, pl. 10. fig. 2. E., N.E.

Genus V. RHODOPHONEUS.

- Rhodophoneus*, *Heugl. Orn. N.O.-Afr.* p. 462 (1871) R. *cruentus*.
Type.
760. *cruentus* (*Hempr. & Ehr.*), *Symb. Phys.* fol. cc, pl. 3 (1828). N.E.
Cat. viii. p. 153.
761. *cathemagmenus* (*Reichen.*), *J. f. O.* 1887, p. 63. E., N.E.

Genus VI. PELICINIUS.

- Pelicinius*, *Boie, Isis*, 1826, p. 973 P. *gutturalis*.
Chlorophoneus, *Cab. Mus. Hein.* i. p. 70 (1850) P. *rubiginosus*.
Archolestes, *Cab. t. c.* p. 71 P. *olivaceus*.
Neolestes, *Cab. J. f. O.* 1875, p. 327, pl. i. fig. 1 P. *torquatus*.
Type.
762. *gutturalis* (*P. L. S. Müll.*), *S. N. Suppl.* p. 144 (1776). S.
Levaill. *Ois. Afr.* ii. p. 65, pl. 67 (1799); *Cat. viii.* p. 162.
763. *quadricolor* (*Cass.*), *Proc. Philad. Acad.* 1851, p. 245. S., E.
Sharpe, ed. Layard's *B. S. Afr.* p. 381, pl. 11 (1882); *Cat. viii.* p. 164.
764. *viridis* (*Vieill.*), *N. Dict.* xiii. p. 300 (1817). W., S.
Levaill. *Ois. Afr.* ii. p. 124, pl. 286 (1799); *Cat. vii.* p. 165.
765. *torquatus* (*Cab.*), *J. f. O.* 1875, p. 337, pl. 1. fig. 1. W.
Cat. viii. p. 171.
766. *rubiginosus* (*Sunder.*), *Œfr. K. Vet.-Ak. Förh. Stockh.* 1850, p. 106. S.
Levaill. *Ois. Afr.* ii. p. 105, pl. 75, fig. 2, pl. 76, fig. 1 (1799); *Cat. viii.* p. 160.
767. *bertrandi* (*Shelley*), *Ibis*, 1894, p. 15, pl. 2. fig. 2. S.
768. *olivaceus* (*Shaw*), *Gen. Zool.* vii. p. 330 (1809). S.
Levaill. *Ois. Afr.* ii. p. 105, pl. 75, fig. 1 (1799); *Cat. viii.* p. 161.

Genus VII. MALACONOTUS.

- Malaconotus*, *Swains. Zool. Journ.* iii. p. 163 (1827) . . M. *poliocephalus*.
Type.
769. *sulphureipectus* (*Less.*), *Traité*, p. 373 (1831). W., S., E., N.E.
Rüpp. *Syst. Uebers.* p. 55, pl. 24 (1845); *Cat. viii.* p. 159.
770. *melamprosopus* (*Reichen.*), *J. f. O.* 1878, p. 209. W.
Cat. viii. p. 158, pt.

771. *moticolor* (*Gray*), *Gen. B.* i. p. 299, pl. 72 (1844). W.
Cat. viii. p. 158.
772. *nigrithorax* (*Sharpe*), *Ibis*, 1871, p. 417. W.
Gadow, Cat. B. M. viii. p. 157, pl. 4 (1883).
773. *poliochlamys* (*Gadow*), *Cat. B. M.* viii. p. 155, pl. 3 (1883). W.
Less. Cent. Zool. pl. 65 (1830).
774. *gabonensis*, *Shelley*, *Bull. B. O. C.* 1894, iii. p. xliii; *id. Ibis*, 1894, p. 434. W.
Cat. viii. p. 155.
775. *lagdeni* (*Sharpe*), *P. Z. S.* 1884, p. 54, pl. 5. W.
776. *monteiri* (*Sharpe*), *P. Z. S.* 1870, p. 148, pl. 13, fig. 1. W.
Cat. viii. p. 157.
777. *poliocephalus* (*Licht.*), *Verz. Doubl.* p. 45 (1823). W., S., N.E.
Swains. B. W. Afr. i. p. 237, pl. 22 (1837); Cat. viii. p. 156, pt.
778. *blanchoti*, *Steph. Gen. Zool.* xiii. (2) p. 161 (1825). S., E.
Levaill. Ois. Afr. vi. p. 122, pl. 285 (1808); Cat. viii. p. 156, pt.
779. *approximans* (*Cab.*), *in Decken's Reis.* iii. p. 27 (1869). E., N.E.
Cat. viii. p. 156, pt.
780. *gladiator* (*Reichen.*), *J. f. O.* 1892, p. 441. W.

Genus VIII. NICATOR.

- Nicator*, *Finsch & Hartl. Vög. Ost-Afr.* p. 359 (1870) . . . Type. N. chloris.
781. *chloris* (*Less.*), *Traité*, p. 373 (1831). W., N.E.
Cat. viii. p. 166.
782. *gularis*, *Finsch & Hartl. Vög. Ost-Afr.* p. 360 (1870). E.
Cat. viii. p. 167.
783. *vireo*, *Cab. J. f. O.* 1876, p. 333, pl. 2, fig. 2. W.
Cat. viii. p. 166.

Family XVIII. CRATEROPIDÆ.

Genus I. HYPERGERUS.

- Hypergerus*, *Reichb. Syst. Av. Nat.* pl. 54, fig. 9 (1850) . . . Type. H. atriceps.
784. *atriceps* (*Less.*), *Traité Orn.* p. 649 (1831). W.
Swains. B. W. Afr. i. p. 280, pl. 31 (1837); Cat. vii. p. 352 (1883).

Genus II. ARGYA.

- Argya, *Less. Traité Orn.* p. 402 (1831) A. squamiceps.
785. " *squamiceps (Rüpp.)*, " *Cretzschm. in Rüpp. Atlas*, p. 10, pl. 12 (1826). N.E.
Dresser, *B. Eur.* iii. p. 23, pl. 98, fig. 2 (1875); *Cat. vii.* p. 395.
786. *aylmeri*, *Shelley, Ibis*, 1885, p. 404, pl. 11, fig. 1. N.E.
787. *mentalis*, *Reichen. J. f. O.* 1887, p. 75. E.
788. *acaciæ (Licht.)*, *Verz. Doubl.* p. 40 (1823). N.E.
Shelley, *Handb. B. Egypt*, p. 69, pl. 1 (1872); *Cat. vii.* p. 397.
789. *amaurura*, *Pelz. Verh. Ges. Wien*, xxxii. p. 503 (1882). N.E.
790. *rubiginosa (Rüpp.)*, *Syst. Uebers.* p. 47, pl. 19 (1845). N.E.
Cat. vii. p. 391.
791. *rufula*, *Hengl. Orn. N.O.-Afr.* p. eceii, note (1874). N.E.
- 792. *saturata*, *Sharpe, P. Z. S.* 1895, p. 488. E.

Genus III. CRATEROPUS.

Type.

- Crateropus*, *Swains. Faun. Bor.-Amer., Av.* p. 487 (1831) . . C. reinwardti.
Malacocercus, *Swains. Zool. Illustr.* 2nd ed. ser. iii. pl. 127 (1832). C. atripennis.

793. *tanganjicæ*, *Reichen. J. f. O.* 1886, p. 115, pl. 3, fig. 1. W., E.
794. *jardinii*, *Smith, Rep. Exp. Centr. Afr.* p. 45 (1836). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 6 (1849); *Cat. vii.* p. 472.
795. *kirki*, *Sharpe, ed. Layard's B. S. Afr.* p. 213 (1875). S., E.
796. " *plebeius (Rüpp.)*, " *Cretzschm. in Rüpp. Atlas*, p. 35, pl. 23 (1826). N.E.
Cat. vii. p. 473.
797. *buxtoni*, *Sharpe, Ibis*, 1891, p. 445. E.
798. *platycercus*, *Swains. B. W. Afr. i.* p. 274 (1837). W.
Reichenb. *Syst. Av.* pl. 55, fig. 3 (1850); *Cat. vii.* p. 471.
799. *melanops*, *Hartl. P. Z. S.* 1866, p. 435, pl. 37. S.
Cat. vii. p. 472.
800. *hypostictus*, *Cab. & Reichen. J. f. O.* 1877, pp. 25, 103. W., E.
Cat. vii. p. 474.
801. *sharpii*, *Reichen. J. f. O.* 1891, p. 432. E.
802. *tenebrosus*, *Hartl. J. f. O.* 1883, p. 425. N.E.
Hartl. Zool. Jahrb. 1887, p. 313, pl. 12, fig. 4.

803. reinwardti, *Swains. Zool. Ill.* (2) ii. pl. 80 (1831). W.
Cat. vii. p. 470.
804. squamulatus, *Shelley, Ibis*, 1884, pp. 45, 48. E.
805. smithii, *Sharpe, Bull. B. O. C.* 1895, iv. p. xli; *id. P. Z. S.* 1895, p. 487. N.E.
806. hartlaubi, *Bocage, Jorn. Lisb.* 1868, p. 48. S.
Bocage, Orn. Angola, p. 252, pl. 1. fig. 1 (1877); Cat. vii. p. 478.
807. "leucocephalus (*Rüpp.*)," *Cretzschm. Rüpp. Atlas*, pl. 4 (1826). W.?, N.E.
Cat. vii. p. 474.
808. leucopygius (*Rüpp.*), *N. Wirb. Vög.* p. 84, pl. 30, fig. 1 (1835–40). N.E.
Cat. vii. p. 476.
809. bicolor, *Jard. in Edinb. Journ. Sc.* iii. p. 97, pl. 3 (1830). S.
Cat. vii. p. 475.
810. hypoleucus, *Cab. J. f. O.* 1878, pp. 205, 226. E.
Cat. vii. p. 475, pt.
811. atripennis, *Swains. B. W. Afr.* i. p. 278 (1837). W.
Cat. vii. p. 483.
812. bohndorffi, *Sharpe, Journ. Linu. Soc., Zool.* xviii. p. 422 (1884). N.E.
813. haynesi, *Sharpe, Ibis*, 1871, p. 415. W.
Sharpe, Cat. B. M. vii. p. 483, pl. 11 (1883).

Genus IV. AETHOCICHLA.

*Type.**Aethocichla*, *Sharpe, ed. Layard's B. S. Afr.* p. 215 (1875). Ae. *gymnogenys*.

814. *gymnogenys* (*Hartl.*), *P. Z. S.* 1865, p. 86. S.
Sharpe, Cat. B. M. vii. p. 484, pl. 12 (1883).

Family XIX. BRACHYPODIDÆ. = *Brachypodidae*

Genus I. IXOCINCLA.

*Type.**Ixocincla*, *Blyth, J. A. S. Beng.* xiv. p. 575 (1845) I. *olivacea*.

815. *madagascariensis* (*P. L. S. Müll.*), *S. N. Suppl.* p. 139 (1776). M.
A. Newton in Rowley's *Orn. Misc.* ii. p. 49, pl. 42, fig. 1 (head, 1876); Cat. vi. p. 45 (1881).
816. *parvirostris* (*Milne-Edw. & Oust.*), *C. R. Acad. Sc. ci.* p. 222 (1885). M.
Milne-Edw. & Oust. N. Arch. Mus. H. N. Paris, (2) x. p. 253, pl. 6. fig. 1 (1888).
817. *rostrata*, *Ridgway, Proc. U.S. Nat. Mus.* xvi. p. 597 (1894). M.

818. *borbonica* (*Gm.*), *S. N. i.* p. 821 (1788). M.
 A. Newton in Rowley's *Orn. Misc.* ii. p. 50, pl. 42, fig. 2 (head, 1876); Cat. vi. p. 45.
819. *olivacea* (*Jard. & Selby*), *Ill. Orn.* iv. (n. s.) text to pl. 2 (1843). M.
 Jard. & Selby, *Ill. Orn.* iii. p. 148; Cat. vi. p. 46.
820. *crassirostris* (*E. Newton*), *P. Z. S.* 1867, p. 334. M.
 A. Newton in Rowley's *Orn. Misc.* ii. p. 52, pl. 42, figs. 4a, 4b (1876); Cat. vi. p. 47.

Genus II. TYLAS.

- Type.*
- Tylas*, *Hartl. P. Z. S.* 1862, p. 152 T. *eduardi*.
- 821. *eduardi*, *Hartl. P. Z. S.* 1862, p. 152, pl. 18. M.
 Milne-Edw. & Grand. *Hist. Madag.*, *Ois.* p. 377, pl. 141, fig. 2 (1879); Cat. vi. p. 164.
822. *alfredi*, *Sharpe, Cat. B. M.* vi. p. 165 (1881). M.
823. " *albigularis*, *Schl.*" *Hartl. Vög. Madag.* 1877, p. 143. M.
 Milne-Edw. & Grand. *Hist. Madag.*, *Ois.* p. 377, pl. 143 (1879); Cat. vi. p. 165.
824. *fulviventris*, *Sharpe, Cat. B. M.* vi. p. 165 (1881). M.
825. *strophiatus*, *Stejneger, Orn. Centralbl.* 1879, p. 182. M.
 Milne-Edw. & Grand. *Hist. Madag.*, *Ois.* p. 348, pl. 144 a (1879); Cat. vi. p. 166.

Genus III. PYCNONOTUS.

- Type.*
- Pycnonotus*, *Boie, Isis*, 1826, p. 973 P. *capensis*.
Ixos, *Tenm. Man. Orn.* iv. p. 606 (1840) P. *barbatus*.
826. *capensis* (*Linn.*), *S. N. i.* p. 295 (1766). S.
 Dresser, *B. Eur.* iii. p. 361, pl. 143, fig. 2 (1875); Cat. vi. p. 130.
827. *minor*, *Heugl. Orn. N.O.-Afr.* p. 324 (1870). E., N.E.
828. *dodsoni*, *Sharpe, P. Z. S.* 1895, p. 488. N.E.
829. *tricolor* (*Hartl.*), *Ibis*, 1862, p. 341. W., S.
 Sharpe, *P. Z. S.* 1871, p. 131, pl. 7, fig. 2; Cat. vi. p. 131.
830. *layardi*, *Gurney, Ibis*, 1879, p. 390. S., E.
 Cat. vi. p. 132.
831. *nigricans* (*Vieill.*), *N. Dict.* xx. p. 253 (1818). S.
 Levail. *Ois. Afr.* iii. p. 38, pl. 106, fig. 2 (1802); Cat. vi. p. 134.
832. *xanthopygius* (*Hempr. & Ehr.*), *Symb. Phys.* fol. bb (1828). N.E.
 Dresser, *B. Eur.* iii. p. 357, pl. 143, fig. 1 (1875); Cat. vi. p. 135.
833. *arsinoë* (*Hempr. & Ehr.*), *Symb. Phys.* fol. aa (1828). N.E.
 Cat. vi. p. 148.

834. *barbatus* (*Desf.*), *Mém. Acad. R. Sc.* p. 500, pl. 13 (1787). W.
Sharpe, *P. Z. S.* 1871, p. 131, pl. 7, fig. 3; *Cat. vi.* p. 146.
835. *gabonensis*, *Sharpe, P. Z. S.* 1871, p. 131, pl. 7, fig. 1. W.
Cat. vi. p. 148.

Genus IV. ANDROPADUS.

*Type.**Andropadus*, *Swains. Faun. Br.-Amer.*, B. p. 485 (1831). A. importunus.

836. *latirostris*, *Strickl. P. Z. S.* 1844, p. 100. W.
Cat. vi. p. 107.
837. *eugenius*, *Reichen. J. f. O.* 1892, pp. 53, 133. E.
838. *importunus* (*Vieill.*), *N. Dict.* xx. p. 266 (1818). S.
Jard. & Selby, *Ill. Orn.* iii. pl. 128 (1835); *Cat. vi.* p. 108.
839. *montanus*, *Reichen. J. f. O.* 1892, pp. 188, 220. W.
840. *virens*, *Cass. Proc. Philad. Acad.* 1857, p. 34. W., N.E.
Fraser, *Zool. Typ.* pl. 35 (1849); *Cat. vi.* p. 109.
841. *zombensis*, *Shelley, Ibis*, 1894, p. 10. S.
842. *curvirostris*, *Cass. Proc. Philad. Acad.* 1859, p. 46. W.
Cat. vi. p. 111.
843. *minor*, *Bocage, Jorn. Lisb.* 1880, p. 55. W.
Cat. vi. p. 400.
844. *oleaginus*, *Peters, J. f. O.* 1868, p. 133. S., E.
Cat. vi. p. 111.
845. *alexandri*, *Oust. Le Naturaliste*, 1892, p. 231. W.
846. *flavescens*, *Hartl. P. Z. S.* 1867, p. 825. E.
Finsch & Hartl. *Vög. Ost-Afr.* p. 295, pl. 3, fig. 1 (1870); *Cat. vi.* p. 112.

Genus V. MACROSPHENUS.

*Type.**Macrospenus*, *Cass. Proc. Philad. Acad.* 1859, p. 41 . . . M. flavicans.

847. *flavicans*, *Cass. Proc. Philad. Acad.* 1859, p. 42. W.
Cat. vii. p. 530.

Genus VI. XENOCICHLA.

*Type.**Xenocichla*, *Hartl. Orn. W.-Afr.* p. 86 (1857) X. syndactyla.

848. *syndactyla* (*Swains.*), *B. W. Afr.* i. p. 261 (1837). W.
Cat. vi. p. 101.

849. poliocephala, *Reichen. J. f. O.* 1892, p. 220. W.
 850. xavieri, *Oust. Le Naturaliste*, 1892, p. 218. W.
 851. notata (*Cass.*), *Proc. Philad. Acad.* 1856, pp. 159, 317. W.
 Cass. Journ. Philad. Acad. 2nd ser. v. p. 182, pl. 22, fig. 2 (1859); *Cat. vi.* p. 105.
 852. eximia (*Hartl.*), *J. f. O.* 1856, p. 356. W.
 Cat. vi. p. 88.
 853. canicapilla (*Hartl.*), *Beitr. Orn. W.-Afr.* p. 24 (1852). W.
 Cat. vi. p. 105.

Genus VII. IXONOTUS.

*Type.**Ixonotus*, *J. & E. Verr. Rev. et Mag. Zool.* 1851, p. 306 . . . I. guttatus.

854. guttatus, *J. & E. Verr. Rev. et Mag. Zool.* 1851, p. 306. W.
 Oust. N. Arch. Mus. (2) ii. p. 101, pl. 5, fig. 2 (1879); *Cat. vi.* p. 119.

Genus VIII. BÆOPOGON.

*Type.**Bæopogon*, *Heine, J. f. O.* 1860, p. 132 B. indicator.

855. indicator (*J. & E. Verr.*), *J. f. O.* 1855, p. 105. W., N.E.
 Cat. vi. p. 103.
 856. clamans (*Sjöstedt*), *Orn. Monatsb.* 1893, p. 28. W.
 857. leucopleurus (*Cass.*), *Proc. Philad. Acad.* 1855, p. 328. W.
 Cat. vi. p. 104.

Genus IX. CRINIGER.

*Type.**Criniger*, *Temm. Man. Orn.* i. p. lx (1820) C. barbatus.
Hypotrichas, *Heine, J. f. O.* 1860, p. 138 C. calurus.

858. barbatus (*Temm.*), *Pl. Col.* iii. pl. 82. W.
 Cat. vi. p. 82.
 859. olivaceus (*Swains.*), *B. W. Afr.* i. p. 264 (1837). W.
 Sharpe, Cat. B. M. vi. p. 98, pl. 7, fig. 2 (1881).
 860. flavigollis (*Swains.*), *B. W. Afr.* i. p. 259 (1837). W.
 Cat. vi. p. 97.
 861. flavigula (*Cab.*), *Orn. Centralbl.* 1880, p. 174. W., N.E.
 Cab. J. f. O. 1881, p. 98, pl. 3, fig. 1; *Cat. vi.* p. 98.
 862. falkensteini, *Reichen. J. f. O.* 1874, p. 458. W.
 Cat. vi. p. 146.

863. <i>simplex</i> (<i>Hartl.</i>), <i>J. f. O.</i> 1855, p. 350. Cat. vi. p. 99.	W.
864. <i>harterti</i> (<i>Reichen.</i>), <i>Novit. Zool.</i> ii. p. 6 (1895).	W.
865. <i>flavostriatus</i> (<i>Sharpe</i>), <i>Ibis</i> , 1876, p. 53. Cat. vi. p. 100.	S.
866. <i>tenuirostris</i> (<i>Fisch. & Reichen.</i>), <i>J. f. O.</i> 1884, p. 262.	E.
867. <i>gracilirostris</i> (<i>Strickl.</i>), <i>P. Z. S.</i> 1844, p. 101. Cat. vi. p. 114.	W., N.E.
868. <i>liberiensis</i> (<i>Reichen.</i>), <i>Novit. Zool.</i> ii. p. 160 (1895).	W.
869. <i>gracilis</i> (<i>Cab.</i>), <i>Orn. Centralbl.</i> 1880, p. 174. Cab. <i>J. f. O.</i> 1881, pp. 96, 104, pl. 4. fig. 2.	W.
870. <i>cameronensis</i> (<i>Reichen.</i>), <i>J. f. O.</i> 1892, p. 126.	W.
871. <i>fischeri</i> , <i>Reichen. Orn. Centralbl.</i> 1879, p. 139; <i>id. J. f. O.</i> 1879, p. 319. Cat. vi. p. 118.	E.
872. <i>chloronotus</i> (<i>Cass.</i>), <i>Proc. Philad. Acad.</i> 1859, p. 43. Cass. <i>Journ. Philad. Acad.</i> 2nd ser. v. p. 181, pl. 22. fig. 1 (1859); Cat. vi. p. 72.	W.
873. <i>calurus</i> (<i>Cass.</i>), <i>Proc. Philad. Acad.</i> 1856, pp. 158, 317. Cass. <i>Journ. Philad. Acad.</i> 2nd ser. v. p. 182, pl. 22. fig. 3 (1859); Cat. vi. p. 74.	W.
874. <i>verreauxi</i> , <i>Sharpe, Cat. Afr. B.</i> p. 21 (1871). Sharpe, <i>Cat. B. M.</i> vi. p. 73, pl. 4 (1881).	W., N.E.
875. <i>albigularis</i> (<i>Sharpe</i>), <i>Cat. B. M.</i> vi. p. 103, pl. 7. fig. 1 (1881).	W.
— 876. <i>placidus</i> (<i>Shelley</i>), <i>P. Z. S.</i> 1889, p. 363.	E.
877. <i>tephrolæmus</i> (<i>Gray</i>), <i>Ann. N. H.</i> (3) x. p. 444 (1862). Cat. vi. p. 98.	W.
878. <i>kikuyuensis</i> (<i>Sharpe</i>), <i>Ibis</i> , 1891, p. 118.	E.
879. <i>milanjensis</i> (<i>Shelley</i>), <i>Ibis</i> , 1894, p. 9, pl. 1. fig. 1.	S.
880. <i>fusciceps</i> (<i>Shelley</i>), <i>Ibis</i> , 1893, p. 13. Shelley, <i>Ibis</i> , 1894, p. 10, pl. 1. fig. 2.	S.
— 881. <i>nigriceps</i> (<i>Shelley</i>), <i>P. Z. S.</i> 1889, p. 362.	E.

Genus X. CHLOROCICHLA.

*Type.*Chlorocichla, *Sharpe, Cat. B. M.* vi. p. 112 (1881) . . . C. *flaviventris*.

882. <i>flaviventris</i> (<i>Smith</i>), <i>Ill. Zool. S. Afr. Av.</i> pl. 59 (1840). Cat. vi. p. 113.	S.
---	----

883. * *mombasæ*, sp. n., *in Brit. Mus. ex Mombasa.* E.
 884. *centralis*, *Reichen. J. f. O.* 1887, p. 74. E.
 885. * *zambesiæ*, sp. n., *in Brit. Mus. ex South Zambesia (Bradshaw).* S.
 886. *occidentalis*, *Sharpe, Cat. B. M.* vi. p. 113, pl. 8 (1881). S.
 — 887. *striifacies* (*Reichen. & Neum.*), *Orn. Monatsb.* 1895, p. 74. E.

Genus XI. PYRRHURUS.

Type.

<i>Pyrrhurus</i> , <i>Cass. Proc. Philad. Acad.</i> 1859, p. 46	P. scandens.
<i>Trichites</i> , <i>Heine, J. f. O.</i> 1860, p. 139	P. serinns.
<i>Ptyrticus</i> , <i>Hartl. J. f. O.</i> 1883, p. 425	P. turdinus.

888. *turdinus* (*Hartl.*), *J. f. O.* 1883, p. 425. N.E.
Hartl. Zool. Jahrb. 1887, p. 315, pl. 11, fig. 1.
889. *scandens* (*Swains.*), *B. W. Afr.* i. p. 270, pl. 30 (1837). W.
Cat. vi. p. 102.
890. *orientalis* (*Hartl.*), *J. f. O.* 1883, p. 425. N.E.
Hartl. Zool. Jahrb. 1887, p. 316, pl. 11, fig. 2.
891. *multicolor* (*Bocage*), *Jorn. Lisb.* 1880, p. 54. W.
Cat. vi. p. 399.
892. *tricolor* (*Cass.*), *Proc. Philad. Acad.* 1857, p. 33. W.
Cat. vi. p. 82.
893. *cabanisi* (*Sharpe*), *Cat. B. M.* vi. p. 83 (1881). W., E.
894. *serinus* (*J. & E. Verr.*), *J. f. O.* 1855, p. 105. W.
Cat. vi. p. 100.

* Throat yellow like the underparts. (=CHLOROCICHLA.)

a. Lores and a ring round the eye olive-yellow; ear-coverts dark brown, scarcely lighter than the crown.

a'. Upper parts darker, browner, and more rufous.

a''. Under wing-coverts pale sulphur-yellow *flaviventris*.

b''. Under wing-coverts deep chrome-yellow *mombase*.

b'. Upper parts paler; under wing-coverts sulphur-yellow.

c''. Upper parts yellowish *centralis*.

d''. Upper parts strongly shaded with olive *zambesiæ*.

Genus XII. PHYLLOSTROPHUS.

- Type.*
- Phyllastrephus**, *Swains. Class. B.* ii. p. 228 (1837) P. capensis.
895. **capensis**, *Swains. Class. B.* ii. p. 229 (1837). S., E.
Levaill. *Ois. Afr.* iii. p. 58, pl. 112, fig. 1 (1802); *Cat. vi.* p. 116.
896. **strepitans** (*Reichen.*), *Orn. Centralbl.* 1879, p. 139; *id. J.f.O.* 1879, p. 318. E.
Cat. vi. p. 117.
897. **sharpii**, *Shelley, Ibis*, 1880, p. 334. E.
Cat. vi. p. 117, pt.
898. **pauper**, *Sharpe, P.Z.S.* 1895, p. 489. N.E.
899. **parvus**, *Fisch. & Reichen. J.f.O.* 1884, p. 262. E.
900. **rufescens**, *Hartl. Orn. Centralbl.* 1882, p. 91; *id. J.f.O.* 1884, p. 414. N.E.
901. **cerviniventris**, *Shelley, Ibis*, 1894, p. 10, pl. 2, fig. 1. S.
902. **fulviventris**, *Cab. J.f.O.* 1876, p. 92. W.
Cat. vi. p. 117.
903. **kretschmeri**, *Reichen. & Neumann, Orn. Monatsb.* 1895, p. 75. E.

Family XX. TIMELIIDÆ.

Genus I. MYSTACORNIS.

Type.

- Mystacornis**, *Sharpe, P.Z.S.* 1870, p. 392 M. crossleyi.

- 904. **crossleyi** (*Grandid.*), *Rev. et Mag. Zool.* 1870, p. 50. M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 345, pl. 122 (1881); *Cat. vii.* p. 531 (1883).

Genus II. BERNIERIA.

Type.

- Bernieria**, *Bp. C. R.* xxxviii. p. 11 (1854) B. madagascariensis.
Xanthomixis, *Sharpe, P.Z.S.* 1881, p. 196 B. zosterops.

905. **madagascariensis** (*Gm.*), *S. N. i.* p. 940 (1788). M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 350, pl. 123 (1881); *Cat. vii.* p. 529.
- 906. **zosterops**, *Sharpe, P.Z.S.* 1875, p. 76, figs. 2, 3 (heads). M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 354, pl. 125 (1881); *Cat. vii.* p. 570.

Genus III. OXYLABES.

Type.

- Oxylabes**, *Sharpe, P.Z.S.* 1870, p. 386 O. madagascariensis.
Crossleyia, *Hartl. Vög. Madag.* p. 168 (1877). . . . O. xanthophrys.

907. **cinereiceps**, *Sharpe, P.Z.S.* 1881, p. 197. M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 360, pl. 113 a, fig. 2 (1881); *Cat. vii.* p. 572.

[October 1895.]

908. *madagascariensis* (*Gm.*), *S. N. i.* p. 952 (1788). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 357, pl. 126, fig. 1 (1881); Cat. vii. p. 571.
909. *xanthophrys*, *Sharpe*, *P. Z. S.* 1875, p. 76. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 361, pl. 126, fig. 2 (1881); Cat. vii. p. 524.

Genus IV. TURDINUS.

Type.

- Turdinus*, *Blyth*, *J. A. S. Beng.* xiii. p. 382 (1841) T. *maerodactylus*.
Illadopsis, *Heine*, *J. f. O.* 1850, p. 430 T. *fulvescens*.
910. *gularis* (*Sharpe*), *Ibis*, 1870, p. 474. W.
Sharpe, Cat. B. M. vii. p. 543, pl. 14 (1883).
911. *rufescens* (*Reichen.*), *J. f. O.* 1878, p. 209. W.
Cat. vii. p. 544.
912. *albipectus*, *Reichen.* *J. f. O.* 1887, p. 307. W.
913. *fulvescens* (*Cass.*), *Proc. Philad. Acad.* 1859, p. 54. W.
Cat. vii. p. 545.
914. *monachus*, *Reichen.* *J. f. O.* 1892, p. 220. W.
915. *moloneyi*, *Sharpe*, *P. Z. S.* 1892, p. 228, pl. 20, fig. 2. W.
916. *rufiventris* (*Reichen.*), *Orn. Monatsb.* 1893, p. 177. W.

Genus V. BATHMOCERCUS.

Type.

- Bathmocercus*, *Reichen.* *Orn. Monatsb.* 1895, p. 113 B. *rufus*.
917. *rufus*, *Reichen.* *Orn. Monatsb.* 1895, p. 113. W.
918. *vulpinus*, *Reichen.* *Novit. Zool.* ii. p. 160 (1895). W.
919. *murinus*, *Reichen.* *Novit. Zool.* ii. p. 160 (1895). W.

Genus VI. AMAUROCICHLA.

Type.

- Amaurocichla*, *Sharpe*, *P. Z. S.* 1892, p. 228, pl. 20, fig. 1 . . . A. *bocagii*.
920. *bocagii*, *Sharpe*, *P. Z. S.* 1892, p. 228, pl. 20, fig. 1. W.

Genus VII. ALCIPPE.

Type.

- Alcippe*, *Blyth*, *J. A. S. Beng.* xiii. p. 384 (1841) A. *cinerea*.
921. *kilimensis*, *Shelley*, *P. Z. S.* 1889, p. 364. E.

Family XXI. SYLVIIDÆ.

Subfamily I. EREMOMELINÆ.

Genus I. STIPHRORNIS.

- | | Type. |
|--|-------------------|
| Stiphronis , Hartl. J. f. O. 1855, p. 355 | S. erythrothorax. |
| 922. erythrothorax , Hartl. J. f. O. 1855, p. 355.
Sharpe, Cat. B. M. vii. p. 173, pl. 6, fig. 1 (1883). | W. |
| 923. gabonensis , Sharpe, Cat. B. M. vii. p. 174, pl. 6, fig. 2 (1883). | W. |

Genus II. HYLIA.

Genus III. PARMOPTILA.

Genus IV. LOBORNIS.

- Type.

Lobornis, Sharpe, Ann. & Mag. N. H. (4) xiv. p. 63 (1874) . L. alexandri.

926. alexandri, Sharpe, Ann. & Mag. N. H. (4) xiv. p. 63 (1874). W.
Sharpe, Cat. B. M. x. p. 78, pl. 2, fig. 2 (1885).

Genus V. RHODORNIS.

- | | <i>Type.</i> |
|--|----------------|
| Rhodornis, gen. nov. | R. rubrifrons. |
| 927. <i>rubrifrons</i> (<i>Sharpe & Ussher</i>), <i>Ibis</i> , 1872, p. 182.
Sharpe, Cat. B. M. x. p. 77, pl. 2. fig. 1 (1885). | W. |
| 928. <i>jamesoni</i> (<i>Shelley</i>), <i>Ibis</i> , 1890, p. 163, pl. 5. fig. 1. | W. |

Genus VI. PHOLIDORNIS.

- Type.

Pholidornis, Hartl. *Orn. W.-Afr.* p. 54 (1857) P. rushiae.
929. rushiae (Cass.), Proc. Philad. Acad. 1855, p. 55. W.
 Cass. Proc. Philad. Acad. 1858, pl. 1, fig. 1; Cat. x. p. 77.

Genus VII. EROESSA.

Type.

- Eroessa**, *Hartl. P. Z. S.* 1866, p. 218 E. *tenella*.
Neomixis, *Sharpe, P. Z. S.* 1881, p. 195 E. *striatigula*.

- 930. **tenella**, *Hartl. P. Z. S.* 1866, p. 218. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 321, pl. 113, fig. 1 (1882); *Cat. vii.* p. 151.
- 931. **viridis**, *Sharpe, Cat. B. M.* vii. p. 152 (1883). M.
932. **striatigula** (*Sharpe*), *P. Z. S.* 1881, p. 195, pl. 19. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 323, pl. 113 a, fig. 1 (1882); *Cat. vii.* p. 152.

Genus VIII. EREMOMELA.

Type.

- Eremomela**, *Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 102 . E. *flaviventris*.
Bæoscelis, *Heine, J. f. O.* 1860, p. 130 E. *badiceps*.
Tricholais, *Heugl. Orn. N.O.-Afr.* p. 286 (1869) E. *elegans*.

933. **flaviventris** (*Burchell*), *Trav. S. Afr.* i. p. 335, note (1824). S.
 Cat. vii. p. 159.

934. **griseoflava**, *Heugl. J. f. O.* 1862, p. 40. E., N.E.
 Hengl. Orn. N.O.-Afr. p. 285, pl. 11 (1870); *Cat. vii.* p. 160.

935. **flavicrissalis**, *Sharpe, P. Z. S.* 1895, p. 481. N.E.

936. **viridiflava**, *Hartl. Orn. W.-Afr.* p. 59 (1857). W.
 Cat. vii. p. 158, note.

937. **lutescens** (*Less.*), *Echo Monde Sav.* 1844, p. 233. W.
 Cat. vii. p. 158, note.

938. **polioxantha**, *Sharpe, Cat. B. M.* vii. p. 160 (1883). S.

939. **pusilla**, *Hartl. Orn. W.-Afr.* p. 59 (1857). W.
 Cat. vii. p. 160.

940. **salvadorii**, *Reichen. J. f. O.* 1891, p. 64. W.

941. **usticollis**, *Sundev. Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 102. S.
 Sharpe, Cat. B. M. vii. p. 161, pl. 5, fig. 2 (1883).

942. **pulchra** (*Bocage*), *Jorn. Lisb.* 1878, pp. 257, 275. S.
 Cat. vii. p. 162.

943. **citriniceps**, *Reichen. J. f. O.* 1882, pp. 210, 235. E.

944. **scotops**, *Sundev. Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 103. S.
 Sharpe, Cat. B. M. vii. p. 162, pl. 5, fig. 1 (1883).

945. **mentalis**, *Reichen. J. f. O.* 1887, p. 215. W.

946. *occipitalis* (*Fisch. & Reichen.*), *J. f. O.* 1884, p. 181. E.
 947. *hypoxantha*, *Pelz. Sitz. zool.-bot. Ges. Wien*, 1882, p. 145. N.E.
 Cat. vii. p. 163.
 948. *baumanni*, *Reichen. Orn. Monatsb.* 1894, p. 157. W.
 949. *elegans* (*Heugl.*), *Syst. Uebers.* p. 23 (1856). N.E.
 Heugl. Orn. N.O.-Afr. p. 286, pl. 5 (1870); Cat. vii. p. 163.
 950. *caniceps* (*Cass.*), *Proc. Philad. Acad.* 1859, p. 38. W., N.E.
 Cat. vii. p. 164.
 951. *badiceps* (*Fraser*), *P. Z. S.* 1842, p. 144. W.
 Cat. vii. p. 164.
 952. *rufigenis* (*Reichen.*), *J. f. O.* 1887, p. 215. W.

Genus IX. CAMAROPTERA.

- Type*
- Camaroptera*, *Sundev. Öefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 103. C. sundevalli.
Syncopa, *Cab. J. f. O.* 1853, p. 109 C. brevicaudata.
953. *sundevalli*, *Sharpe, J. f. O.* 1882, p. 347. S.
 Cat. vii. p. 169.
954. “ *brevicaudata* (*Rüpp.*),” *Cretz. in Rüpp. Atl. Vög.* p. 53, pl. 35b (1826). W., N.E.
 Cat. vii. p. 168.
955. *tincta* (*Cass.*), *Proc. Philad. Acad.* 1856, p. 325. W.
 Cat. vii. p. 168, pt.
956. *griseoviridis* (*V. Müll.*), *Naum.* i. pt. 4, p. 27 (1851). E.
 Cat. vii. p. 168, pt. deser
957. *salvadoræ*, *Heugl. J. f. O.* 1867, p. 296. N.E.
 Cat. vii. p. 167.
958. *olivacea* (*Vieill.*), *N. Dict.* xi. p. 105 (1817). S.
 Levaill. Ois. Afr. iii. p. 100, pl. 125 (1802); Cat. vii. p. 166.
959. *pileata*, *Reichen. J. f. O.* 1891, p. 66. E.
960. *griseigula*, *Sharpe, Ibis*, 1892, p. 158. E.
961. *concolor*, *Hartl. Orn. W.-Afr.* p. 62 (1857). W.
 Cat. vii. p. 170.
962. *congica*, *Reichen. J. f. O.* 1891, p. 67. W.
963. *superciliaris* (*Fraser*), *Ann. & Mag. N. H.* 1843, p. 440; *P. Z. S.* 1843, p. 3. W.
 Cat. vii. p. 171.

964. *axillaris*, *Reichen.* *Orn. Monatsb.* 1893, p. 32. E.
Reichen. J. f. O. 1894, pl. 1, fig. 3.
965. *flavigularis*, *Reichen.* *Orn. Monatsb.* 1894, p. 126. W.
966. *dorcadicroa*, *Reichen.* & *Neumann*, *Orn. Monatsb.* 1895, p. 76. E.

Genus X. SYLVIELLA.

- | | <i>Type.</i> |
|--|--------------|
| Sylvietta, <i>Lafr. Rev. Zool.</i> 1839, p. 258 | S. micrura. |
| Bæocerca, <i>Heine, J. f. O.</i> 1859, p. 426 | S. virens. |
| 967. <i>micrura</i> (<i>Rüpp.</i>), <i>N. Wirb. Vög.</i> p. 109, pl. 41, fig. 2 (1835-40). W., N.E.
Des Murs in Lefebvre's <i>Voy. Abyss.</i> pl. 6 (1845); Cat. vii. p. 154. | |
| 968. <i>whytii</i> , <i>Shelley, Ibis</i> , 1894, p. 13. S., E. | |
| 969. <i>rufescens</i> (<i>Vieill.</i>), <i>N. Dict.</i> ix. p. 407 (1817). S.
Levail. Ois. Afr. iii. p. 145, pl. 135 (1802); Cat. vii. p. 153. | |
| 970. <i>ruficapilla</i> , <i>Bocage, Jorn. Lisb.</i> 1877, p. 160. S.
Cat. vii. p. 156. | |
| 971. <i>virens</i> , <i>Cass. Proc. Philad. Acad.</i> 1859, p. 39. W.
Cat. vii. p. 156. | |
| 972. <i>stampflii</i> , <i>Büttik. Notes Leyd. Mus.</i> viii. p. 252 (1886). W. | |
| 973. <i>leucophrys</i> , <i>Sharpe, Ibis</i> , 1891, p. 120. E. | |
| 974. <i>flaviventris</i> (<i>Sharpe</i>), <i>P. Z. S.</i> 1877, p. 23, pl. 2, fig. 1. W.
Cat. vii. p. 157. | |

Genus XI. CRYPTOLOPHÆ.

- | | <i>Type.</i> |
|--|-----------------|
| Cryptolopha, <i>Swains. An. in Menag.</i> ii. p. 259 (1837) . . . | C. burkii. |
| Pindalus, <i>Hartl. Ibis</i> , 1862, p. 153 | C. ruficapilla. |
| 975. <i>ruficapilla</i> (<i>Sundev.</i>), <i>Oefv. K. Vet.-Akad. Förh. Stockh.</i> 1850, p. 105. S.
Sharpe, Cat. B. M. iv. p. 400, pl. 12, fig. 1 (1879). | |
| 976. <i>umbrovirens</i> (<i>Rüpp.</i>), <i>N. Wirb. Vög.</i> p. 112 (1835-40). N.E.
Sharpe, Cat. B. M. iv. p. 401, pl. 12, fig. 2 (1879). | |
| 977. <i>mackenziana</i> , <i>Sharpe, Ibis</i> , 1891, p. 153. E. | |

Genus XII. EMINIA.

- | | <i>Type.</i> |
|--|--------------|
| Eminia, <i>Hartl. P. Z. S.</i> 1880, p. 625 | E. lepida. |
| Drymocichla, <i>Hartl. P. Z. S.</i> 1880, p. 625 | E. ineana. |

978. *levida*, *Hartl. P. Z. S.* 1880, p. 625, pl. 60, fig. 1. N.E.
Cat. vii. p. 140.
979. *incana* (*Hartl.*), *P. Z. S.* 1880, p. 626, pl. 60, fig. 2. N.E.
Cat. vii. p. 149.
980. *cerviniventris* (*Sharpe*), *P. Z. S.* 1877, p. 22. W.
Sharpe, Cat. B. M. vii. p. 139, pl. 3 (1883).

Genus XIII. APALIS.

Type.

- Apalis*, *Swains. Zool. Ill.* (2) iii. pl. 119 (1833) A. thoracica.
Stenostira, *Cab. & Bp. in Bp. Consp. Ar.* i. p. 316 (1850) . . . A. scita.
Euprinodes, *Cass. Proc. Philad. Acad.* 1859, p. 38 A. rufigularis.
Chlorodyta, *Sunder. Av. Meth. Tent.* p. 7 (1872) A. flava.

981. *thoracica* (*Shaw & Nodder*), *Nat. Misc.* xxii. pl. 969 (1812). S.
Levaill, *Ois. Afr.* iii. p. 96, pl. 123 (1802); Cat. vii. p. 138.
982. *flavigularis*, *Shelley, Ibis*, 1893, p. 16. S.
983. *pulchra*, *Sharpe, Ibis*, 1891, p. 119. E.
Sharpe, *Ibis*, 1892, p. 155, pl. 4, fig. 1.
984. *chariessa*, *Reichen. Orn. Centralbl.* 1879, p. 120; *id. J. f. O.* 1879, p. 329. E.
Cat. vii. p. 139.
985. *scita* (*Vieill.*), *N. Dict.* xxi. p. 474 (1818). S.
Swains. Monogr. Flycatchers, p. 185, pl. 21 (1838); Cat. iv. p. 267 (1879).
986. *jacksoni*, *Sharpe, Ibis*, 1891, p. 119.
Sharpe, *Ibis*, 1892, p. 156, pl. 4, fig. 2.
987. *mystacalis*, *Reichen. J. f. O.* 1892, pp. 57, 133, pl. 1, fig. 2. E.
988. *epichlora* (*Reichen.*), *J. f. O.* 1892, pp. 193, 221, pl. 2, fig. 1. W.
989. *rufigularis* (*Fraser*), *P. Z. S.* 1843, p. 17.
Fraser, *Zool. Typ. pl.* 42, fig. 1 (1849); Cat. vii. p. 141.
990. *porphyrolæma*, *Reichen. & Neumann, Orn. Monatsb.* 1895, p. 75. E.
991. *sharpii*, *Shelley, Ibis*, 1884, p. 45. W.
992. *schistacea* (*Cass.*), *Proc. Philad. Acad.* 1859, p. 38.
Cat. vii. p. 142. W.
993. *cinerea* (*Sharpe*), *Ibis*, 1891, p. 120, 1892, p. 155. E.
994. *olivacea* (*Strickl.*), *P. Z. S.* 1844, p. 99.
Cat. vii. p. 142. W.
995. *griseiceps*, *Reichen. & Neumann, Orn. Monatsb.* 1895, p. 75. E.

Genus XIV. PHYLLOLAIS.

Type.

- Phyllolais, *Hartl. Abhandl. nat. Ver. Brem.* vii. p. 90 (1881). P. pulchella.
998. "pulchella(Rüpp.)" *Cretschn. in Rüpp. Atlas, Vög.* p. 53, pl. 35a (1826). N.E.
Cat. vii. p. 149.

Genus XV. CHLORODYTA.

Type.

- Chlorodyta, *Sundev. Av. Meth. Tent.* p. 7 (1872) C. flavida.

999. flavida (*Strickl.*), *Contr. Orn.* 1852, p. 148. S.
Cat. vii. p. 142.

1000. flavocincta (*Sharpe*), *J. f. O.* 1882, p. 346. E.
Cat. vii. p. 144.

1001. damarensis (*Wahlb.*), *Ofsv. K. Vet.-Akad. Förh. Stockh.* 1855, p. 213. S.
Cat. vii. p. 147.

1002. icteropygialis (*Lafr.*), *Rev. Zool.* 1839, p. 258. S.
Cat. vii. p. 148.

1003. binotata, *Reichen. Orn. Monatsb.* 1895, p. 113. W.

Subfamily II. CISTICOLINÆ.

Genus L. ORTHOTOMUS

Tunc.

- Orthotomus, Horsf. Trans. Linn. Soc. xiii. p. 165 (1820) . . . O. sepium.
 1004. erythropterus (Jard.), Contr. Orn. 1849, p. 15, pl. W., E., N.E.
 Cat. vii, p. 228.

Genus II. RECTIROSTRUM.

Type.

1005. *hypochondriacum*, Reichen., *Orn. Monatsb.* 1893, p. 32. E.

Genus III. CALAMONASTES

June.

- Type.

Calamonastes, Sharpe, Cat. B. M. vii. p. 133 (1883) . . . C. fasciolatus.

1006. fasciolatus (Smith), Ill. Zool. S. Afr. Av. pl. 111. fig. 2 (1847). S.
Cat. vii. p. 133.

1007. simplex (Cab.), J. f. O. 1878, pp. 205, 221. E.
Cat. vii. p. 74.

1008. *undosus* (*Reichen.*), *J. f. O.* 1882, p. 211. E.
Cat. vii. p. 134.
1009. *cinereus*, *Reichen. J. f. O.* 1887, p. 215. W.

Genus IV. BURNESIA.

Type.

- Burnesia*, *Jerd. B. India*, ii. p. 185 (1863) B. *levida*.
Herpystera, *Sunder. Av. Meth. Tent.* p. 7 (1872) B. *bairdi*.
1010. *bairdi* (*Cass.*), *Proc. Philad. Acad.* 1855, p. 327. W.
Cat. vii. p. 207.
1011. *melanops*, *Reichen. & Neumann, Orn. Monatsb.* 1895, p. 75. E.
1012. *leucopogon* (*Cab.*), *J. f. O.* 1875, p. 235. W.
Cat. vii. p. 207.
1013. *reichenowi*, *Hartl. J. f. O.* 1890, p. 151. E., N.E.
1014. *melanocephala*, *Fisch. & Reichen. J. f. O.* 1884, p. 56. E.
1015. *tæniolata*, *Reichen. Orn. Monatsb.* 1893, p. 179. W.
1016. *epichlora*, *Reichen. J. f. O.* 1892, pp. 193, 221, pl. 2. fig. 1. W.
1017. *substriata* (*Smith*), *Ill. Zool. S. Afr. Av.* pl. 72. fig. 1 (1842). S.
Cat. vii. p. 206.
1018. “*gracilis* (*Rüpp.*)”, *Cretzschm in Rüpp. Atl. Vög.* p. 3, pl. 2. fig. b (1826). N.E.
Dresser, *B. Eur.* iii. p. 13, pl. 97 (1879); Cat. vii. p. 210.

Genus V. PRINIA.

Type.

- Prinia*, *Horsf. Trans. Linn. Soc.* xiii. p. 164 (1820) P. *familiaris*.
1019. *mystacea*, *Rüpp. N. Wirb. Vög.* p. 110 (1835–40). W., S., E., N.E.
Swains. *B.W.Afr.* i. p. 40, pl. 2 (1837); Smith, *Ill. Z. S. Afr. Av.* pl. 77. f. 1 (1843); Cat. vii. p. 191.
1020. *möllerii*, *Bocage, Jorn. Lisb.* 1887, p. 251. W.
1021. *hypoxantha* (*Sharpe*), *ed. Layard's B. S. Afr.* p. 260 (1876). S.
Cat. vii. p. 190.
1022. *maculosa* (*Bodd.*), *Tabl. Pl. Enl.* p. 47 (1783). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 76. fig. 1 (1843); Cat. vii. p. 189.
1023. *flavicans* (*Bonn. & Vieill.*), *Enc. Méth.* ii. p. 438 (1823). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 72. fig. 2, pl. 75. fig. 2 (1842); Cat. vii. p. 186.

Genus VI. DYBOWSKIA.

Type.

- Dybowskia*, *Oust. Le Naturaliste*, 1892, p. 218 D. *kemoensis*.
1024. *kemoensis*, *Oust. Le Naturaliste*, 1892, p. 218. W.

Genus VII. SPILOPTILA.

	Type.
Spilogtila, <i>Sundev. Av. Meth. Tent.</i> p. 6 (1872)	S. clamans.
1025. clamans (<i>Temm.</i>), <i>Pl. Col.</i> iii. pl. 466. fig. 2 (1828).	N.E.
Rüpp. <i>Atlas</i> , p. 2, pl. 2. fig. a (1826); <i>Cat. vii.</i> p. 231.	
1026. ocularia (<i>Smith</i>), <i>Ill. Zool. S. Afr. Av.</i> pl. 75 (1843).	S.
<i>Cat. vii.</i> p. 232.	

Genus VIII. CISTICOLA.

	Type.
Cisticola, <i>Kaup, Skizz. nat. Syst. eur. Thierw.</i> p. 119 (1829) .	C. cisticola.
Hemipteryx, <i>Swains. Class. B.</i> ii. p. 224 (1837)	C. tetrica.
Dryodromas, <i>Finsch & Hartl. Vög. Ost-Afr.</i> p. 239 (1870) .	C. fulvicapilla.
Drymodyta, <i>Sundev. Av. Meth. Tent.</i> p. 6 (1872)	C. tinniens.
Cistodyta, <i>Sundev. Av. Meth. Tent.</i> p. 6 (1872)	C. ruficeps.
Urohipis, <i>Heugl. Orn. N.O.-Afr. App.</i> p. lxxii (1873) . . .	C. rufifrons.
1027. cisticola (<i>Temm.</i>), <i>Man. Orn.</i> i. p. 228 (1820).	W., S., E., N.E.
Dresser, <i>B. Eur.</i> iii. p. 3, pl. 96 (1877); <i>Cat. vii.</i> p. 259.	
1028. terrestris (<i>Smith</i>), <i>Ill. Zool. S. Afr. Av.</i> pl. 74. fig. 2 (1842).	S., N.E.
Hartl. <i>Ibis</i> , 1863, p. 325, pl. 8. fig. 2; <i>Cat. vii.</i> p. 266.	
1029. cherina (<i>Smith</i>), <i>Ill. Zool. S. Afr. Av.</i> pl. 77. fig. 3 (1843).	M.
Milne-Edw. & Grand. <i>Hist. Mad.</i> , <i>Ois.</i> p. 325, pl. 130 (1881); <i>Cat. vii.</i> p. 264.	
1030. hæsitata (<i>Scl. & Hartl.</i>), <i>P. Z. S.</i> 1881, p. 166.	N.E.
<i>Cat. vii.</i> p. 265.	
1031. somalica, <i>Sharpe, P. Z. S.</i> 1895, p. 483.	N.E.
1032. textrix (<i>Vieill.</i>), <i>N. Dict.</i> xi. p. 208 (1817).	S.
Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 74. fig. 1 (1842); <i>Cat. vii.</i> p. 266.	
1033. tinniens (<i>Licht.</i>), <i>Verz. Samml. Kaffernl.</i> p. 13 (1842).	S.
Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 73. fig. 2 (1842); <i>Cat. vii.</i> p. 273.	
1034. nana, <i>Fisch. & Reichen. J. f. O.</i> 1884, p. 260.	E.
1035. cinereola, <i>Salvad. Ann. Mus. Civ. Gen.</i> 1888, p. 254.	N.E.
1036. blanfordi, <i>Hartl. Abhandl. nat. Ver. Brem.</i> viii. p. 220 (1822).	N.E.
1037. lugubris, Rüpp. <i>N. Wirb. Vög.</i> p. 111 (1835-40).	W., S., E., N.E.
Rüpp. <i>S. Ueb. p. 56, pl. 11</i> (1845); <i>Cab. Decken's Reis.</i> iii. p. 23, pl. 2. fig. 2 (1869); <i>Cat. vii.</i> p. 280.	
1038. strangii (<i>Fraser</i>), <i>P. Z. S.</i> 1843, p. 16.	W., S., E., N.E.
Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 80 (1843); <i>Cat. vii.</i> pp. 276-278.	
1039. subruficapilla (<i>Smith</i>), <i>Ill. Zool. S. Afr. Av.</i> pl. 76. fig. 2 (1843).	S., E., N.E.
Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 79 (1843); <i>Cat. vii.</i> p. 283.	

1040. *dodsoni*, Sharpe, Bull. B. O. C. 1895, iv. p. xxix; id. P. Z. S. 1895, p. 488. N.E.
1041. *procera*, Peters, J. f. O. 1868, p. 132. S., E.
1042. *hunteri*, Shelley, P. Z. S. 1889, p. 364. E.
1043. *erythrogenys*, Rüpp. N. Wirb. Vög. p. 111 (1835). N.E.
Rüpp. Syst. Uebers. p. 32, pl. 11 (1845); Cat. vii. p. 258.
1044. *fischeri*, Reichen. J. f. O. 1891, p. 162. E.
1045. *robusta* (Rüpp.), Syst. Uebers. p. 34 (1835). N.E.
Cat. vii. p. 275.
1046. " *ruficeps* (Rüpp.)," Cretzsch. in Rüpp. Atlas, p. 54, pl. 36 a (1826). N.E.
Cat. vii. p. 282.
1047. *rufopileata*, Reichen. J. f. O. 1891, p. 69. W.
Cat. vii. p. 248.
1048. *emini*, Reichen. J. f. O. 1892, p. 56. W.
1049. *chubbi*, Sharpe, Ibis, 1892, p. 157. E.
1050. *angusticauda*, Reichen. J. f. O. 1891, p. 69. E.
1051. *cinerascens* (Heugl.), J. f. O. 1867, p. 286. W., E., N.E.
Heugl. Ibis, 1869, p. 97, pl. 2, fig. 1; Cat. vii. p. 248.
1052. *erythrops* (Hartl.), Orn. W.-Afr. p. 58 (1857). W., S., E.
Cat. vii. p. 250.
1053. *lateralis* (Fraser), P. Z. S. 1841, p. 16. W., N.E.
Cat. vii. p. 251.
1054. *rufa* (Fraser), P. Z. S. 1843, p. 17. W., N.E.
Fraser, Zool. Typ. pl. 42, fig. 3 (1849); Sharpe, Ibis, 1870, p. 476, pl. 14, fig. 1; Cat. vii. p. 252.
1055. *ferruginea*, Heugl. Syst. Uebers. p. 21 (1856). W., N.E.
Salvad. Rev. Crit. Antinori, p. 733', pl. 2, fig. 1 (1870); Cat. vii. p. 257.
1056. *rufifrons* (Rüpp.), N. Wirb. Vög. p. 110, pl. 41, fig. 1 (1835-40). N.E.
Cat. vii. p. 146.
1057. *smithi*, Sharpe, Bull. B. O. C. 1895, iv. p. xxix; id. P. Z. S. 1895, p. 482. N.E.
1058. *incana*, Sclat. & Hartl. P. Z. S. 1881, p. 166, pl. 15, fig. 1. N.E.
Cat. vii. p. 247.
1059. *fulvicapilla* (Vieill.), N. Dict. xi. p. 217 (1817). S.
Levaill. Ois. Afr. iii. p. 98, pl. 124 (1802); Hartl. Ibis, 1863, p. 326, pl. 8, fig. 1; Cat. vii. p. 144.
1060. *dispar*, Sousa, Jorn. Lisb. 1887, p. 106. S.

1061. *ruficapilla*, *Smith*, *Ill. Zool. S. Afr. Av.* pl. 73. fig. 1 (1842). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 78 (1843); *Cat. vii.* p. 245.
1062. *melanura* (*Cab.*), *J. f. O.* 1882, p. 349. W., S.
Cat. vii. p. 146.

Genus IX. MELOCICHLA.

Type.

- Melocichla*, *Hartl. Orn. W.-Afr.* p. 271 (1857) M. *mentalis*.
1063. *mentalis* (*Fraser*), *P. Z. S.* 1843, p. 16. W.
Cat. vii. p. 241.
1064. *orientalis* (*Sharpe*), *Cat. B. M.* vii. p. 243 (1883). W., S.
1065. *grandis* (*Bocage*), *Jorn. Lisb.* viii. p. 56 (1880). S., E.
Cat. vii. p. 245.

Genus X. PINARORNIS.

Type.

- Pinarornis*, *Sharpe*, ed. *Layard's B. S. Afr.* p. 230 (1875) . . P. *plumosus*.
1066. *plumosus*, *Sharpe*, ed. *Layard's B. S. Afr.* p. 230 (1875). S.
Sharpe, *Cat. B. M.* vii. p. 401, pl. 9 (1883).

Genus XI. CHÆTOPS.

Type.

- Chætops*, *Swains. Faun. Bor.-Amer.*, B. p. 486 (1831) . . C. *frenatus*.
1067. *frenatus* (*Temm.*), *Pl. Col.* iii. pl. 385 (1826). S.
Cat. vii. p. 348.
1068. *aurantiacus*, *Layard*, *B. S. Afr.* p. 126 (1867). S.
Sharpe, ed. *Layard's B. S. Afr.* p. 218, pl. 6 (1875); *Cat. vii.* p. 348.
1069. *pycnoptygius* (*Strickl. & Selat.*), *Contr. Orn.* 1852, p. 148. S.
Sharpe, *P. Z. S.* 1869, p. 164, pl. 14; *Cat. vii.* p. 349.

Genus XII. SPHENŒACUS.

Type.

- Sphenœacus*, *Strickl. P. Z. S.* 1841, p. 28 S. *africanus*.
1070. *africanus* (*Gm.*), *S. N. i.* p. 958 (1788). S.
Lev. Ois. Afr. iii. p. 61, pl. 112, fig. 2 (1802); *Sw. Zool. Ill.* iii. pl. 170 (1823); *Cat. vii.* p. 95.
1071. *intermedius*, *Shelley*, *P. Z. S.* 1882, p. 337. S.
Cat. vii. p. 96.
1072. *natalensis*, *Shelley*, *P. Z. S.* 1882, p. 337. S.
Cat. vii. p. 96.

Genus XIII. DROMÆOCERCUS.

- Type.*
- Dromæocercus*, Sharpe, P. Z. S. 1877, p. 23 D. brunneus.
 1073. *brunneus*, Sharpe, P. Z. S. 1877, p. 22, pl. 2, fig. 2. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 333, pl. 131. fig. 1 (1882); Cat. vii. p. 99.
 1074. *seebohmi*, Sharpe, P. Z. S. 1879, p. 177. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 334, pl. 131 A (1882); Cat. vii. p. 100.

Subfamily III. SYLVIINÆ.

Genus I. BEBRORNIS.

- Type.*
- Bebrornis*, Sharpe, Cat. B. M. vii. p. 102 (1883) B. rodericanus.
 1075. *rodericanus* (*E. Newton*), P. Z. S. 1865, p. 47, pl. 1. fig. 3. M.
 Cat. vii. p. 102.
 1076. *seychellensis* (*Oust.*), Bull. Soc. Philom. Paris, (7) i. p. 102 (1877). M.
 Cat. vii. p. 103.

Genus II. SCHŒNICOLA.

- Type.*
- Schœnicola*, Blyth, J. A. S. Bengal, iii. p. 374 (1844) S. platyura.
Catriscus, Cab. Mus. Hein. i. p. 43 (1850) S. apicalis.
 1077. "apicalis (*Licht.*)", Cab. Mus. Hein. i. p. 43, note (1850). S., E.
 Heugl. Orn. N.O.-Afr. p. 273, pl. 9 (1870); Cat. vii. p. 110.

Genus III. BRADYPTERUS.

- Type.*
- Bradypterus*, Swains. Class. B. ii. p. 241 (1837) B. brachypterus.
 1078. *brachypterus* (*Vieill.*), N. Dict. xi. p. 206 (1817). S.
 Levall. Ois. Afr. iii. p. 94, pl. 122 (1802); Cat. vii. p. 113.
 1079. *cinnamomeus* (*Rüpp.*), N. Wirb. Vög. p. 111, pl. 42. fig. 1 (1835-40). N.E.
 Cat. vii. p. 114.
 1080. *nyassæ*, Shelley, Ibis, 1893, p. 16. S.
 1081. *rufoflavidus*, Reichen. & Neumann, Orn. Monatsb. 1875, p. 75. E.
 1082. *barratti*, Sharpe, Ibis, 1876, p. 53. S.
 Barratt, Ibis, 1876, p. 202, pl. 4; Cat. vii. p. 115.
 1083. *alfredi*, Hartl. J. f. O. 1890, p. 152. N.E.
 1084. *sylvaticus*, Sundev. in Grill's Zool. Anteckn. p. 30 (1858). S.
 Sharpe, Cat. B. M. vii. p. 115, pl. 4 (1883).

Genus IV. EURYPTILA.

- Type.*
- Euryptila, Sharpe, Cat. B. M. vii. p. 116 (1883) . . . E. subcinnamomea.
 1085. subcinnamomea (Smith), Ill. Zool. S. Afr. Av. pl. 111. fig. 1 (1847). S.
 Cat. vii. p. 116.
1086. babæcula (Vieill.), N. Dict. xi. p. 172 (1817). S.
 Levaill. Ois. Afr. iii. p. 90, pl. 121. fig. 1 (1802); Cat. v. p. 122 (1881).

Genus V. CERCOTRICHAS.

- Type.*
- Cercotrichas, Finsch & Hartl. Vög. Ost-Afr. p. 250 (1870) . . . C. podobe.
 1087. podobe (P. L. S. Müll.), S. N. Suppl. p. 145 (1776). W., N.E.
 Daubent. Pl. Enl. iv. pl. 354; Cat. vii. p. 83.
1088. melanoptera (Hempr. & Ehr.), Symb. Phys., Av. fol. dd (1828). W., N.E.
 Cat. vii. p. 84.

Genus VI. PHLEXIS.

- Type.*
- Phlexis, Hartl. Ibis, 1866, p. 139 P. victorini.
 1089. victorini (Sundev.), in Grill's Zool. Anteckn. p. 30, note (1857). S.
 Hartl. Ibis, 1866, p. 139, pl. 6; Cat. vii. p. 111.

Genus VII. CUPHOPTERUS.

- Type.*
- Cuphopterus, Hartl. P. Z. S. 1866, p. 326 C. dohrni.
 1090. dohrni, Hartl. P. Z. S. 1866, p. 326, pl. 34. W.
 Cat. iii. p. 302 (1877).

Genus VIII. ELLISIA.

- Type.*
- Ellisia, Hartl. J. f. O. 1860, p. 92 E. typica.
 Thamnornis, M.-Edw. & Gr. Hist. Mad., Ois. p. 335 (1881). E. chloropetoides.
 — 1091. typica, Hartl. J. f. O. 1860, p. 92. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 329, pl. 127. fig. 1 (1881); Cat. vii. p. 120.
1092. ellisia (Schl.), P. Z. S. 1866, p. 421. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 330, pl. 127. fig. 2 (1882); Cat. vii. p. 121.
1093. lantzi, Grand. Rev. et Mag. Zool. 1867, pp. 86, 256, 358. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 330, pl. 128. fig. 1 (1882); Cat. vii. p. 121.
1094. longicaudata, E. Newton, P. Z. S. 1877, p. 299. M.
 Cat. viii. p. 122.

1095. *brevicaudata*, *M.-Edw. & Oust. N. Ar. Mus. H. N. Paris*, (2) x.p. 249 (1888). M.
 1096. *chloropetoides*, *Grand. Rev. et Mag. Zool.* 1867, p. 256. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 336, pl. 128, fig. 2 (1882); Cat. vii. p. 231.

Genus IX. CALAMOCICHLA.

*Type.**Calamocichla*, *Sharpe, Cat. B. M.* vii. p. 131 (1883) C. newtoni.

1097. *newtoni* (*Hartl.*), *P. Z. S.* 1863, p. 165. *Calamocichla newtoni* *Hartl.* *1863*
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 336, pl. 131, fig. 2 (1881); Cat. vii. p. 131.

1098. " *brevipennis* (*Dohrn*)", *Sharpe, Cat. B. M.* vii. p. 132 (1883). W.

1099. *leptorhyncha* (*Fisch. & Reichen.*), *J. f. O.* 1879, p. 347. E.
 Cat. vii. p. 546.

1100. *parva* (*Fisch. & Reichen.*), *J. f. O.* 1884, p. 262. E.

1101. *plebeia*, *Reichen. Orn. Monatsb.* 1893, p. 178. W.

Genus X. ACROCEPHALUS.

*Type.**Acrocephalus*, *Naum. L. & W.-Vög. N. Dchl. Nachtr.* p. 199 (1811) A. arundinaceus.*Calamodus*, *Kaup, Natürl. Syst.* p. 118 (1829) A. schoenobænus.*Hydrocopsichus*, *Kaup, t. c.* p. 121 A. aquaticus.

1102. *arundinaceus* (*Linn.*), *S. N. i.* 296 (1766). W., S., E., N.E.
 Dresser, *B. Eur.* ii. p. 579, pl. 88 (1878); Cat. v. p. 95 (1881).

1103. *stentoreus* (*Hempr. & Ehr.*), *Symb. Phys., Av. fol. bb* (1833). N.E.
 Allen, *Ibis*, 1864, p. 97, pl. 1; Cat. v. p. 98.

1104. *griseldis* (*Hartl.*), *Abhandl. nat. Ver. Brem.* 1801, p. 7. E.

1105. *palustris* (*Bechst.*), *Orn. Taschenb.* p. 186 (1802). S., E., N.E.
 Dresser, *B. Eur.* ii. p. 573, pl. 87, fig. 2 (1877); Cat. v. p. 101.

1106. *streperus* (*Vieill.*), *N. Dict.* xi. p. 182 (1817). W., E., N.E.
 Dresser, *B. Eur.* ii. p. 567, pl. 87 (1877); Cat. v. p. 102.

1107. *bæticatus* (*Vieill.*), *N. Dict.* xi. p. 195 (1817). S., E., N.E.
 Levaill. *Ois. Afr.* iii. pl. 121, fig. 2 (1802); Cat. v. p. 106.

1108. *aquaticus* (*Gm.*), *S. N. i.* p. 953 (1788). N.E.
 Dresser, *B. Eur.* ii. p. 391, pl. 89 (1876); Cat. v. p. 89.

1109. *schoenobænus* (*Linn.*), *S. N. i.* p. 329 (1766). S., E., N.E.
 Dresser, *B. Eur.* ii. p. 597, pl. 90, fig. 2 (1876); Cat. v. p. 91.

Genus XI. HYPOLAIS.

	Type.
Hippolais, <i>Brehm, Isis</i> , 1828, p. 1283	H. hypolais.
1110. "olivetorum (<i>Strickl.</i>)," <i>Gould, B. Eur.</i> ii. pl. 107 (1837).	N.E.
Dresser, <i>B. Eur.</i> ii. p. 527, pl. 82, fig. 2 (1874); <i>Cat. v.</i> p. 79.	
1111. languida (<i>Hempr. & Ehr.</i>), <i>Symb. Phys., Av. fol. cc</i> (1833).	E., N.E.
Dresser, <i>B. Eur.</i> ii. p. 535, pl. 83 (1874); <i>Cat. v.</i> p. 80.	
1112. "opaca (<i>Licht.</i>)," <i>Cab. Mus. Hein.</i> i. p. 36 (1850).	W.
Dresser, <i>B. Eur.</i> ii. p. 531, pl. 82, fig. 1 (1874); <i>Cat. v.</i> p. 83.	
1113. pallida (<i>Hempr. & Ehr.</i>), <i>Symb. Phys., Av. fol. bb</i> (1833).	N.E.
<i>Cat. v.</i> p. 82.	
1114. hypolais (<i>Linn.</i>), <i>S. N.</i> i. p. 330 (1766).	W., S.
Dresser, <i>B. Eur.</i> ii. p. 521, pl. 81 (1874); <i>Cat. v.</i> p. 77.	
1115. polyglotta (<i>Vieill.</i>), <i>N. Dict.</i> xi. p. 200.	W.
Dresser, <i>B. Eur.</i> ii. p. 517, pl. 80, fig. 2 (1874); <i>Cat. v.</i> p. 79.	

Genus XII. PHYLLOSCOPUS.

	Type.
Phylloscopus, <i>Boie, Isis</i> , 1826, p. 972	P. trochilus.
Sibilatrix, <i>Kaup, Natürl. Syst.</i> p. 98 (1829)	P. sibilatrix.
1116. sibilatrix (<i>Bechst.</i>), <i>Naturg. Deutschl.</i> iv. p. 688 (1795).	W., N.E.
Dresser, <i>B. Eur.</i> ii. p. 497, pl. 77, fig. 2 (1876); <i>Cat. v.</i> p. 54.	
1117. bonellii (<i>Vieill.</i>), <i>N. Dict.</i> xxviii. p. 91 (1819).	W., N.E.
Dresser, <i>B. Eur.</i> ii. p. 503, pl. 77, fig. 1, pl. 78 (1876); <i>Cat. v.</i> p. 59.	
1118. trochilus (<i>Linn.</i>), <i>S. N.</i> i. p. 338 (1766).	W., S., E., N.E.
Dresser, <i>B. Eur.</i> ii. p. 491, pl. 75, fig. 2, pl. 76, fig. 2 (1879); <i>Cat. v.</i> p. 56.	
1119. rufa (<i>Bechst.</i>), <i>Orn. Taschenb.</i> i. p. 188 (1802).	E., N.E.
Dresser, <i>B. Eur.</i> ii. p. 485, pl. 75, fig. 1, pl. 76, fig. 1 (1879); <i>Cat. v.</i> p. 60.	

Genus XIII. SYLVIA.

	Type.
Sylvia, <i>Scop. Ann. I. Hist. Nat.</i> p. 154 (1869)	S. sylvia.
Adophoncus, <i>Kaup, Natürl. Syst.</i> p. 28 (1829)	S. orphea.
Monachus, <i>Kaup, Natürl. Syst.</i> p. 33 (1829)	S. atricapilla.
Epilais, <i>Kaup, Natürl. Syst.</i> p. 145 (1829)	S. simplex.
Nisoria, <i>Bp. Comp. List.</i> p. 15 (1838)	S. nisoria.
Pyrophthalma, <i>Bp. Ucc. Eur.</i> p. 37 (1842)	S. melanoccphala.
Atraphornis, <i>Severtz. Turkest. Jevotn.</i> p. 65 (1873) . .	S. nana.

1120. *simplex*, *Lath. Gen. Syn. Suppl.* i. p. 287 (1787). W., S., E., N.E.
Dresser, *B. Eur.* ii. p. 429, pl. 67 (1876); *Cat. v.* p. 10.
1121. *atricapilla* (*Linn.*), *S. N.* i. p. 332 (1766). W., E., N.E.
Dresser, *B. Eur.* ii. p. 421, pl. 66 (1875); *Cat. v.* p. 23.
1122. *nistoria* (*Bechst.*), *Naturg. Deutschl.* iv. p. 580, pl. 17 (1795). S., E., N.E.
Dresser, *B. Eur.* ii. p. 435, pl. 68 (1874); *Cat. v.* p. 6.
1123. *rueppelli*, *Temm. Pl. Col.* iii. pl. 245. fig. 1 (1823). N.E.
Dresser, *B. Eur.* ii. p. 417, pl. 65 (1874); *Cat. v.* p. 12.
1124. *orphea*, *Temm. Man. Orn.* p. 107 (1815). W., N.E.
Dresser, *B. Eur.* ii. p. 411, pl. 64 (1874); *Cat. v.* p. 14.
1125. *momus* (*Hempr. & Ehr.*), *Symb. Phys., Av.* i. fol. bb (1828). N.E.
Dresser, *B. Eur.* ii. p. 407, pl. 63 (1880); *Cat. v.* p. 20.
1126. *blanfordi*, *Seeböhm, P. Z. S.* 1878, p. 979. N.E.
Seeböhm, *Cat. B. M.* v. p. 29, pl. 2 (1881).
1127. *curruca* (*Linn.*), *S. N.* i. p. 329 (1766). N.E.
Dresser, *B. Eur.* ii. p. 383, pl. 58 (1876); *Cat. v.* p. 16.
1128. *sylvia* (*Linn.*), *S. N.* p. 330 (1766). W., S., N.E.
Dresser, *B. Eur.* ii. p. 377, pl. 57 (1876); *Cat. v.* p. 8.
1129. “*conspicillata*, *Marm.*,” *Temm. Man. Orn.* i. p. 210 (1820). W.
Dresser, *B. Eur.* ii. p. 393, pl. 6 (1875); *Cat. v.* p. 22.
1130. *nana* (*Hempr. & Ehr.*), *Symb. Phys., Av.* fol. cc (1833). N.E.
Dresser, *B. Eur.*, *Suppl. pt. ii.* p. 63, pl. 648 (1895); *Cat. v.* p. 26.

Genus XIV. AGROBATES.

Type.
Agrobates, *Swains. Class. B.* ii. p. 241 (1837) A. galactodes.

1131. *galactodes* (*Temm.*), *Man. Orn.* i. p. 182 (1820). N.E.
Dresser, *B. Eur.* ii. p. 547, pl. 85. fig. 1 (1874); *Cat. v.* p. 34.
1132. *psammochroa*, *Reichen. J. f. O.* 1879, p. 328. E.

Family XXII. TURRIDÆ.

Subfamily I. COPSYCHINÆ.

Genus I. ERYTHROPYGIA.

Type.

Erythropygia, *Smith, Rep. Exped. Centr. Afr.* 1836, p. 46 . . E. leucophrys.
[October 1895.] G

1133. *pæna*, *Smith*, *Rep. Exped. Centr. Afr.* 1836, p. 46. S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 50 (1840); *Cat. vii.* p. 76 (1883).
1134. *leucoptera* (*Rüpp.*), *Syst. Uebers.* p. 38, pl. 15 (1845). N.E.
Sharpe, *Cat. vii.* p. 79.
1135. *vulpina*, *Reichen. J. f. O.* 1891, p. 62. E.
1136. *ruficauda*, *Sharpe*, *P. Z. S.* 1882, p. 589, pl. 45. fig. 1. W., E.
Sharpe, *Cat. B. M. vii.* p. 78, pl. 15. fig. 2 (1883).
1137. *zambesiana*, *Sharpe*, *P. Z. S.* 1882, p. 589, pl. 14. fig. 2. S.
Sharpe, *Cat. B. M. vii.* p. 78, pl. 15. fig. 1 (1883).
1138. *hartlaubi*, *Reichen. J. f. O.* 1891, pp. 41, 63. E.
1139. *brunneiceps*, *Reichen. J. f. O.* 1891, p. 63. E.
1140. *leucophrys* (*Vieill.*), *N. Diet.* xi. p. 191 (1817). S.
Levaill. Ois. Afr. iii. p. 80, pl. 118. fig. 1 (1802); *Cat. vii.* p. 74.
1141. *munda* (*Cab.*), *Orn. Centralbl.* 1880, p. 143; *id. J. f. O.* 1880, p. 419. W., S.
Cab. J. f. O. 1881, p. 423, pl. 4. fig. 3; *Cat. vii.* p. 76.
1142. *leucosticta* (*Sharpe*), *Cat. B. M. vii.* p. 44, pl. 1 (1883). W.
1143. *barbata* (*Finsch & Hartl.*), *Vög. Ost-Afr.* p. 864 (1870). S.
Boeage, Orn. Angola, p. 260, pl. 2. fig. 2 (1881); *Cat. vii.* p. 43.
1144. *quadrivirgata* (*Reichen.*), *Orn. Centralbl.* 1879, p. 114. E.
Cat. vii. p. 43.

Genus II. AËDONOPSIS.

*Type.**Aëdonopsis*, *Sharpe*, *Cat. B. M. viii.* p. 69 (1883) A. *signata*.

1145. *signata* (*Sundev.*), *Cefv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 101. S.
Cat. vii. p. 69.
1146. *coryphæa* (*Less.*), *Traité*, p. 419 (1831). S.
Levaill. Ois. Afr. iii. p. 85, pl. 120 (1802); *Cat. vii.* p. 73.

Genus III. NEOCICHLA.

*Type.**Neocichla*, *Sharpe*, *ed. Layard's B. S. Afr.* p. 215 (1875) . . N. *gutturalis*.

1147. *gutturalis* (*Boeage*), *Jorn. Lisb.* xii. p. 272 (1871). S.
Boeage, Orn. Angola, p. 253, pl. 1. fig. 1 (1877); *Cat. vii.* p. 468.

Genus IV. COPSYCHUS.

Type.

- Copsychus*, Wagler, Syst. Av. note to art. Graenla (1827). C. saularis.
Gervaisia, Bp. Comptes Rend. xxxviii. p. 6 (1854) . . . C. albiscollaris.

1148. *seychellarum*, A. Newton, *Ibis*, 1865, p. 332, pl. 8. M.
Cat. vii. p. 61.

1149. *albispecularis* (*Eyd. & Gerv.*), *Mag. Zool.* 1835, pls. 64, 65. M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 363, pls. 135, 136, fig. 1 (1881); *Cat. vii.* p. 66.

1150. pica (*Pelz.*), *Sitz. k. Akad. Wien*, xxxi. p. 323 (1858). M.
Milne-Edw. & Grand. *Hist. Mad.*, Ois. p. 365, pl. 136, figs. 2, ♂ ♀ (1881); Cat. vii. p. 67.

Genus V. FRASERIA.

Type.

- Fraseria, *Bp. C. R.* xxxix. p. 536 (1851) : F. ochreata.

1151. *ochreata* (*Strickl.*), *P. Z. S.* 1844, p. 102. W.
Fraser, *Zool. Typ.* pl. 36 (1849); *Cat. iii.* p. 303 (1877).

1152. *cinerascens*, Hartl. *Orn. W.-Afr.* p. 102 (1857). W.
Cat. iii. p. 304.

Genus VI. ALETHE.

Type.

- Alethe, *Cass. Proc. Philad. Acad.* 1859, p. 43 A. castanea.

1153. *castanea* (Cass.), *Proc. Philad. Acad.* 1856, p. 158. W.
Cat. vii. p. 57.

1154. *hypoleuca* (Reichen.), J. f. O. 1892, p. 221, pl. 2, fig. 3. W.

1155. *diademata* (*Bp.*), *Consp.* i. p. 302 (1850). W.
Cat. vii. p. 58.

1156. "poliocephala (Temm.)," *Bp. Conspectus* i. p. 262 (1850). W.
Sharpe, Cat. B. M. vii. p. 59, pl. 2 (1883).

1157. *cleaveri* (*Shelley*), *Ibis*, 1874, p. 89. W.
Cat. vii. p. 556.

1158. *johsoni* (Büttik.), *Notes Leyd. Mus.* xi. p. 97 (1889). W.

1159. *striaticollis*, Hartl. J. f. O. 1866, p. 36. W.
Cat. vii. p. 59.

Subfamily II. PRATINCOLINÆ.

Genus I. CICHLADUSA.

Type.

- Cichladusa, Peters, Monatsb. k. Akad. Berlin, 1864, p. 352 . . . C. arenata.
G 2

1160. arcuata, *Peters, Monatsb. k. Akad. Berlin*, 1864, p. 352. S., E.
Heugl. *Ibis*, 1868, p. 280, pl. 9. fig. 1; Cat. vii. p. 70.
1161. guttata (*Heugl.*), *Syst. Uebers.* p. 30 (1856). E., N.E.
Heugl. *Ibis*, 1868, p. 281, pl. 9. fig. 2; Cat. vii. p. 70.
1162. ruficauda, *Hartl. Orn. W.-Afr.* p. 66 (1857). W.
Cat. vii. p. 71.

Genus II. COSSYPHA.

Type.

- Cossypha, Vig. Zool. Journ.* ii. p. 396 (1826) C. bicolor.
1163. bicolor (*Sparrm.*), *Mus. Carls.* pl. 46 (1786). W., S.
Swain. *Zool. Ill.* iii. pl. 179 (1823); Cat. vii. p. 36.
- 1164. natalensis, *Smith, Ill. Zool. S. Afr. Av.* pl. 60 (1840). W., S., E.
Cat. vii. p. 37.
- 1165. caffra (*Liun.*), *Mantissa*, p. 527 (1771). S., E.
Levaill. *Ois. Afr.* iii. p. 54, pl. 111 (1802); Cat. vii. p. 39.
1166. bocagii, *Finsch & Hartl. Vög. Ost-Afr.* p. 284, note (1870). S.
Bocage, *Orn. Angola*, p. 259, pl. 2. fig. 1 (1879); Cat. vii. p. 38.
1167. polioptera, *Reichen. J. f. O.* 1892, pp. 59, 133. E.
1168. cyanocampter (*Bp.*), *Consp.* i. p. 301 (1850). W.
Cat. vii. p. 40.
1169. periculosa, *Sharpe, Cat. B. M.* vii. p. 40 (1883). W.
1170. bartteloti, *Shelley, Ibis*, 1890, p. 159, pl. 5. fig. 2. W.
- 1171. heuglini, *Hartl. J. f. O.* 1866, p. 37. W., S., E., N.E.
Cab. in Decken's *Rois.* iii. p. 22, pl. 12 (1869); Cat. vii. p. 41.
1172. subrufescens, *Bocage, P. Z. S.* 1869, p. 436. W., S., E.
Cat. vii. p. 41.
1173. semirufa (*Rüpp.*), *N. Wirb. Vög.* p. 81 (1835-40). E., N.E.
Rüpp. *Syst. Uebers.* p. 60, pl. 21 (1845); Cat. vii. p. 42.
1174. donaldsoni, *Sharpe, Bull. B.O.C.* 1895, iv. p. xxviii; *id. P.Z.S.* 1895, p. 484. N.E.
1175. verticalis, *Hartl. Beitr. Orn. W.-Afr.* p. 23 (1848). W., N.E.
Swains. *B. W. Afr.* i. p. 284, pl. 32 (1837); Cat. vii. p. 45.
1176. melanonota (*Cab.*), *J. f. O.* 1875, p. 235. W., E.
Cat. vii. p. 46.
1177. albicapilla (*Vieill.*), *N. Dict.* xx. p. 254 (1818). W.
Cat. vii. p. 89.

Genus III. NEOCOSSYPHUS.

Type.

- Neocossyphus*, *Fisch. & Reichen. J. f. O.* 1884, pp. 58*, 243 . . . N. rufus.
 1178. *rufus*, *Fisch. & Reichen. J. f. O.* 1884, pp. 58, 243. E.
 1179. *poensis* (*Strickl.*), *P. Z. S.* 1844, p. 100. W.
 Fraser, *Zool. Typ. pl. 37* (1849); *Cat. vii.* p. 35.
 1180. *imerina* (*Hartl.*), *J. f. O.* 1860, p. 97. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 367, *pls.* 138, 140 A. fig. 1 (1879); *Cat. vii.* p. 35.

Genus IV. PSEUDOCOSSYPHUS.

Type.

- Pseudocossyphus*, *Sharpe, Cat. B. M.* vii. p. 21 (1883) P. sharpii.
 1181. *sharpii* (*Gray*), *Ann. & Mag. Nat. Hist.* 1871, viii. p. 429. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 369, *pls.* 140, 140 A. fig. 2 (1882); *Cat. vii.* p. 22.

Genus V. BESSONORNIS.

Type.

- Bessonornis*, *Smith, Rep. Exped. Centr. Afr.* 1836, p. 46 . . . B. humeralis.
 1182. *humeralis*, *Smith, Rep. Exped. Centr. Afr.* 1836, p. 46. S.
 Smith, *Ill. Zool. S. Afr.* pl. 48 (1840); *Cat. vii.* p. 45.

Genus VI. CALLENE.

Type.

- Callene*, *Blyth, J. A. S. Beng.* xvi. p. 136 (1847) C. frontalis.
 1183. *isabellæ* (*Gray*), *Ann. & Mag. Nat. Hist.* (3) x. p. 443 (1863). W.
 Cat. vii. p. 17.
 1184. *anomala*, *Shelley, Ibis*, 1893, p. 14. S.
 1185. *pyrrhoptera*, *Reichen. & Neum. Orn. Monatsb.* 1895, p. 75. E.

Genus VII. PRATINCOLA.

Type.

- Pratincola*, *Koch, Syst. d. baier. Zool.* p. 190 (1816) P. rubetra.
 1186. *rubetra* (*Linn.*), *S. N.* i. p. 332 (1766). W., E., N.E.
 Dresser, *B. Eur.* ii. p. 255, *pls.* 37, 38 (1873); *Cat. iv.* p. 179 (1879).
 1187. *borbonica* (*Bory de St. Vincent*), *Beytr. Naturg. Mascare.* p. 152 (1833). M.
 Cat. iv. p. 183.
 1188. *salax*, *J. & E. Verr. Rev. et Mag. de Zool.* 1851, p. 307. W., E.
 Cat. iv. p. 184.

* Printed by error *Pseudocossyphus*.

1189. pallidigula, *Reichen. J. f. O.* 1892, pp. 194, 232. W.
 1190. rubicola (*Linn.*), *S. N. i.* p. 332 (1766). W., E., N.E.
 Dresser, *B. Eur.* ii. p. 263, pls. 39, 40 (1873); *Cat. iv.* p. 185.
 — 1191. axillaris, *Shelley, P. Z. S.* 1884, p. 556. W., E.
 — 1192. torquata (*Linn.*), *S. N. i.* p. 328 (1766). S.
 Levaill. *Ois. Afr.* iv. p. 88, pl. 180, figs. 1, 2 (1803); *Cat. iv.* p. 190.
 — 1193. sibilla (*Linn.*), *S. N. i.* p. 337 (1766). M.
 Milne-Edw. & Grand. *Hist. Madag.*, *Ois.* p. 338, pl. 132 (1879); *Cat. iv.* p. 191.
 1194. emmæ, *Hartl. J. f. O.* 1890, p. 152. N.E.
 1195. hemprichi (*Ehrenb.*), *Symb. Phys.* fol. aa (1828). N.E.
 Cat. iv. p. 193.
 1196. albifasciata (*Rüpp.*), *N. Wirb. Vög.* p. 115 (1835–40). N.E.
 Blanf. *Geol. & Zool. Abyss.* p. 365, pl. 5 (1870); *Cat. iv.* p. 198.

Genus VIII. PINAROCHROA.

- Type.*
- Pinarochroa, Sundev. Av. Meth. Tent.* p. 4 (1872) *P. sordida.*
1197. sordida (*Rüpp.*), *N. Wirb. Vög.* p. 75, pl. 26, fig. 2 (1835). N.E.
 Cat. vii. p. 20.
- 1198. hypospodia, *Shelley, P. Z. S.* 1885, p. 226, pl. 13. E.

Genus IX. TARSIGER.

- Type.*
- Tarsiger, Hodgs. P. Z. S.* 1815, p. 28 *T. chrysaeus.*
Pogonocichla, Cab. Arch. f. Naturg. 1847, p. 314 *T. stellatus.*
Sigelus, Cab. Mus. Hein. i. p. 68 (1850) *T. silens.*

1199. stellatus (*Vieill.*), *N. Dict.* xxi. p. 468 (1818). S.
 Levaill. *Ois. Afr.* iv. p. 28, pl. 157 (1802); *Cat. iv.* p. 261.
- 1200. orientalis, *Fisch. & Reichen. J. f. O.* 1884, p. 571. S., E.
1201. guttifer, *Reichen. & Neumann, Orn. Monatsb.* 1895, p. 76. E.
1202. silens (*Shaw*), *Gen. Zool.* vii. p. 330 (1809). S.
 Levaill. *Ois. Afr.* ii. p. 103, pl. 74 (1799); *Cat. iii.* p. 312.

Subfamily III. TURDINÆ.

Genus I. RUTICILLA.

- Type.*
- Ruticilla, C. L. Brehm, Isis,* 1828, p. 1280 *R. phœnicura.*
1203. phœnicura (*Linn.*), *S. N. i.* p. 335 (1766). W., N.E.
 Dresser, *B. Eur.* ii. p. 277, pl. 41 (1874); *Cat. v.* p. 336 (1877).

1204. *mesoleuca* (*Hempr. & Ehr.*), *Symb. Phys.* fol. cc (1828). W., N.E.
Dresser, B. Eur. ii. p. 284, pl. 42 (1876); Cat. v. p. 338.
1205. *titys* (*Linn.*), *S. N.* i. p. 335 (1766). E., N.E.
Dresser, B. Eur. ii. p. 293, pl. 44 (1844); Cat. v. p. 339.

Genus II. ERITHACUS.

- | | <i>Type.</i> |
|--|----------------|
| <i>Erithacus</i> , <i>Cur. Lec. du Comp.</i> tab. ii. (1801) | E. rubecula. |
| <i>Aedon</i> , <i>Forst. Syn. Cat. Brit.</i> B. p. 53 (1814) | E. luscinia. |
| <i>Cyanecula</i> , <i>C. L. Brehm, Isis</i> , 1828, p. 1280 | E. suecica. |
| <i>Lusciola</i> , <i>Keys. u. Blas. Wirb. Eur.</i> pp. lviii, 106, 189 (1840). | E. philomela. |
| <i>Irania</i> , <i>De Filippi, Viagg. Pers.</i> p. 347 (1865) | E. gutturalis. |
| 1206. <i>luscinia</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 328 (1766). W., N.E.
Dresser, B. Eur. ii. p. 363, pl. 56, fig. 1 (1876); Cat. v. p. 294. | |
| 1207. <i>africanus</i> (<i>Fisch. & Reichen.</i>), <i>J. f. O.</i> 1884, p. 182. E. | |
| 1208. <i>philomela</i> (<i>Bechst.</i>), <i>Naturg. Deutschl.</i> iv. p. 536 (1795). S., N.E.
Dresser, B. Eur. ii. p. 369, pl. 56, fig. 1 (1876); Cat. v. p. 295. | |
| 1209. <i>boehmi</i> (<i>Reichen.</i>), <i>J. f. O.</i> 1886, p. 115. E. | |
| 1210. <i>gutturalis</i> (<i>Guérin</i>), <i>Rev. Zool.</i> 1843, p. 162. N.E.
Dresser, B. Eur. ii. p. 347, pls. 53, 54 (1872); Cat. v. p. 304. | |
| 1211. <i>suecica</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 336 (1766). N.E.
Dresser, B. Eur. ii. p. 317, pls. 49, 50, fig. 2 (1874); Cat. v. p. 308. | |

Genus III. TURDUS.

- | | <i>Type.</i> |
|---|-----------------|
| <i>Turdus</i> , <i>Linn. S. N.</i> i. p. 291 (1766) | T. viscivorus. |
| “ <i>Geocichla, Kuhl</i> ,” <i>Gould, P. Z. S.</i> 1836, p. 7 | ? |
| <i>Chamætylas</i> , <i>Hein. J. f. O.</i> 1859, p. 425 | T. compsonotus. |
| <i>Psophocichla</i> , <i>Cab. J. f. O.</i> 1860, p. 182 | T. simensis. |
| <i>Peliocichla</i> , <i>Cab. J. f. O.</i> 1882, p. 318 | T. olivaceus. |
| 1212. <i>princei</i> (<i>Sharpe</i>), <i>P. Z. S.</i> 1873, p. 625. W.
Seebohm, Cat. B. M. v. p. 164, pl. 12 (1881). | |
| 1213. <i>compsonotus</i> (<i>Cass.</i>), <i>Proc. Philad. Acad.</i> 1859, p. 42. W.
Cat. v. p. 165. | |
| 1214. <i>guttatus</i> , <i>Vig. P. Z. S.</i> 1831, p. 92. S., E.
Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 39 (1839); Cat. v. p. 168. | |
| 1215. <i>litsitsirupa</i> , <i>Smith, Rep. Exped. Centr. Afr.</i> p. 45 (1836). S.
Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 37 (1839); Cat. v. p. 182. | |
| 1216. <i>simensis</i> , <i>Rüpp. N. Wirb. Vög.</i> p. 81, pl. 29, fig. 1 (1835). N.E.
Cat. v. p. 183. | |

1217. bivittatus, *Reichen. J. f. O.* 1874, p. 104. W.
Cat. v. p. 170.
1218. gurneyi, *Hartl. Ibis*, 1864, p. 350, pl. 9. S.
Cat. v. p. 170.
1219. piaggii, *Bouvier, Bull. S. Z. France*, 1877, p. 456. E., N.E.
Seeböhm, Cat. B. M. v. p. 171, pl. 11 (1881).
1220. crossleyi, *Sharpe, P. Z. S.* 1871, p. 607, pl. 47. W.
Cat. v. p. 171.
1221. bewsheri, *E. Newton, P. Z. S.* 1877, p. 299, pl. 34. M.
Cat. v. p. 188.
1222. comorensis, *Milne-Edw. & Oust. C. R. Acad. Sci. ci.* p. 221 (1885). M.
Milne-Edw. & Oust. N. Arch. H. N. Paris, (2) x. p. 251, pl. fig. 2 (1888).
1223. olivaceofuscus, *Hartl. Abhandl. nat. Ver. Hamb.* 1852, p. 49, pl. 3. W.
Cat. v. p. 189.
1224. musicus, *Linn. S. N. i.* p. 285 (1766). N.E.
Dresser, B. Eur. ii. p. 19, pl. 2 (1871); Cat. v. p. 192.
1225. stormi, *Hartl. Bull. Mus. R. Belg.* iv. p. 143, pl. 3 (1886). W.
1226. elgonensis (*Sharpe*), *Ibis*, 1891, p. 445. E.
1227. ludoviciae (*L. Phillips*), *Bull. B.O.C.* 1895, v. p. xxxvi; *id. Ibis*, 1895, p. 383. N.E.
1228. tephronotus, *Cab. J. f. O.* 1878, pp. 205, 212, pl. 3. fig. 2. E., N.E.
Cat. v. p. 226.
1229. olivaceus, *Linn. S. N. i.* p. 292 (1766). S.
Levaill. Ois. Afr. iii. p. 5, pls. 98, 99 (1802); Cat. v. p. 227.
1230. abyssinicus, *Gm. S. N. i.* p. 824 (1788). N.E.
Cat. v. p. 228.
1231. milanensis, *Shelley, Ibis*, 1893, p. 12. S.
1232. "cabanisi, Bp.," *Cab. Mus. Hein. i.* p. 3 (1850). S.
Smith, Ill. Zool. S. Afr. Av. pl. 36 (1839); Cat. v. p. 228.
- 1233. deckeni, *Cab. J. f. O.* 1868, p. 412. E.
Cab. in Decken's Reis. iii. p. 21, pl. 1 (1869); id. J. f. O. 1869, pl. 1; Cat. v. p. 228, pt.
1234. libonianus (*Smith*), *Rep. Exped. Centr. Afr.* 1836, p. 45. W., S., E.
Smith, Ill. Zool. S. Afr. Av. pl. 38 (1839); Cat. v. p. 229.
1235. bocagii (*Cab.*), *J. f. O.* 1882, p. 320. W., E.
1236. pelios, *Bp. Consp.* i. p. 273 (1850). W., N.E.
Heugl. Orn. N.O.-Afr. p. 383, pl. 14. fig. 1 (1870); Cat. v. p. 230.
1237. nigrilorum, *Reichen. J. f. O.* 1892, p. 225. W.

Genus IV. MONTICOLA.

	Type.
<i>Monticola</i> , <i>Boie, Isis</i> , 1822, p. 552	M. saxatilis
<i>Cyanocincla</i> , <i>Hume, Nest & Eggs Ind. B.</i> p. 226 (1873) . . .	M. cyana.
1238. <i>cyaná</i> (<i>Linn.</i>), <i>S. N. i.</i> p. 296 (1766).	N.E.
Dresser, <i>B. Eur. ii.</i> p. 139, pl. 18 (1871); <i>Cat. v.</i> p. 316.	
1239. <i>saxatilis</i> (<i>Linn.</i>), <i>S. N. i.</i> p. 294 (1766).	W., E., N.E.
Dresser, <i>B. Eur. ii.</i> p. 129, pls. 16, 17 (1872); <i>Cat. v.</i> p. 313.	
1240. <i>rupestris</i> (<i>Vieill.</i>), <i>N. Dict. xx.</i> p. 281 (1818).	S.
Levaill. <i>Ois. Afr. iii.</i> p. 22, pls. 101, 102 (1802); <i>Cat. v.</i> p. 322.	
1241. <i>rufocinerea</i> (<i>Rüpp.</i>), <i>N. Wirb. Vög.</i> p. 76, pl. 27 (1835–40).	E., N.E.
<i>Cat. v.</i> p. 327.	
1242. <i>explorator</i> (<i>Vieill.</i>), <i>N. Dict. xx.</i> p. 260 (1818).	S.
Levaill. <i>Ois. Afr. iii.</i> p. 29, pl. 103 (1802); <i>Cat. v.</i> p. 323.	
1243. <i>brevipes</i> , <i>Strickl. & Sclat. Contr. Orn.</i> 1854, p. 147.	W., S.
<i>Cat. v.</i> p. 324.	
1244. <i>angolensis</i> , <i>Sousa, Jorn. Lisb.</i> 1888, pp. 225, 233.	S.

Family XXIII. SAXICOLIDÆ.

Genus I. EMARGINATA.

	Type.
<i>Emarginata</i> , gen. nov.	E. sinuata.
1245. <i>pollux</i> (<i>Hartl.</i>), <i>P. Z. S.</i> 1865, p. 747.	S.
Blanf. & Dresser, <i>P. Z. S.</i> 1874, p. 235, pl. 38, fig. 1; <i>Cat. v.</i> p. 357 (1881).	
1246. <i>cinerea</i> (<i>Vieill.</i>), <i>N. Dict. xxi.</i> p. 437 (1818).	S.
Levaill. <i>Ois. Afr. iv.</i> p. 103, pl. 184, fig. 1 (1805); <i>Cat. v.</i> p. 358.	
1247. <i>sinuata</i> (<i>Sundev.</i>), <i>K. Sv. Vet.-Akad. Handl. ii.</i> p. 44, note (1857).	S.
<i>Cat. v.</i> p. 359.	

Genus II. SAXICOLA.

	Type.
<i>Saxicola</i> , <i>Bechstein, Orn. Taschenb.</i> p. 216 (1802)	S. oenanthe.
<i>Œnanthe</i> , <i>Vieill. Analyse</i> , p. 43 (1816)	S. leueura.
<i>Campicola</i> , <i>Swains. Zool. Journ. iii.</i> p. 171 (1827)	S. pileata.
<i>Dromolæa</i> , <i>Cab. Mus. Hein. i.</i> p. 9 (1850)	S. monticola.
1248. <i>galtoni</i> (<i>Strickl.</i>), <i>Contr. Orn.</i> 1852, p. 147.	S.
<i>Cat. v.</i> p. 390.	

1249. *falkensteini*, *Cab. J. f. O.* 1875, p. 235. W., E.
1250. *sennaarensis*, *Seeböhm, Cat. B. M.* v. p. 391 (1881). N.E.
1251. *cœnanthe* (*Linn.*), *S. N. i.* p. 332 (1766). W., E., N.E.
Dresser, *B. Eur.* ii. p. 187, pl. 21 (1874); *Cat. v.* p. 391.
1252. *aurita*, *Temm. Man. Orn.* i. p. 241 (1820). W., N.E.
Dresser, *B. Eur.* ii. p. 203, pl. 23 (1874); *Cat. v.* p. 394.
1253. *vittata*, *Hempr. & Ehr. Symb. Phys.*, *Av. fol. cc* (1828). N.E.
Dresser, *B. Eur.*, *Suppl. pl. 637* (1895); *Cat. v.* p. 396.
1254. *pileata*, *Gm. S. N. i.* p. 965 (1788). S.
Levaill. *Ois. Afr.* iv. p. 92, pls. 181, 182 (1805); *Cat. v.* p. 397.
1255. *livingstonii* (*Tristram*), *P. Z. S.* 1867, p. 888. S., E.
Reichen. *Vög. Deutsch Ost-Afr.* p. 236, fig. 104 (head, 1894); *Cat. v.* p. 397, pt.
1256. *albicans*, *Wahl. Gefv. K. Vet.-Akad. Förh. Stockh.* 1855, p. 213. S.
Cat. v. p. 398.
1257. *layardi*, *Sharpe, ed. Layard's B. S. Afr.* p. 226 (1876). S.
Seeböhm, *Cat. B. M.* v. p. 399, pl. 18 (1881).
1258. “*isabellina*, *Rüpp.*” *Cretschn. Rüpp. Atlas, Vög.* p. 52, pl. 34, fig. b (1826). E., N.E.
Dresser, *B. Eur.* ii. p. 199, pl. 22 (1874); *Cat. v.* p. 399.
1259. *bottæ*, *Bp. Compt. Rend.* 1854, p. 7. N.E.
Blanf. & Dresser, *P. Z. S.* 1874, p. 230, pl. 36, figs. 1, 2; *Cat. v.* p. 401.
1260. *xanthoprymna*, *Hemp. & Ehr. Symb. Phys.*, *Av. fol. dd* (1828). N.E.
Dresser, *B. Eur.* ii. p. 227, pls. 31, 32, fig. 1 (1873); *Cat. v.* p. 381.
1261. *mœsta*, *Licht. Verz. Doubl.* p. 33 (1823). N.E.
Tristr. *Ibis*, 1859, p. 299, pl. 9; Dresser, *B. Eur.* ii. p. 223, pl. 30 (1873); *Cat. v.* p. 382.
1262. *deserti*, *Temm. Pl. Col.* pl. 359, fig. 2 (1825). N.E.
Dresser, *B. Eur.* ii. p. 215, pl. 27 (1875); *Cat. v.* p. 383.
1263. *montana*, *Gould, B. Asia*, pt. xvii. (1865). N.E.
Cat. v. p. 384.
1264. *stapazina* (*Gm.*), *S. N. i.* p. 966 (1788). W.
Dresser, *B. Eur.* ii. p. 209, pl. 24, fig. 1, pl. 25, fig. ♀ (1874); *Cat. v.* p. 387.
1265. *melanoleuca* (*Güld.*), *Nov. Com. Petr.* xix. p. 468, pl. 15 (1775). N.E.
Dresser, *B. Eur.* ii. p. 211, pl. 26 (1874); *Cat. v.* p. 385.
1266. *finschi*, *Heugl. Orn. N.O.-Afr.* p. 350 (1870). N.E.
Dresser, *B. Eur.* ii. p. 219, pls. 28, 29 (1874); *Cat. v.* p. 388.
1267. *phillipsi*, *Shelley, Ibis*, 1885, p. 404, pl. 12. N.E.

1268. *lugubris*, *Rüpp. N. Wirb. Vög.* p. 77, pl. 28, fig. 1 (1835–40). N.E.
Cat. v. p. 365.
1269. *schalowi*, *Fisch. & Reichen. J. f. O.* 1884, p. 57. E.
1270. *leucopygia* (*Brehm*), *Vogelfang*, p. 225 (1855). N.E.
Dresser, B. Eur. ii. p. 243, pl. 35 (1873); Cat. v. p. 374.
1271. *lugens*, *Licht. Verz. Doubl.* p. 33 (1823). N.E.
Dresser, B. Eur. ii. p. 219, pls. 28, 29, fig. 1 (1874); Cat. v. p. 370.
1272. *lugentoides*, *Seeböhm, Cat. B. M.* v. p. 371 (1881). N.E.
1273. *pleschanka* (*Lepech.*), *Nov. Com. Petr.* xix. p. 503, pl. 24, fig. 2 (1770). E., N.E.
Dresser, B. Eur. ii. p. 235, pl. 33, fig. 1 (1874); Cat. v. p. 372.
1274. *somalica*, *Sharpe, P. Z. S.* 1895, p. 486. N.E.
1275. *monacha*, *Temm. Pl. Col.* 359, fig. 1 (1825). N.E.
Shelley, B. Egypt, p. 78, pl. 2 (1872); Dresser, B. Eur. ii. p. 239, pl. 34 (1874); Cat. v. p. 369.
1276. *monticola* (*Vieill.*), *N. Dict.* xxi. p. 434 (1818). S.
Blanf. & Dresser, P.Z.S. 1874, pp. 232, 233, pls. 37, 38, fig. 2, 39, fig. 1; Cat. v. pp. 377–380.

Genus III. CERCOMELA.

- Cercomela*, *Bp. C. R.* xlvi. p. 766 (1856). *Type.* C. melanura.
1277. *lypura* (*Hempr. & Ehr.*), *Symb. Phys., Av. fol. ee* (1833). N.E.
Cat. v. p. 360, pt.
1278. *fuscicaudata* (*Blanf.*), *Ann. Nat. Hist.* 1869, iv. p. 329. N.E.
Blanf. Geol. & Zool. Abyss. p. 359, pl. 4 (1870, juv.); Cat. v. p. 361.

Genus IV. MYRMECOCICHLA.

- Myrmecocichla*, *Cab. Mus. Hein.* i. p. 8 (1850). *Type.* M. formicivora.
1279. *bifasciata* (*Temm.*), *Pl. Col.* pl. 473, fig. 2 (1829). S.
Hartl. P. Z. S. 1865, p. 428, pl. 23; Cat. v. p. 361.
1280. *cryptoleuca*, *Sharpe, Ibis*, 1891, p. 445, 1892, p. 163. E.
1281. *formicivora* (*Vieill.*), *N. Dict.* xxi. p. 421 (1818). S.
Levaill. Ois. Afr. iv. p. 108, pls. 186, 187 (1805); Cat. v. p. 356.
1282. *nigra* (*Vieill.*), *N. Dict.* xxi. p. 431 (1818). W., S., N.E.
Levaill. Ois. Afr. iv. p. 114, pl. 189 (1805); Cat. vii. p. 52, note (1883).

Family XXIV. THAMNOLÆIDÆ.

Genus I. THAMNOLÆA.

Type.

- Thamnolæa, *Cab. Mus. Hein.* i. p. 8 (1850). T. cinnamomeiventris.
 1283. arnotti (*Tristr.*), *Ibis*, 1869, p. 206, pl. 6. S., E.
 Sharpe in Oates's Matabele Land, p. 307, pl. a (1881); Cat. vii. pp. 52, 53 (1883).
 1284. cinnamomeiventris (*Lafr.*), *Rev. Zool.* 1836, pls. 55, 56. S.
 Cat. vii. p. 49.
 1285. subrufipennis, *Reichen. J. f. O.* 1887, p. 78. S., E.
 1286. albiscapulata (*Rüpp.*), *N. Wirb. Vög.* p. 74, pl. 26, fig. 1 (1835). N.E.
 Cat. vii. p. 50.
 1287. semirufa (*Rüpp.*), *N. Wirb. Vög.* p. 74, pl. 25, figs. 1, 2 (1835). N.E.
 Cat. vii. p. 51.

Genus II. PENTHOLÆA.

Type.

- Pentholæa, *Cab. Mus. Hein.* i. p. 40, note (1850) P. albifrons.
 1288. melæna (*Rüpp.*), *N. Wirb. Vög.* p. 77, pl. 28, fig. 2 (1835–40). N.E.
 Cat. vii. p. 19.
 1289. albifrons (*Rüpp.*), *N. Wirb. Vög.* p. 78 (1835–40). W., N.E.
 Rüpp. *Syst. Uebers.* p. 58, pl. 17 (1845); Cat. vii. p. 18.
 1290. clericalis, *Hartl. Orn. Centralbl.* 1882, p. 91; *id. J.f.O.* 1882, p. 321. N.E.
 Hartl. *Zool. Jahrb.* 1887, p. 317, pl. 13, figs. 7, 8; Cat. vii. p. 18.
 1291. baucis, *Hartl. Zool. Jahrb.* 1887, p. 318. N.E.

Family XXV. MUSCICAPIDÆ.

Subfamily I. MUSCICAPINÆ.

Genus I. LIOPTILUS.

Type.

- Lioptilus, *Cab. Mus. Hein.* i. p. 88 (1850) L. nigricapillus.
 1292. nigricapillus (*Vieill.*), *N. Dict.* xx. p. 256. S.
 Levaill. *Ois. Afr.* iii. p. 48, pl. 108 (1802); Cat. iv. p. 262 (1879).
 1293. abyssinicus (*Rüpp.*), *N. Wirb. Vög.* p. 108, pl. 40, fig. 2 (1835–40). N.E.
 1294. olivascens (*Cass.*), *Pr. Philad. Acad.* 1855, p. 326. W.
 Cat. iv. p. 263.

1295. *chocolatina* (*Rüpp.*), *N. Wirb. Vög.* p. 107 (1835–40). N.E.
Rüpp. *Syst. Uebers.* p. 49, pl. 20 (1845); *Cat. iii.* p. 311 (1877).
1296. *galinieri* (*Guér.*), *Rev. Zool.* 1843, p. 62. N.E.
Rüpp. *Syst. Uebers.* p. 43, pl. 22 (1845).

Genus II. MELÆNORNIS.

Type.

- Melanornis*, *Gray, List Gen. B.* 1840, p. 36 M. edolioides.
Melanopepla, *Cab. Mus. Hein. i.* p. 54 (1850) M. ater.

1297. *edolioides* (*Swains.*), *B. W. Afr. i.* p. 257, pl. 29 (1837). W.
Cat. *iii.* p. 315.
1298. *pammelæna* (*Stanley*), *in Salt's Trav. Abyss.* App. p. 320 (1814). N.E.
V. Müll. *Beitr. Orn. Afr.* pl. 2 (1853).
1299. *ater* (*Sundev.*), *Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 105. S., E.
Cat. *iii.* p. 314.

Genus III. BRADYORNIS.

Type.

- Bradornis*, *Smith, Ill. Zool. S. Afr. Av.* pl. 113 (1847) . . . B. mariquensis.
1300. *infuscatus* (*Smith*), *Ill. Zool. S. Afr. Av.* pl. 28 (1839). S.
1301. *mariquensis*, *Smith, Ill. Zool. S. Afr. Av.* pl. 113 (1847). S.
Cat. *iii.* p. 308.
1302. *murinus*, *Finsch & Hartl. Vög. Ost-Afr.* p. 866 (1870). W., S., E.
Cat. *iii.* p. 310, note.
1303. *pallidus* (*V. Müll.*), *Naum.* 1851, p. 28. W., S., E., N.E.
V. Müll. *Beitr. Orn. Afr.* pl. 8 (1853); Sharpe, *P. Z. S.* 1873, p. 713, pl. 58, fig. 1; *Cat. iii.* p. 310.
1304. *griseus*, *Reichen. J. f. O.* 1882, p. 211. E., N.E.
1305. *pumilus*, *Sharpe, P. Z. S.* 1895, p. 480. N.E.
1306. *semipartitus* (*Rüpp.*), *N. Wirb. Vög.* p. 107, pl. 40, fig. 1 (1835–40). E., N.E.
Cat. *iv.* p. 468.

Genus IV. MUSCICAPA.

Type.

- Muscicapa*, *Linn. S. N. i.* p. 324 (1766) M. grisola.
Hedymela, *Sundev. Œfv. K. Vet.-Ak. Förh. Stockh.* 1846, p. 225 M. atricapilla.
Dioptrornis, *Fisch. & Reichen. J. f. O.* 1884, p. 53 . . . M. fischeri.
Pedilorphynchus, *Reichen. J. f. O.* 1892, p. 34 M. stuhlmanni.

1307. *finschi*, *Bocage, Jorn. Lisb.* 1879, p. 4. S., E.
Cat. *iv.* p. 472.

1308. *grisola*, *Linn. S. N. i.* p. 328 (1766). W., S., E., N.E.
Dresser, *B. Eur. iii.* p. 447, pl. 156 (1875); *Cat. iv.* p. 151.
1309. *riisi*, *Hartl. Orn. W.-Afr.* p. 96 (1857). W.
Cat. *iv.* p. 149, note.
1310. *aquatica*, *Heugl. J. f. O.* 1864, p. 256. W., N.E.
Hengl. *Orn. N.O.-Afr.* p. 436, pl. 18, fig. 2 (1870); *Cat. iv.* p. 154.
1311. *ussheri*, *Sharpe, P. Z. S.* 1882, p. 591. W.
1312. *brunnea* (*Cab.*), *J. f. O.* 1887, p. 92, pl. 1, fig. 1 (1886). W.
1313. *cinerascens*, *Sharpe, Cat. B. M.* *iv.* p. 155 (1879). W.
1314. *cærulescens* (*Hartl.*), *Ibis*, 1865, p. 268. S., E.
Finsch & Hartl. *Vög. Ost-Afr.* p. 302, pl. 4, fig. 1 (1870); *Cat. iv.* p. 154.
cinerescens, *Hartl. & Finsch* —
1315. *fischeri*, *Reichen. J. f. O.* 1884, p. 53. E.
Reichen. *J. f. O.* 1886, pl. 1, figs. 2, 3.
1316. *lugens* (*Hartl.*), *P. Z. S.* 1860, p. 110. W.
Cat. *iv.* p. 155.
1317. *modesta*, *Hartl. Orn. W.-Afr.* p. 90 (1857). W.
Cat. *iv.* p. 156.
1318. *cassini*, *Heine, J. f. O.* 1860, p. 428. W.
Cat. *iv.* p. 156.
1319. *stuhlmanni* (*Reichen.*), *J. f. O.* 1892, p. 34, pl. 1, fig. 1. E.
1320. *atricapilla*, *Linn. S. N. i.* p. 326 (1766). W.
Dresser, *B. Eur. iii.* p. 453, pls. 157, 158, fig. 2 (1875); *Cat. iv.* p. 157.

Genus V. ALSEONAX.

Type.

- Alseonax*, *Cab. Mus. Hein. i.* p. 52 (1850) A. *adusta*.
1321. *adusta* (*Boie*), *Isis*, 1828, p. 318. S.
Levaill. *Ois. Afr. iv.* p. 24, pl. 156 (1803); *Cat. iv.* p. 129.
1322. *minima*, *Heugl. J. f. O.* 1862, p. 301. S., E., N.E.
Heugl. *Orn. N.O.-Afr.* p. 435, pl. 18, fig. 1 (1870); *Cat. iv.* p. 129.
1323. *infulata*, *Hartl. P. Z. S.* 1880, p. 626. E., N.E.
1324. *murina*, *Finsch & Hartl. J. f. O.* 1884, p. 54. E.
1325. *comitata* (*Cass.*), *Pr. Philad. Acad.* 1857, p. 25. W.
Cat. *iv.* p. 130.
1326. *epulata* (*Cass.*), *Pr. Philad. Acad.* 1850, p. 326. W.
Cat. *iv.* p. 131.
1327. *fantensis*, *Sharpe, Cat. B. M.* *iv.* p. 131 (1879). W.

Genus VI. ARTOMYIAS.

- | | <i>Type.</i> |
|---|----------------|
| Artomyias, <i>J. & E. Verr. J. f. O.</i> 1855, p. 104 | A. fuliginosa. |
| Atopornis, <i>Reichen. & Neumann, Orn. Monatsb.</i> 1895, p. 74 . | A. diabolica. |
| 1328. fuliginosa, <i>J. & E. Verr. J. f. O.</i> 1855, p. 104. | W. |
| Sharpe, <i>Cat. B. M.</i> iv. p. 144, pl. 3. fig. 1 (1879). | |
| 1329. ussheri, <i>Sharpe, Ibis</i> , 1871, p. 416. | W. |
| Sharpe, <i>Cat. B. M.</i> iv. p. 144, pl. 3. fig. 2 (1879). | |
| 1330. stuhlmanni (<i>Reichen.</i>), <i>J. f. O.</i> 1892, p. 34. | E. |
| 1331. diabolica, <i>Reichen. & Neumann, Orn. Monatsb.</i> 1895, p. 74.
= <i>Megaceryle</i> ! | E. |

Genus VII. CASSINIA.

- | | <i>Type.</i> |
|---|--------------|
| Cassinia, <i>Hartl. Rev. et Mag. Zool.</i> 1860, p. 82 | C. fraseri. |
| 1332. fraseri (<i>Strickl.</i>), <i>P. Z. S.</i> 1814, p. 101. | W. |
| Sharpe, <i>Ibis</i> , 1870, p. 54, pl. 2. fig. 1; <i>Cat. iv.</i> p. 466. | |
| 1333. finschi, <i>Sharpe, Ibis</i> , 1870, p. 53, pl. 2. fig. 2. | W. |
| <i>Cat. iv.</i> p. 467. | |
| 1334. zenkeri, <i>Reichen. Orn. Monatsb.</i> 1895, p. 113. | W. |

Genus VIII. PSEUDOBIAZ.

- | | <i>Type.</i> |
|--|--------------|
| Pseudobias, <i>Sharpe, Ibis</i> , 1870, p. 498 | P. wardi. |
| 1335. wardi, <i>Sharpe, Ibis</i> , 1870, p. 498, pl. 15. | M. |
| Milne-Edw. & Grand. <i>Hist. Mad.</i> , <i>Ois.</i> p. 385, pl. 145. fig. 2; <i>Cat. iv.</i> p. 386. | |

Genus IX. NEWTONIA.

- | | <i>Type.</i> |
|---|------------------|
| Newtonia, <i>Pollen, P. Z. S.</i> 1866, p. 422 | N. brunneicauda. |
| 1336. brunneicauda, <i>A. Newton, P. Z. S.</i> 1863, p. 180. | M. |
| Milne-Edw. & Grand. <i>Hist. Mad.</i> , <i>Ois.</i> p. 382, pl. 145. fig. 1 (1879); <i>Cat. iv.</i> p. 148. | |
| 1337. amphichroa, <i>Reichen. J. f. O.</i> 1891, p. 210. | M. |

Genus X. MYIOSOBUS.

- | | <i>Type.</i> |
|--|----------------|
| Myiosobus, <i>Reichen. J. f. O.</i> 1891, p. 210 | M. fulvicauda. |
| 1338. fulvicauda, <i>Reichen. J. f. O.</i> 1891, p. 210. | M. |

Genus XI. HUMBLOTIA.

*Type.**Humblotia*, *Milne-Edw. & Oust. C.R. Ac. Sc. ci. p. 221 (1885)* . *H. flavirostris*.

1339. *flavirostris*, *Milne-Edw. & Oust. C. R. Ac. Sc. ci. p. 221 (1885)*. M.
Milne-Edw. & Oust. N. Arch. Mus. H. N. Paris, (2) x. p. 261, pl. 8. fig. 2 (1888).

Genus XII. CHLOROPETA.

*Type.**Chloropeta*, *Smith, Ill. Zool. S. Afr. Av. pl. 112. fig. 2 (1847)*. C. natalensis.

1340. *natalensis*, *Smith, Ill. Zool. S. Afr. pl. 112. fig. 2 (1847)*. S.
Cat. iv. p. 272.
1341. *icterina*, *Sundev. Öefv. K. Vet.-Akad. Förh. Stockh. 1850*, p. 105. S.
Senegal, Pachan. Cat. iv. p. 273.
1342. *massaica*, *Fisch. & Reichen. J. f. O. 1884*, p. 54. E.

Genus XIII. HYLIOTA.

- Hyliota*, *Swains. Class. B. ii. p. 260 (1837)* *H. flavigastra*.
1343. *flavigastra*, *Swains. B. W. Afr. ii. p. 47 (1837)*. W., N.E.
Swains. Mon. Flycatchers, p. 228, pl. 28 (1838); Cat. iv. p. 248.
1344. *violacea*, *J. & E. Verr. Rev. et Mag. Zool. 1851*, p. 308. W.
Cat. iv. p. 248.
1345. *barbozæ*, *Hartl. J. f. O. 1883*, p. 329. S.
1346. *nehrkorni*, *Hartl. Ibis, 1892*, p. 373, pl. 8. W.
1347. *australis*, *Shelley, Ibis, 1882*, p. 258, pl. 7. fig. 1. S.

Genus XIV. SMITHORNIS.

*Type.**Smithornis*, *Bp. Consp. Av. i. p. 322 (1850)* S. capensis.

1348. *capensis* (*Smith*), *Ill. Zool. S. Afr. Av. pl. 27 (1839)*. S., E.
Cat. iv. p. 388.
1349. *rufilateralis*, *Gray, P. Z. S. 1864*, p. 143, pl. 16. W.
Cat. iv. p. 389.

Subfamily II. PLATISTEIRINÆ.

Genus I. BIAS.

*Type.**Bias*, *Less. Traité Orn. p. 385 (1831)* B. musicus.

1350. *musicus* (*Vieill.*), *N. Dict. xxvii. p. 15 (1817)*. W., S., E.
Finsch & Hartl. Vög. Ost-Afr. p. 313, pl. 3. fig. 2 ♂, 2 ♀ (1870); Cat. iv. p. 142.

Genus II. MEGABIAS.

- Type.*
- "*Megabias, J. & E. Verr.,*" *Bp. C. R.* xxxviii. p. 653 (1854). M. *flammulatus*.
1351. *flammulatus*, *J. & E. Verr. Rev. et Mag. Zool.* 1855, p. 348. W.
Cat. iv. p. 387.

Genus III. DYAPHOROPHYIA.

- Type.*
- Dyaphorophyia*, *Bp. Compt. Rend.* xxxviii. p. 653 (1854) . . . D. *castanea*.
Agromyias, *Heine, J. f. O.* 1860, p. 133. D. *concreta*.
1352. *castanea* (*Fraser*), *P. Z. S.* 1842, p. 141. W.
Fraser, *Zool. Typ. pl.* 34, fig. 1, ♂ (1848); Cat. iv. p. 140.
1353. *blissetti*, *Sharpe, Ann. & Mag. N. H.* (4) x. p. 451 (1872). W.
Sharpe, *Ibis*, 1873, p. 173, pl. 4, fig. 1; Cat. iv. p. 141.
1354. *concreta* (*Hartl.*), *J. f. O.* 1855, p. 360. W.
Cat. iv. p. 142.

Genus IV. PLATYSTIRA.

- Type.*
- Platysteira*, *Jard. & Selby, Ill. Orn.* ii. Addenda, p. 2 (1829?) . P. *eyanea*.
1355. *cyanea* (*P. L. S. Müll.*), *S. N. Suppl.* p. 170 (1776). W., E.
Jard. & Selb. *Ill. Orn.* i. pl. 9, fig. 1 ♂, fig. 2 ♀; Cat. iv. p. 145.
1356. *albifrons*, *Sharpe, Ibis*, 1875, p. 159. W., N.E.
Cat. iv. p. 147.
- 1357. *peltata* (*Sundev.*), *Œfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 105. S.
Sharpe, *Ibis*, 1873, p. 160, pl. 4, figs. 2 ♂, 3 ♀; Cat. iv. p. 147.
1358. *jacksoni*, *Sharpe, Ibis*, 1891, p. 445. E.
Sharpe, *Ibis*, 1892, p. 301, pl. 7, fig. 2.
1359. *mentalis*, *Boege, Jorn. Lisb.* 1878, p. 256. S.

Genus V. PACHYPRORA.

- Type.*
- * *Pachyprora*, *Sundev. Av. Meth. Tent.* p. 24 (1872). . . . P. *capensis*.
1360. *capensis* (*Linn.*), *S. N.* i. p. 327. S.
Levaill. *Ois. Afr.* iv. p. 35, pl. 160 (1803); Cat. iv. p. 133.

* *Batis* (previously used in botany), Boie, *Isis*, 1833, p. 880: type *B. capensis*.
[January 1896.]

1361. *mixta*, *Shelley*, *P. Z. S.* 1889, p. 359, p. 40. E.
 1362. *dimorpha*, *Shelley*, *Ibis*, 1893, p. 18. S.
 1363. *molitor* (*Hahn u. Küster*), *Vög. aus Asien, &c.* xx. pl. 3 (1850?). S.
 Sharpe, ed. Layard's *B. S. Afr.* pp. 348, 838, pl. 10. fig. I (1884); *Cat. iv.* p. 137.
 1364. *prior* (*Vieill.*), *N. Dict.* xxi. p. 486 (1818). S.
 Sharpe, ed. Layard's *B. S. Afr.* pp. 349, 838, pl. 10. ff. 2 ♀, 3 ♂ (1884); *Cat. iv.* p. 138.
 1365. *senegalensis* (*Linn.*), *S. N. i.* p. 327 (1766). W., E., N.
 Buff. *Pl. Enl. iv.* pl. 567. figs. 1 ♀, 2 ♂; *Cat. iv.* p. 134.
 1366. *minulla* (*Bocage*), *Jorn. Lisb.* 1874, p. 37. W.
 Bocage, *Orn. Angola*, p. 199, pl. 3 (1877); *Cat. iv.* p. 137.
 1367. *puella* (*Reichen.*), *Jahrb. Hamb. Wiss. Aust.* x. p. 18 (1893). E.
 1368. *orientalis*, *Heugl. Orn. N.O.-Afr.* p. 440 (1870). N.E.
 Cat. iv. p. 136.
 1369. *minima* (*J. & E. Verr.*), *Rev. et Mag. Zool.* 1855, p. 219. W.
 Cat. iv. p. 139.

Subfamily III. TERPSIPHONINÆ.

Genus I. ERYTHROCERCUS.

*Type.**Erythrocercus*, *Hartl. Orn. W.-Afr.* p. 97 (1857). E. *maccalli*.

1370. *maccalli* (*Cass.*), *Proc. Philad. Acad.* 1855, p. 326. W.
 Sharpe, *Cat. B. M. iv.* p. 298, pl. 9. fig. 1 (1879).
 1371. *livingstonii*, *Finsch & Hartl. Vög. Ost-Afr.* p. 303 (1870). S.
 Sharpe, *Cat. B. M. iv.* p. 298, pl. 9. fig. 2 (1879).
 1372. *thomsoni*, *Shelley*, *P. Z. S.* 1882, p. 303, pl. 16. fig. 2. E.

Genus II. ELMINIA.

*Type.**Elminia*, *Bp. Compt. Rend.* xxxviii. p. 652 (1854). E. *longicauda*.

1373. *longicauda* (*Sicains.*), *Mon. Flycatchers*, p. 210, pl. 25 (1838). W., E.
 Cat. iv. p. 363.
 1374. *teresita*, *Antin. Cat.* p. 50 (1864). N.E.
 Heugl. *Orn. N.O.-Afr.* p. 446, pl. 15 (1870); *Cat. iv.* p. 364.
 1375. *albicauda*, *Bocage*, *Jorn. Lisb.* 1878, p. 159. S.
 Cat. iv. p. 364.

Genus III. TROCHOCERCUS.

- Type.*
- Trochocercus, *Cab. Mus. Hein.* i. p. 58 (1850) T. cyanomelas. S.
1376. cyanomelas (*Vieill.*), *N. Dict.* xxi. p. 473 (1818). S.
Levaill. *Ois. Afr.* iv. p. 5, pl. 151, figs. 1, 2 (1803); *Cat. iv.* p. 299.
1377. bivittatus, *Reichen. J. f. O.* 1879, p. 320. E.
1378. nitens, *Cass. Proc. Philad. Acad.* 1859, p. 50. W.
Cass. Journ. Philad. Acad. (2) iv. p. 325, pl. 50, fig. 4 (1859); *Cat. iv.* p. 300.
1379. nigromitratus (*Reichen.*), *J. f. O.* 1874, p. 110. W.
1380. albiventris, *Sjöstedt, Orn. Monatsb.* 1893, p. 43. W.
Sjöst. *Kgl. Svenska Vet.-Akad. Handl.* (27, no. 1) pl. 6 (1895).
1381. albonotatus, *Sharpe, Ibis*, 1891, p. 121. S., E.
Sharpe, *Ibis*, 1892, p. 303, pl. 7, fig. 1.
1382. borbonicus (*P. L. S. Müll.*), *N. S. Suppl.* p. 171 (1776). M.
Sehl. & Pell. *Faun. Madag.*, *Ois.* p. 78, pl. 22 (1868); *Cat. iv.* p. 302.

Genus IV. TERPSIPHON.

- Type.*
- Terpsiphone, *Gloger in Froriep's Notiz.* xvi. p. 278 (1827) . . . T. paradisi.
1383. mutata (*Linn.*), *S. N.* i. p. 325 (1766). M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 387, pls. 147, 148 (1879); *Cat. iv.* p. 351.
1384. vulpina (*E. Newton*), *P. Z. S.* 1877, p. 298, pl. 33, fig. 2. M.
Cat. iv. p. 353.
1385. comorensis, *Milne-Edw. & Oust. C. R. Ac. Sc. ci.* p. 222 (1885). M.
Milne-Edw. & Oust. *N. Arch. II. N. Paris*, (2) x. p. 265, pl. 8, fig. 1 (1888).
1386. cristata (*Gm.*), *S. N.* i. p. 938 (1788). W., N.E.
Cass. Journ. Philad. Acad. iv. pl. 50 (1859); *Cat. iv.* p. 354.
1387. rufiventris (*Swains.*), *B. W. Afr.* ii. p. 53, pl. 4 (1837). W.
Cat. iv. p. 360.
1388. emini, *Reichen. Orn. Monatsb.* 1893, p. 31. N.E.
1389. "nigriceps (*Temm.*)," *Hartl. J. f. O.* 1855, pp. 355, 361. W.
Cat. iv. p. 359.
1390. perspicillata (*Swains.*), *B. W. Afr.* ii. p. 59 (1837). W., S., E.
Levaill. *Ois. Afr.* iii. p. 203, pls. 142, 143 (1802); *Cat. iv.* p. 357.
1391. erythroptera, *Sharpe, Cat. B. M.* iv. p. 357 (1879). W.

- | | |
|--|----|
| 1392. <i>tricolor</i> (<i>Fraser</i>), <i>Ann. N. H.</i> xii. p. 441 (1842). | W. |
| Cat. iv. p. 359. | |
| 1393. <i>newtoni</i> , <i>Bocage, Jorn. Lisb.</i> 1893, p. 17. | W. |
| 1394. <i>atrochalybea</i> (<i>Thomson</i>), <i>Ann. N. H.</i> x. p. 104 (1840). | W. |
| Cat. iv. p. 362. | |
| 1395. <i>corvina</i> (<i>E. Newton</i>), <i>P. Z. S.</i> 1867, p. 345.
E. Newton, <i>Ibis</i> , 1867, p. 349, pl. 4; Cat. iv. p. 362. | M. |

Family XXVI. HIRUNDINIDÆ.

Subfamily I. HIRUNDININÆ.

Genus I. CHELIDON.

Type.

- Chelidon*, *Boie, Isis*, 1822, p. 550 C. urbica.
 1396. *urbica* (*Linn.*), *S. N.* i. p. 344 (1766). W., S., N.E.
 Sharpe & Wyatt, *Mon. Hirund.* p. 7, pls. 1, 2 (1893); *Cat. x.* p. 87 (1885).
 1397. *albigena* (*Heugl.*), *J. f. O.* 1861, p. 419. N.E.
 Cat. x. p. 94.

Genus II. COTILE.

Type.

- Cotile, Boie, *Isis*, 1822, p. 550 C. riparia.
 Clivicola, Forster, *Syn. Cat. Brit. B.* p. 55 (1817, deser. null.). ? C. riparia.

1398. riparia (*Linn.*), S. N. i. p. 344 (1766). W., S., E., N.E.
 Sharpe & Wyatt, Mon. Hirund. p. 43, pl. 9 (1893); Cat. x. p. 96.

1399. shelleyi, Sharpe, *Cat. B. M.* x. p. 100 (1885). N.E.

1400. cincta (*Bodd.*), *Tabl. Pl. Enl.* p. 45 (1783). W., S., E., N.E.
 Sharpe & Wyatt, Mon. Hirund. p. 67, pl. 10 (1890); Cat. x. p. 101.

1401. congica, Reichen. *J. f. O.* 1887, p. 300. W.

1402. paludicola (*Vieill.*), *N. Dict.* xiv. p. 511 (1817). S.
 Sharpe & Wyatt, Mon. Hirund. p. 73, pl. 11 (1890); Cat. x. p. 102.

1403. minor, Cab. *Mus. Hein.* i. p. 49 (1850). E., N.E.
 Sharpe & Wyatt, Mon. Hirund. p. 77, pl. 12 (1887); Cat. x. p. 103.

1404. cowani, Sharpe, *Journ. Linn. Soc., Zool.* xvi. p. 322 (1882). M.
 Sharpe & Wyatt, Mon. Hirund. p. 79, pl. 13 (1889); Cat. x. p. 104.

Genus III. PTYONOPROGNE.

	<i>Type.</i>
Biblis, <i>Less. (nec Fabr.) Compl. Buff.</i> viii. p. 495 (1837)* . . . P. rupestris.	
Ptyonoprogne, <i>Reichenb. Av. Syst. Nat.</i> p. lxxxvii (1850) . . .	P. rupestris.
1405. rupestris (<i>Scop.</i>), <i>Ann. i.</i> p. 167 (1769).	N.E.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 99, pl. 15 (1892); <i>Cat. x.</i> p. 109.	
1406. obsoleta (<i>Cab.</i>), <i>Mus. Hein. i.</i> p. 50 (1850).	N.E.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 111, pl. 16 (1886); <i>Cat. x.</i> p. 111.	
1407. fuligula (<i>Licht.</i>), <i>in Forster's Dscr. Aniu.</i> p. 55 (1844).	S.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 115, pl. 17 (1885); <i>Cat. x.</i> p. 106.	
1408. anderssoni, <i>Sharpe & Wyatt, Mon. Hirund.</i> p. 119 (1887).	S.
1409. rufigula (<i>Fisch. & Reichen.</i>), <i>J. f. O.</i> 1884, p. 51.	E., N.E.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 121, pl. 18 (1887); <i>Cat. x.</i> p. 107.	

Genus IV. PHEDINA.

	<i>Type.</i>
Phedina, <i>Bp. C. R.</i> xli. p. 977 (1855)	P. borbonica.
1410. borbonica (<i>Gm.</i>), <i>S. N. i.</i> p. 1017 (1788).	M.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 201, pl. 27 (1889); <i>Cat. x.</i> p. 122.	
1411. madagascariensis, <i>Hartl. Faun. Madag.</i> p. 27 (1861).	M.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 205, pl. 28 (1889); <i>Cat. x.</i> p. 123.	
1412. brazzæ, <i>Oust. Le Naturaliste</i> , 1886, p. 300.	W.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 207, pl. 29 (1893).	

Genus V. HIRUNDO.

	<i>Type.</i>
Hirundo, <i>Linn. S. N. i.</i> p. 343 (1766)	H. rustica.
Cecropis, <i>Boie, Isis</i> , 1826, p. 971	H. cucullata.
Uromitus, <i>Bp. C. R.</i> xxxviii. p. 652 (1854)	H. filifera.
Hemicecrops, <i>Bp. Rivista Contemporanea</i> , p. 4 (1857)	H. dimidiata.
Lillia, <i>Boie, Isis</i> , 1844, p. 174, note; <i>id. J. f. O.</i> 1858, p. 364	H. rufula.
Waldenia, <i>Sharpe, Ibis</i> , 1869, p. 461	H. nigrita.
— 1413. rustica, <i>Linn. S. N. i.</i> p. 343 (1766).	W., S., E., N.E.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 213, pls. 36-38 (1893); <i>Cat. x.</i> p. 128.	
1414. savignii, <i>Steph. Gen. Zool.</i> x. p. 90 (1817).	N.E.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 237, pl. 39 (1889); <i>Cat. x.</i> p. 133.	
1415. angolensis, <i>Bocage, Jorn. Lisb.</i> 1868, p. 47.	W., S., E.
Sharpe & Wyatt, <i>Mon. Hirund.</i> p. 293, pl. 49 (1885); <i>Cat. x.</i> p. 145.	

* *Biblis* preoccupied in Entomology (Sharpe & Wyatt, *Mon. Hirund.* p. 1, 1894).

1416. *arcticincta*, Sharpe, *Ibis*, 1891, p. 119. E.
Sharpe & Wyatt, Mon. Hirund. p. 295, pl. 50 (1892).
1417. *lucida*, J. Verr. J. f. O. 1858, p. 42. W.
Sharpe & Wyatt, Mon. Hirund. p. 297, pl. 51 (1885); Cat. x. p. 145.
1418. *albigularis*, Strickl. *Contr. Orn.* 1849, p. 17, pl. 15. W., S., E.
Sharpe & Wyatt, Mon. Hirund. p. 303, pl. 52 (1889); Cat. x. p. 146.
1419. *aethiopica*, Blanf. *Ann. & Mag. N. H.* iv. p. 329 (1869). W., E., N.E.
Sharpe & Wyatt, Mon. Hirund. p. 307, pl. 53 (1885); Cat. x. p. 146.
1420. *leucosoma*, Swains. B. W. Afr. ii. p. 74 (1837). W.
Sharpe & Wyatt, Mon. Hirund. p. 311, pl. 54 (1885); Cat. x. p. 147.
1421. *dimidiata*, Sundev. *Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 107. S.
Sharpe & Wyatt, Mon. Hirund. p. 313, pl. 55 (1889); Cat. x. p. 148.
1422. *nigrita*, Gray, Gen. B. i. pl. 40 (1845). W.
Sharpe & Wyatt, Mon. Hirund. p. 317, pl. 56 (1886); Cat. x. p. 148.
1423. *atrocærulea*, Sundev. *Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 107. S.
Sharpe & Wyatt, Mon. Hirund. p. 319, pl. 57 (1886); Cat. x. p. 149.
1424. *nigrorufa*, Bocage, *Jorn. Lisb.* 1877, p. 158, 1878, p. 269. S.
Sharpe & Wyatt, Mon. Hirund. p. 325, pl. 58 (1886); Cat. x. p. 150.
1425. *smithi*, Leach, *App. to Tuckey's Voy. Congo*, p. 407 (1818). W., S., E., N.E.
Sharpe & Wyatt, Mon. Hirund. p. 327, pls. 59, 60 (1886); Cat. x. p. 150.
1426. *griseopyga*, Sundev. *Œfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 107. W., S., E., N.E.
Sharpe & Wyatt, Mon. Hirund. p. 335, pl. 61 (1886); Cat. x. p. 152.
1427. *cucullata*, Bodd. *Tabl. Pl. Enl.* p. 45 (1783). S.
Sharpe & Wyatt, Mon. Hirund. p. 337, pl. 62 (1886); Cat. x. p. 152.
1428. *puella*, Temm. & Schl. in *Fauna Japon.*, Av. p. 33 (1842). W., S., E., N.E.
— Sharpe & Wyatt, Mou. Hirund. p. 341, pl. 63 (1889); Cat. x. p. 154.
1429. *rufula*, Temm. Man. iii. p. 298 (1835). N.E.
Sharpe & Wyatt, Mon. Hirund. p. 347, pl. 64 (1889); Cat. x. p. 156.
1430. *melanocrissa* (*Rüpp.*), Syst. Uebers. pp. 22, pl. 5 (1845). N.E.
Sharpe & Wyatt, Mon. Hirund. p. 379, pl. 69 (1886); Cat. x. p. 165.
1431. *domicella*, Finsch & Hartl. *Vög. Ost-Afr.* p. 143 (1870). N.E.
Sharpe & Wyatt, Mon. Hirund. p. 381, pl. 70 (1885); Cat. x. p. 165.
1432. *semirufa*, Sundev. *Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 107. S.
Sharpe & Wyatt, Mon. Hirund. p. 395, pl. 73 (1885); Cat. x. p. 167.
1433. *gordoni*, Jard. *Contr. Orn.* 1849, p. 4. W.
Cat. x. p. 168.

- 1434. *emini*, *Reichen. J. f. O.* 1892, p. 215. S., E.
Sharpe & Wyatt, Mon. Hirund. p. 383, pl. 71 (1893).
1435. *senegalensis*, *Linn. S. N. i.* p. 345 (1766). W., E., N.E.
Sharpe & Wyatt, Mon. Hirund. p. 399, pl. 74 (1885); Cat. x. p. 168.
- 1436. *monteiri*, *Hartl. Ibis*, 1862, p. 310, pl. 11. W., S., E.
Sharpe & Wyatt, Mon. Hirund. p. 403, pl. 75 (1889); Cat. x. p. 169.

Genus VI. PETROCHELIDON.

*Type.**Petrochelidon*, *Cab. Mus. Hein. i.* p. 47 (1850) P. swainsoni.

1437. *rufigula* (*Bocage*), *Jorn. Lisb.* 1878, pp. 256, 269. S.
Sharpe & Wyatt, Mon. Hirund. p. 571, pl. 109 (1887); Cat. x. p. 197.
1438. *spilodera* (*Sunder.*), *Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 108. S.
Sharpe & Wyatt, Mon. Hirund. p. 573, pl. 110 (1890); Cat. x. p. 198.

Subfamily II. PSALIDOPROCNINÆ.

Genus PSALIDOPROCNE.

*Type.**Psalidoprocne*, *Cab. Mus. Hein. i.* p. 48 (1850) P. holomelæna.
Pristoptera, *Bp. Rivista Contemporanea*, p. 4 (1857) P. pristoptera.

1439. *holomelæna* (*Sundev.*), *Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 108. S., E.
Sharpe & Wyatt, Mon. Hirund. p. 603, pl. 114 (1886); Cat. x. p. 202.
1440. “*obscura* (*Temm.*)”, *Hartl. J. f. O.* 1855, p. 355. W.
Sharpe & Wyatt, Mon. Hirund. p. 607, pl. 115 (1885); Cat. x. p. 203.
1441. *chalybea*, *Reichen. J. f. O.* 1892, p. 412. W.
1442. *nitens*, *Cass. Proc. Philad. Acad.* 1857, p. 38. W.
Sharpe & Wyatt, Mon. Hirund. p. 611, pl. 116 (1888); Cat. x. p. 204.
- 1443. *orientalis*, *Reichen. J. f. O.* 1889, p. 277. E.
Sharpe & Wyatt, Mon. Hirund. p. 613, pl. 117 (1894).
1444. *antinorii*, *Salvad. Ann. Mus. Civ. Gen.* 1884, p. 123. N.E.
Sharpe & Wyatt, Mon. Hirund. p. 615, pl. 111 (1887); Cat. x. p. 205.
1445. *petiti*, *Sharpe & Bourier, Bull. S. Z. France*, 1876, p. 38, pl. 2. W.
Sharpe & Wyatt, Mon. Hirund. p. 617, pl. 119 (1888); Cat. x. p. 204.
1446. *fuliginosa*, *Shelley, P. Z. S.* 1887, p. 123. W.
Sharpe & Wyatt, Mon. Hirund. p. 619, pl. 120 (1888).
1447. *pristoptera* (*Rüpp.*), *N. Wirb. Vög.* p. 105, pl. 39, fig. 2 (1835). N.E.
Sharpe & Wyatt, Mon. Hirund. p. 621, pl. 121 (1886); Cat. x. p. 205.

1448. *albiceps*, *Sclat. P. Z. S.* 1864, p. 108, pl. 14. E.
 Sharpe & Wyatt, *Mon. Hirund.* p. 624, pl. 122 (1888); *Cat. x.* p. 206.

Family XXVII. PSEUDOCHELIDONIDÆ.

Genus PSEUDOCHELIDON.

- Pseudochelidon*, *Hartl. J. f. O.* 1861, p. 11 Type.
 P. *eurystomina*.
 1449. *eurystomina*, *Hartl. J. f. O.* 1861, p. 11. W.
Hartl. Ibis, 1861, p. 322, pl. 11; *Cat. xiii.* p. 21 (1890).

Order II. PICIFORMES.

Family I. CYPSELIDÆ.

Subfamily I. CHÆTURINÆ.

Genus I. CHÆTURA.

- Chætura*, *Steph. Gen. Zool.* xiii. (2) p. 76 (1826) Type.
 C. *pelagica*.
 1450. *sabinii*, *J. E. Gray in Griff. An. King.* ii. p. 70 (1829). W.
Cat. xvi. p. 487 (1892).
 1451. *boehmi*, *Schal. Orn. Centralbl.* 1882, p. 183; *id. J. f. O.* 1883, p. 104. E.
Cat. xvi. p. 489.
 1452. *anchietæ*, *Sousa, Jorn. Lisb.* 1887, p. 105. S.
Cat. xvi. p. 492.
 1453. *cassini*, *Scl. P. Z. S.* 1863, p. 205. W.
Cat. xvi. p. 488.
 1454. *ussheri*, *Sharpe, Ibis*, 1870, p. 483. W.
Hartert, Cat. xvi. p. 488, pl. 10 (1892).
 1455. *stictilæma* (*Reichen.*), *Orn. Centralbl.* 1879, p. 120; *id. J. f. O.* 1879, p. 315. E.
Reichen. Vög. Deutsch-O.-Afr. p. 142, fig. 66 (1894); *Cat. xvi.* p. 492.
 1456. *grandidieri*, *Schl. P. Z. S.* 1866, p. 421. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 196, pl. 71, fig. 2 (1879); *Cat. xvi.* p. 489.

Genus II. COLLOCALIA.

Type.

- Collocalia*, *Gray, List Gen. B.* p. 8 (1840) C. *esculenta*.
 1457. *francica* (*Gm.*), *S. N. i.* p. 1017 (1788). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 198, pl. 72 (1879); *Cat. xvi.* p. 503.

Subfamily II. CYPSELINÆ.

Genus I. CYPSELUS.

	<i>Type.</i>
* <i>Cypselus</i> , Illiger, <i>Prod. p. 229 (1811)</i>	C. apus.
1458. <i>apus</i> (<i>Linn.</i>), <i>S. N. i. p. 344 (1766).</i>	W., S., E., N.E., M.
Dresser, B. Eur. iv. p. 583, pl. 266 (1874); Cat. xvi. p. 442.	
— 1459. <i>murinus</i> , <i>Vern. Hare. Ann. & Mag. N. H. xvi. p. 437 (1855).</i> ^{Brehm 1855, 46-}	W., S., E., N.E.
Dresser, B. Eur. iv. p. 597, pl. 268, fig. 1 (1875); Cat. xvi. p. 446.	
1460. <i>shelleyi</i> , <i>Salvad. Ann. Mus. Civ. Gen. 1888, p. 47.</i>	N.E.
Cat. xvi. p. 445, note.	
1461. <i>niansæ</i> , <i>Reichen. J. f. O. 1887, p. 61.</i>	E.
Cat. xvi. p. 459.	
1462. <i>myoptilus</i> , <i>Salvad. Ann. Mus. Civ. Gen. 1888, p. 228.</i>	N.E.
Cat. xvi. p. 459.	
1463. <i>æquatorialis</i> , <i>Müll. Naum. 1851, p. 27.</i>	E., N.E.
Müll. N. Ois. Afr. pl. 7 (1854); Cat. xvi. p. 441.	
1464. “ <i>barbatus</i> , <i>Temm.</i> ,” <i>Sclat. P. Z. S. 1865, p. 599.</i>	S.
Cat. xvi. p. 447.	
1465. <i>unicolor</i> , <i>Jard. Edinb. Journ. Nat. & Geogr. Sc. i. p. 242, pl. 6 (1830).</i> W.	
Dresser, B. Eur. iv. p. 601, pl. 268, fig. 2 (1874); Cat. xvi. p. 448.	
1466. <i>toulsoni</i> , <i>Bocage, Jorn. Lisb. 1869, p. 339.</i>	W., S.
Cat. xvi. p. 453.	
1467. <i>melba</i> (<i>Linn.</i>), <i>S. N. i. p. 345 (1766).</i>	N.E.
Dresser, B. Eur. iv. p. 603, pl. 269 (1874); Cat. xvi. p. 438.	
— 1468. <i>africanus</i> , <i>Temm. Man. Orn. 1815, p. 270 (note).</i>	S., E., N.E.
Levaill. Ois. Afr. v. p. 143, pl. 243 (1806); Cat. xvi. p. 440.	
1469. <i>caffer</i> , <i>Licht. Verz. Doubl. p. 58 (1823).</i>	S.
Cat. xvi. p. 450.	
1470. <i>streubeli</i> , <i>Hartl. J. f. O. 1861, p. 416.</i>	W., E., N.E.
Cat. xvi. p. 452.	
— 1471. “ <i>horus</i> , <i>Hartl. & Finsch</i> ,” <i>Heugl. Orn. N.O.-Afr. p. 147 (1869).</i> W., E., N.E.	
Bouvier, Bull. S. Z. France, 1876, p. 228, pl. 6, fig. 1; Cat. xvi. p. 452.	
1472. “ <i>affinis</i> , <i>Hardw.</i> ,” <i>Frankl. P. Z. S. 1831, p. 116.</i>	W., E., N.E.
Dresser, B. Eur. iv. p. 591, pl. 267 (1874); Cat. xvi. p. 453.	

* Blanford, Faun. Brit. India, Birds, iii. p. 164, note (1892).

Genus II. TACHORNIS.

Type.

Tachornis, *Gosse, B. Jamaica*, p. 58, pl. 9 (1847) T. phœnicobia.

- 1473. parvus (*Licht.*), *Verz. Doubl.* p. 58 (1823). W., S., E., N.E.
 Temm. *Pl. Col.* pl. 460, fig. 2 (1828); *Cat. xvi.* p. 464.
- 1474. gracilis (*Sharpe*), *P. Z. S.* 1871, p. 315. W., E., M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 187, pl. 71, fig. 1 (1879); *Cat. xvi.* p. 464.

Family II. CAPRIMULGIDÆ.

Genus I. CAPRIMULGUS.

Type.

Caprimulgus, *Linn. S. N. i.* p. 346 (1766) C. europæus.

1475. europæus, *Liun. S. N. i.* p. 346 (1766). S., E., N.E.
 Dresser, *B. Eur.* iv. p. 621, pl. 271 (1875); *Cat. xvi.* p. 526.

1476. rufiligna, *Smith, Ill. Zool. S. Afr.* pl. 100 (1845). S.
 — Cat. xvi. p. 532.

1477. frænatus, *Salvad. Ann. Mus. Civ.* Gen. 1884, p. 118. E., N.E.
 Cat. xvi. p. 533.

1478. nigriscapularis, *Reichen. Orn. Monatsb.* 1893, p. 31. E.

1479. madagascariensis, *Sganz. Mém. Soc. H. N. Strasb.* 1840, p. 28. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 206, pl. 77 (1879); *Cat. xvi.* p. 535.

1480. pectoralis, *Cuv. Règn. Anim.* i. p. 376 (1817). S.
 Levaill. *Ois. Afr.* i. p. 186, pl. 49 (1799); *Cat. xvi.* p. 534.

1481. fervidus, *Sharpe, ed. Layard's B. S. Afr.* p. 86 (1875). S., E.
 Cat. xvi. p. 534.

1482. shelleyi, *Bocage, Jorn. Lisb.* 1878, p. 266. S.
 Cat. xvi. p. 534.

— 1483. donaldsoni, *Sharpe, Bull. B. O. C.* iv. p. xxix (1895). N.E. E.

— 1484. nubicus, *Licht. Verz. Doubl.* p. 59 (1823). N.E.
 Tristr. *Ibis*, 1866, p. 75, pl. 2; *Cat. xvi.* p. 560.

1485. eximus, *Temm. Pl. Col.* iv. pl. 398 (1826). N.E.
 Hartert, *Ibis*, 1892, p. 279, pl. 6; *Cat. xvi.* p. 563.

1486. lentiginosus, *Smith, Ill. Zool. S. Afr.* pl. 101 (1845). S., N.E.
 Rüpp. *Syst. Uebers.* p. 14, pl. 3 (1845); *Cat. xvi.* p. 536.

1487. *inornatus*, *Heugl. Orn. N.O.-Afr.* p. 129 (1869). W., E., N.E.
Cat. xvi. p. 556.
1488. *fossii*, *Hartl. Orn. W.-Afr.* p. 23 (1857). W., S., E.
Finsch & Hartl. *Vög. Ost-Afr.* p. 123, pl. 1 (1870); Cat. xvi. p. 551.
1489. *clarus*, *Reichen. J.f. O.* 1892, p. 29. E.
Cat. xvi. p. 552.
1490. *natalensis*, *Smith, Ill. Zool. S. Afr.*, *Av.* pl. 99 (1815). W., S.
Cat. xvi. p. 564.
1491. *fulviventris*, *Hartl. J.f. O.* 1861, p. 102. W.
Cat. xvi. p. 564.
1492. *poliocephalus*, *Rüpp. N. Wirb. Vög.* p. 106 (1835). E., N.E.
Rüpp. *Syst. Uebers.* p. 15, pl. 4 (1845); Cat. xvi. p. 546.
1493. *aegyptius*, *Licht. Verz. Doubl.* p. 59 (1823). N.E.
Shelley, B. Egypt, p. 175, pl. 8 (1872); Dresser, B. Eur. iv. p. 629, pl. 272 (1877); Cat. xvi. p. 562.
1494. *binotatus*, *Bp. Consp.* i. p. 60 (1850). W.
Cat. xvi. p. 576.
1495. *enarratus*, *Gray, Ann. & Mag. N. H.* vii. p. 428 (1871). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 213, pl. 79 (1879); Cat. xvi. p. 577.

Genus II. MACRODIPTERYX.

*Type.**Macrodipteryx, Swains. B. W. Afr.* ii. p. 62, pl. 5 (1837) . M. longipennis.

1496. *longipennis*, *Shaw, Nat. Misc.* pl. 265 (1790–1813). W., N.E.
Swains. B. W. Afr. ii. p. 62, pl. 5 (1837); Cat. xvi. p. 594.

Genus III. COSMETORNIS.

*Type.**Cosmetornis, Gray, List Gen. B.* p. 8 (1840) C. vexillarius.

1497. *vexillarius* (*Gould*), *Icon. Av.* ii. pl. 3 (1838). W., S., E.
Sclat. Ibis, 1864, p. 114, pl. 2; Cat. xvi. p. 595.

Genus IV. SCOTORNIS.

*Type.**Scotornis, Swains. B. W. Afr.* ii. p. 66 (1837) S. climacurus.

1498. *climacurus* (*Vieill.*), *Gal. Ois.* i. p. 195, pl. 122 (1825). W., N.E.
Cat. xvi. p. 596.

Family III. TROGONIDÆ.

Genus HAPALODERMA.

Type.

- Apaloderma*, *Swains. Class. B.* ii. p. 337 (1837) II. *marina*.
Heterotrogon, *Richmond, Proc. U.S. Nat. Mus.* xvii. p. 601 (1895). II. *vittatum*.

- 1499. *marina* (*Steph.*), *Shaw, Gen. Zool.* ix. p. 14 (1815). W., S., E., N.E.
Levail. Ois. Afr. v. p. 73, pls. 228, 229 (1806); *Cat. xvi.* p. 477 (1892).
1500. *constantia*, *Sharpe & Ussher, Ibis*, 1872, p. 181. W.
Gould, Mon. Trog. ed. ii. pl. 35 (1875); *Cat. xvii.* p. 479.
- 1501. *vittatum*, *Shelley, Ibis*, 1882, p. 306. E.
Grant, Cat. B. M. xvii. p. 480, pl. 16 (1892).

Family IV. CORACIIDÆ.

Subfamily I. LEPTOSOMINÆ.

Genus LEPTOSOMUS.

Type.

- Leptosomus*, *Vieill. Analyse*, p. 28 (1816) L. *discolor*.
- 1502. *discolor* (*Herm.*), *Affin. Anim.* p. 186 (1777). M.
Milne-Edw. & Grand. Hist. Mad., *Ois.* p. 224, pls. 83 ♂, 84 ♀ (1879); *Cat. xvii.* p. 1 (1892).
1503. *gracilis*, *Milne-Edw. & Oust. C. R. Acad. Sc. Paris*, 1885, p. 220. M.
Dresser, Mon. Corac. p. 107, pl. 27 (1893); *Cat. xvii.* p. 3.

Subfamily II. BRACHYPTERACIINÆ.

Genus I. BRACHYPTERACIAS.

Type.

- Brachypterus*, *Lafr. Mag. Zool.* 1834, pls. 31, 32 . . . B. *leptosoma*.
Geobiastes, *Sharpe, Ibis*, 1871, p. 281 B. *squamigera*.
1504. *leptosomus* (*Less.*), *Ill. Zool.* pl. 20 (1832). M.
M.-Ed. & Grand. Hist. Mad., *Ois.* p. 235, pl. 96; *Dress. Mon. Corac.* p. 87, pl. 22; *Cat. xvii.* p. 5.
1505. *squamigera*, *Lafr. Rev. Zool.* 1838, p. 224. M.
M.-Ed. & Grand. Hist. Mad., *Ois.* p. 241, pl. 100; *Dress. Mon. Corac.* p. 89, pl. 23; *Cat. xvii.* p. 6.

Genus II. ATELORNIS.

Type.

- Atelornis*, *Pucher. Rev. Zool.* 1846, p. 200 A. *pittoides*.
1506. *pittoides* (*Lafr.*), *Rev. Zool.* 1834, pl. 32. M.
M.-Ed. & Grand. Hist. Mad., *Ois.* p. 244, pl. 104; *Dress. Mon. Cor.* p. 93, pl. 24; *Cat. xvii.* p. 7.
1507. *crossleyi*, *Sharpe, P. Z. S.* 1875, p. 74, pl. 14. M.
M.-Ed. & Grand. Hist. Mad., *Ois.* p. 249, pl. 108; *Dress. Mon. Cor.* p. 97, pl. 25; *Cat. xvii.* p. 8.

Genus III. URATELORNIS.

Type.

Uratelornis, *Rothsch. Novit. Zool.* ii. p. 479 (1895) U. chimæra.

1508. *chimæra*, *Rothsch. Novit. Zool.* ii. p. 479 (1895), iii. pl. 2 (1896). M.

Subfamily III. CORACINÆ.

Genus I. EURYSTOMUS.

Type.

Eurystomus, *Vieill. Analyse*, p. 37 (1816) E. orientalis.

Cornopio, *Cab. Mus. Hein.* ii. p. 119 (1859). E. afer.

— 1509. *glaucus* (*P. L. S. Müll.*), *S. N. Suppl.* p. 86 (1776). M.

M.-Ed. & Grand. Hist. Mad., Ois. p. 214, pl. 80; Dresser, Mon. Cor. p. 53, pl. 14; Cat. xvii. p. 29.

— 1510. *afer* (*Lath.*), *Ind. Orn.* i. p. 172 (1790). W., S., E., N.E.

Dresser, Mon. Corac. p. 57, pl. 15 (1893); Cat. xvii. p. 30.

— 1511. *gularis*, *Vieill. N. Dict.* xxix. p. 246 (1819). W.

Dresser, Mon. Corac. p. 63, pl. 15 (1893); Cat. xvii. p. 32.

Genus II. CORACIAS.

Type.

Coracias, *Linn. S. N.* i. p. 159 (1766). C. garrula.

Coraciura, *Bp. Consp. Voluer. Auisod.* p. 7 (1854) C. cyanogastra.

— 1512. *garrulus*, *Linn. S. N.* i. p. 159 (1766). S., E., N.E.

Dresser, B. Eur. v. p. 141, pl. 293 (1871); id. Mon. Corac. p. 19, pl. 7 (1893); Cat. xvii. p. 15.

1513. *abyssinicus*, *Bodd. Tabl. Pl. Ent.* p. 38 (1783). W., N.E.

Dresser, Mon. Corac. p. 3, pl. 1 (1893); Cat. xvii. p. 19.

1514. *lorti*, *Shelley, Ibis*, 1885, p. 399. N.E.

Dresser, Mon. Corac. p. 7, pl. 2 (1893); Cat. xvii. p. 20.

— 1515. *caudatus*, *Linn. S. N.* i. p. 160 (1766). W., S., E.

Dresser, Mon. Corac. p. 9, pl. 3 (1893); Cat. xvii. p. 21.

1516. *spatulatus*, *Trimen, P. Z. S.* 1880, p. 30. S., E.

Dresser, Mon. Corac. pp. 13, 17, pls. 4, 5, 6 (1893); Cat. xvii. p. 22.

1517. *weigalli*, *Dresser, Ann. & Mag. N. H.* (6) vi. p. 351 (1890). E.

Dresser, Mon. Corac. p. 17, pl. 6 (1893); Cat. xvii. p. 22, pt.

1518. *cyanogaster*, *Cuv. Règne Anim.* i. p. 401 (1817). W.

Dresser, Mon. Corac. p. 47, pl. 12 (1893); Cat. xvii. p. 27.

1519. *nævius*, *Daud. Traité*, ii. p. 258 (1800). W., E., N.E.
Dresser, Mon. Corac. p. 39, pl. 10 (1893); Cat. xvii. p. 24.
1520. *mosambicus*, *Dresser, Ibis*, 1890, p. 385. W., S.
Dresser, Mon. Corac. p. 43, pl. 11 (1893); Cat. xvii. p. 25.

Family V. MEROPIDÆ.

Genus I. DICROERCUS.

- Type.*
- Dicrocercus*, *Cub. & Heine, Mus. Hein.* ii. p. 136 (1863). . . *D. hirundineus*.
1521. *hirundineus* (*A. A. H. Liebt.*), *Cat. rer. nat. rariss. Hamb.* p. 21 (1793). S., E.
Dresser, Mon. Merop. p. 99, pl. 22 (1884); Cat. xvii. p. 43, pl. 1. fig. 1 (1892).
1522. *fureatus* (*Stanley*), *in Salt's Voy. Abyss.* App. iv. p. 57 (1814). W., N.E.
Jard. & Selb. Ill.O.ii.pl.99 (1829); Sw. B.W.Af. ii.p.91,pl.10(1837); Cat.xvii.p.42,pl.1.fig.2.

Genus II. MELITTOPHAGUS.

Type.

- Melittophagus*, *Boie, Isis*, 1828, p. 316 *M. pusillus*.
Meropiscus, *Sunder. (Esf. K. Vet.-Ak. Förh. Stockh.* 1849, p. 162 *M. gularis*.
Sphecophobus, *Reichenb. Handb. Merop.* p. 82 (1852) . . . *M. variegatus*.
Coccolarynx, *Reichenb. t. c.* p. 83 *M. bullocki*.
Spheconax, *Cub. & Heine, Mus. Hein.* ii. p. 133 (1859) . . . *M. albifrons*.

1523. *pusillus* (*P. L. S. Müll.*), *S. N. Suppl.* p. 95 (1776). W., N.E.
Dresser, Mon. Merop. pl. 25 (1885); Cat. xvii. p. 47, pl. 1. fig. 5.
1524. *meridionalis*, *Sharpe, Cat. B. M.* xvii. p. 45, pl. 1. fig. 4 (1892). W., S., E.
1525. *cyanostictus*, *Cub. J. f. O.* 1875, p. 310. W., E., N.E.
Kittl. *Kupf. Vög.* p. 5, pl. 7. fig. 2 (1832); Cat. xvii. p. 48, pl. 1. fig. 3.
1526. *oreobates*, *Sharpe, Ibis*, 1892, p. 320. E.
1527. *variegatus* (*Vieill.*), *N. Dict.* xiv. p. 25 (1817). W., E.
Dresser, Mon. Merop. p. 107, pl. 24 (1885); Cat. xvii. p. 48.
1528. *lafresnayii* (*Guérin*), *Rev. Zool.* 1843, p. 322. N.E.
Dresser, Mon. Merop. p. 123, pls. 28, 29 (1885); Cat. xvii. p. 49.
1529. *gularis* (*Shaw & Nodder*), *Nat. Misc.* ix. pl. 337 (1798). W.
Dresser, Mon. Merop. p. 123, pls. 28, 29 (1885); Cat. xvii. p. 50.
1530. *bullocki* (*Vieill.*), *N. Dict.* xiv. p. 13 (1817). W., N.E.
Swains. B. W. Afr. ii. p. 80, pl. 8 (1837); Cat. xvii. p. 51.
1531. *frenatus* (*Hartl.*), *J. f. O.* 1854, p. 257. N.E.
Dresser, Mon. Merop. pl. 32 (1885); Cat. xvii. p. 52.

1532. *boleslavskii* (*Pelz.*), *Sitz. k. Akad. Wien*, xxx. p. 320 (1858). W., N.E.
Dresser, Mon. Merop. p. 137, pl. 33 (1885); Cat. xvii. p. 53.
1533. *bullockoides*, *Smith, S. Afr. Quart. Journ.* 1831, p. 320. S., E.
Smith, Ill. Zool. S. Afr. Av. pl. 9 (1838); Dresser, Mon. Merop. p. 129, pl. 31 (1887); Cat. xvii. p. 53.
1534. *revoilii*, *Oust. in Revoil's Faun. et Flor. Comalis, Ois.* p. 5, pl. 1 (1885). N.E.
Dresser, Mon. Merop. p. 139, pl. 34 (1886); Cat. xvii. p. 54.

Genus III. MEROPS.

Type.

<i>Merops</i> , <i>Linn. S. N. i.</i> p. 182 (1766)	M. apiaster.
<i>Melittotheres</i> , <i>Reichenb. Handb. Merop.</i> p. 82 (1852)	M. nubicus.
<i>Tephraerops</i> , <i>Reichenb. t. c.</i> p. 82	M. malimbicus.
<i>Melittophas</i> , <i>Reichenb. t. c.</i> p. 82	M. bicolor.
<i>Aërops</i> , <i>Reichenb. t. c.</i> p. 82	M. albicollis.
<i>Phlothrus</i> , <i>Reichenb. t. c.</i> p. 82	M. viridis.
<i>Bombylonax</i> , <i>Heine, J. f. O.</i> 1859, p. 434	M. breweri.

1535. *muelleri*, *Cass. Journ. Philad. Acad.* 1857, p. 35. W.
Dresser, Mon. Merop. p. 127, pl. 30 (1885); Cat. xvii. p. 59.
- 1536. *apiaster*, *Linn. S. N. i.* p. 182 (1766). W., S., E., N.E.
Dresser, Mon. Merop. p. 75, pl. 18 (1884); Cat. xvii. p. 63.
- 1537. *persicus*, *Pall. Reis. Russ. Reichs*, ii. Anhang, p. 708 (1773). W., S., E., N.E.
Dresser, Mon. Merop. p. 63, pl. 16 (1884); Cat. xvii. p. 66.
- 1538. *superciliosus*, *Linn. S. N. i.* p. 183 (1766). W., S., E., N.E., M.
Dresser, Mon. Merop. p. 71, pl. 17 (1884); Cat. xvii. p. 70.
1539. *albicollis*, *Vicell. N. Dict.* xiv. p. 15 (1817). W., S., E., N.E.
Dresser, Mon. Merop. p. 47, pl. 13 (1884); Cat. xvii. p. 76.
1540. *viridis*, *Linn. S. N. i.* p. 182 (1766). W., N.E.
Dresser, Mon. Merop. p. 31, pls. 8, 9 (1884); Cat. xvii. p. 78.
1541. *cyanophrys* (*Cab. & Heine*), *Mus. Hein.* ii. p. 137 (1860). N.E.
Heugl. Orn. N.O.-Afr. p. 203, pl. 6 (1870); Dresser, Mon. Merop. p. 45, pl. 11; Cat. xvii. p. 83.
1542. *boehmi*, *Reichen. J. f. O.* 1882, p. 232, pl. 2, fig. 3. E.
Shelley, P. Z. S. 1882, p. 303, pl. 16; Dresser, Mon. Merop. p. 45, pl. 12 (1884); Cat. xvii. p. 83.
1543. *natalensis*, *Reichenb. Handb. Merop.* p. 78, pl. 451, figs. 3252–53 (1852). W., S.
Dresser, Mon. Merop. p. 93, pl. 21 (1884); Cat. xvii. p. 84.
- 1544. *nubicus*, *Gm. S. N. i.* p. 464 (1788). W., E., N.E.
Dresser, Mon. Merop. p. 89, pl. 20 (1884); Cat. xvii. p. 85.
1545. *malimbicus*, *Shaw, Nat. Misc.* xvii. pl. 701 (1806). W.
Dresser, Mon. Merop. p. 87, pl. 19 (1884); Cat. xvii. p. 86.
1546. *breweri* (*Cass.*), *Proc. Philad. Acad.* 1859, p. 34. W.
Dresser, Mon. Merop. p. 21, pl. 5 (1884); Cat. xvii. p. 86.

Family VI. UPUPIDÆ.

Genus I. UPUPA.

- Type.
- Upupa*, *Linn. S. N. i.* p. 183 (1766) U. epops.
1547. *epops*, *Linn. S. N. i.* p. 183 (1766). W., N.E.
Dresser, *B. Eur. v.* p. 179, pl. 298 (1871); *Cat. xvi.* p. 4 (1892).
1548. *marginata*, *Bp. Conspl. Vol. Anis.* p. 12 (1854). M.
Milne-Edw. & Grand. *Hist. Madag.*, *Ois.* p. 270, pl. 95 (1879); *Cat. xvi.* p. 13.
1549. *somalensis*, *Salvin, Cat. B. M.* xvi. p. 13, pl. 1 (1892). N.E.
1550. *africana*, *Bechst. Kurze Uebers.* ix. p. 172 (1811). W., S., E.
Vieill. *Gal. Ois. i.* p. 306, pl. 184 (1825); *Jard. & Selb. Ill. Orn.* pl. 142 (1839); *Cat. xvi.* p. 14.

Genus II. IRRISOR.

- Type.
- Irrisor*, *Less. Traité Orn.* p. 239 (1831) *I. viridis*.
- 1551. *viridis* (*A. A. H. Licht.*), *Cat. rer. nat. rariss. Hamb.* p. 22 (1793). W., S., E.
Levaill. *Hist. Nat. Pomerops &c.* p. 8, pls. 1, 2, 3 (1837); *Cat. xvi.* p. 17.
1552. *erythrorhynchus* (*Lath.*), *Ind. Orn. i.* p. 280 (1790). W., E., N.E.
Lath. Gen. Syn. Suppl. i. p. 124, pl. 110 (1787); *Cat. xvi.* p. 19.
1553. *bollii*, *Hartl. J. f. O.* 1858, p. 445. W.
Salvin, Cat. B. M. xvi. p. 20, pl. 2 (1892).
1554. *jacksoni*, *Sharpe, Ann. & Mag. N. H.* iv. p. 503 (1890). E.
Salvin, Cat. B. M. xvi. p. 21, pl. 3, fig. 1 (1892).

Genus III. SCOPTELUS.

- Type.
- Scopelus*, *Cab. Mus. Hein. ii.* p. 129 (1859) *S. notatus*.
1555. *castaneiceps* (*Sharpe*), *Ibis*, 1871, p. 414. W.
Salvin, Cat. B. M. xvi. p. 23, pl. 3, fig. 2 (1892).
1556. *atterrimus* (*Steph.*), *in Shaw's Gen. Zool.* xiv. pt. 1, p. 257 (1826). W.
Cat. xvi. p. 22.
1557. *notatus*, *Salvin, Ann. & Mag. N. H.* vii. p. 275 (1895). W., N.E.
Cat. xvi. p. 22.
1558. *anchietæ*, *Bocage, Jorn. Lisb.* 1893, p. 254. S.

Genus IV. RHINOPOMASTUS.

- Type.*
- | | |
|---|----------------|
| Rhinopomastus, <i>Smith, Zool. Journ.</i> iv. p. 2, pl. 1 (1828) . . . | R. cyanomelas. |
| — 1559. cyanomelas (<i>Vieill.</i>), <i>N. Dict.</i> xxviii. p. 165 (1819). | S., E. |
| Jard. Zool. Journ. iv. p. i, pl. 1 (1828); Cat. xvi. p. 24. | |
| — 1560. cabanisi (<i>De Filippi</i>), <i>Rev. et Mag. Zool.</i> 1853, p. 289. | E., N.E. |
| Cat. xvi. p. 26. | |
| 1561. minor (<i>Rüpp.</i>), <i>Syst. Uebers.</i> p. 28, pl. 8. | N.E. |
| Cat. xvi. p. 26. | |

Family VII. BUCEROTIDÆ.

Genus I. BUCORVUS.

- | | |
|---|-----------------|
| <i>Type.</i> | |
| Bucorvus, <i>Less. Traité Orn.</i> p. 256 (1831) | B. abyssinicus. |
| 1562. abyssinicus (<i>Bodd.</i>), <i>Tabl. Pl. Enl.</i> p. 48 (1783). | W., N.E. |
| Elliot, <i>Mon. Bucer.</i> pl. 2 (1878); Cat. xvii. p. 349 (1892). | |
| 1563. caffer (<i>Boege</i>), <i>P. Z. S.</i> 1873, p. 698, figs. 2, 5, 6. | W., S., E. |
| Elliot, <i>Mon. Bucer.</i> pl. 3 (1880); Cat. xvii. p. 351. | |

Genus II. CERATOGYMNÆ.

- | | |
|--|------------|
| <i>Type.</i> | |
| Ceratogymna, <i>Bp. Consp. Vol. Anisod.</i> p. 2 (1854) | C. elata. |
| Sphagolobus, <i>Cab. & Heine, Mus. Hein.</i> ii. p. 171 (1860) | C. atrata. |
| 1564. elata (<i>Temm.</i>), <i>Pl. Col.</i> ii. p. 75, pl. 521, fig. 1 (1831). | W. |
| Elliot, <i>Mon. Bucer.</i> pl. 23 (1878); Cat. xvii. p. 388. | |
| 1565. atrata (<i>Temm.</i>), <i>Pl. Col.</i> ii. p. 69, pl. 558 (1834). | W., N.E. |
| Elliot, <i>Mon. Bucer.</i> pl. 24 (1877); Cat. xvii. p. 389. | |

Genus III. BYCANISTES.

- | | |
|---|----------------|
| <i>Type.</i> | |
| Bycanistes, <i>Cab. & Heine, Mus. Hein.</i> ii. p. 171 (1860) . . . | B. buccinator. |
| Pholidophalus, <i>Elliot, Mon. Bucer.</i> pl. 32, text (1878) . . . | B. fistulator. |
| 1566. buccinator (<i>Temm.</i>), <i>Pl. Col.</i> ii. p. 93, pl. 284 (1824). | W., S., E. |
| Elliot, <i>Mon. Bucer.</i> pl. 27 (1880); Cat. xvii. p. 421. | |
| 1567. leucopygius (<i>Dubois</i>), <i>Bull. Mus. R. Belg.</i> iii. p. 202, pl. 10, fig. 1 (1884). | N.E. |
| Cat. xvii. p. 418. | |
| 1568. fistulator (<i>Cass.</i>), <i>Pr. Acad. Philad.</i> 1850, p. 68. | W. |
| Cat. xvii. p. 422. | |

1569. *sharpii*, *Elliot, Ibis*, 1873, p. 177. W.
Elliot, Mon. Bucer. pl. 33 (1881); Cat. xvii. p. 422.
1570. *cristatus* (*Rüpp.*), *N. Wirb. Vög.* p. 3, pl. 1 (1835). W., S., E.
Elliot, Mon. Bucer. pl. 26 (1877); Cat. xvii. p. 417.
1571. *subcylindricus* (*Sclat.*), *P. Z. S.* 1870, p. 668, pl. 39. W., E.
Elliot, Mon. Bucer. pl. 29 (1877); Cat. xvii. p. 419.
1572. *subquadratus*, *Cab. J. f. O.* 1880, p. 350, fig. 1. W., E., N.E.
Elliot, Mon. Bucer. pl. 28 (1882); Cab. J. f. O. 1880, pl. 1; Cat. xvii. p. 419.
1573. *cylindricus* (*Temm.*), *Pl. Col.* ii. p. 76, pl. 521. fig. 2 (1824). W.
Elliot, Mon. Bucer. pl. 30 (1881); Cat. xvii. p. 420.
1574. *albotibialis* (*Cab. & Reichen.*), *J. f. O.* 1877, p. 103; 1878, pl. 1. W.
Elliot, Mon. Bucer. pl. 31 (1880); Cat. xvii. p. 420.

Genus IV. LOPHOCEROS.

Type.

- Lophoceros*, *Hemp. & Ehr. Sym. Ph. Av.* fol. z (1828) . *L. nasutus.*
Alophius, *Hemp. & Ehr. t. c.* fol. aa, footnote 1 (1828) . *L. erythrorhynchus.*
Rhynchaceros, *Gloger, Hand- u. Hilfsb.* p. 335 (1842) . *L. melanoleucus.*

1575. *fasciatus* (*Shaw*), *Gen. Zool.* viii. p. 34 (1811). W., N.E.
Elliot, Mon. Bucer. pl. 50, upper fig. (1878); Cat. xvii. p. 402.
1576. *semifasciatus* (*Hartl.*), *J. f. O.* 1855, p. 356. W.
Elliot, Mon. Bucer. pl. 50, lower fig. (1878); Cat. xvii. p. 401.
1577. *monteiri* (*Hartl.*), *P. Z. S.* 1865, p. 87, pl. 5. S.
Elliot, Mon. Bucer. pl. 53 (1877); Cat. xvii. p. 403.
1578. *hemprichi* (*Ehreub.*), *Symb. Phys. Av.* fol. aa, footnote 3 (1828). N.E.
Elliot, Mon. Bucer. pl. 52 (1877); Cat. xvii. p. 405.
1579. *melanoleucus* (*Licht.*), *Cat. rer. nat. rar. Hmb.* p. 8 (1793). W., S., E., N.E.
Elliot, Mon. Bucer. pl. 49 (1880); Cat. xvii. p. 399.
1580. *camurus* (*Cass.*), *Pr. Acad. Philad.* 1856, p. 319. W., N.E.
Elliot, Mon. Bucer. pl. 59 (1880); Cat. xvii. p. 404.
1581. *nasutus* (*Linn.*), *S. N. i.* p. 154 (1766). N.E.
Cat. xvii. p. 406.
1582. *epirhinus* (*Sundev.*), *Œfv. K. Vet.-Ak. Förh.* 1850, p. 108. S., E.
Elliot, Mon. Bucer. pl. 47 (1877); Cat. xvii. p. 408.
1583. *pallidirostris* (*Finsch & Hartl.*), *Vög. Ostafsr.* p. 871 (1870). W., S.
Dubois, Bull. Mus. R. Belg. 1884, p. 213, pl. 10, fig. 2 (head); Cat. xvii. p. 406.
1584. *neumannii*, *Reichen. Orn. Monatsb.* 1891, p. 50. E.

1585. *deckeni* (*Cab.*), in *Decken's Reis.* iii. p. 36, pl. 6 (1869). W., E., N.E.
Cab. J. f. O. 1870, p. 235, pl. 2; *Elliot, Mon. Bucer.* pl. 57 (1881); *Cat. xvii.* p. 416.

1586. *jacksoni*, *Grant, Ibis*, 1891, p. 127. E.
Grant, Cat. B. M. xvii. p. 416, pl. 13 (1892).

1587. *sibbensis*, *Sharpe, Bull. B. O. C.* iv. p. xxxii (1895). N.E.

1588. *erythrorhynchus* (*Temm.*), *Pl. Col.* ii. pl. 19 (1823). W., S., E., N.E.
Elliot, Mon. Bucer. pl. 56 (1878); *Cat. xvii.* p. 409.

1589. *mediana*, *Sharpe, P. Z. S.* 1895, p. 498. N.E.

1590. *damarensis*, *Shelley, Ibis*, 1888, p. 66. S.
Grant, Cat. B. M. xvii. p. 411, pl. 14 (1892).

1591. *flavirostris* (*Rüpp.*), *N. Wirb. Vög.* p. 6, pl. 2, fig. 2 (1835). E., N.E.
Cat. xvii. p. 412.

1592. *somaliensis*, *Reichen. J. f. O.* 1895, p. 96. N.E.

1593. *leucomelas* (*Licht.*), *Verz. Säugeth. u. Vög.* 1842, p. 17. S.
Elliot, Mon. Bucer. pl. 51 (1877); *Cat. xvii.* p. 414.

1594. *elegans*, *Hartl. P. Z. S.* 1865, p. 86, pl. 4. S.
Cat. xvii. p. 415.

1595. *hartlaubi* (*Gould*), *P. Z. S.* 1860, p. 380. W.
Elliot, Mon. Bucer. pl. 58 (1881); *Cat. xvii.* p. 403.

1596. *granti*, *Hartert, Novit. Zool.* ii. p. 55 (1895). W.

Genus V. ORTHOLOPHUS.

Type.

Ortholophus, *Ogilvie Grant, Cat. B. M.* xvii. p. 424 (1892). O. albocristatus.

1597. *albocristatus* (*Cass.*), *Journ. Acad. Sc. Philad.* i. p. 135, pl. 15 (1848). W.
Elliot, *Mon. Bucer.* pl. 40 (1877); *Cat.* xvii. p. 425.

1598. *leucolophus* (*Sharpe*), *Zool. Rec.* 1871, p. 54 (1873). W.
Elliot, *Mon. Bucer.* pl. 41 (1877); *Cat.* xvii. p. 426.

Family VIII. ALCEDINIDÆ.

Subfamily I. ALCEDININÆ.

Genus I. CERYLE.

Type.

Ceryle, Boie, Isis, 1828, p. 316 C. rudis.

- 1599. *rudis* (*Linn.*), *S. N. i.* p. 181 (1766). W., S., E., N.E.
Sharpe, *Mon. Alecid.* p. 61, pl. 19 (1871); *Cat. xvii.* p. 109 (1892).

- 1600. *maxima* (*Pall.*), *Spic. Zool.* fasc. iv. p. 14 (1769). W., S., E., N.E.
Sharpe, Mon. Alced. p. 67, pl. 2 (1869); Cat. xvii. p. 118.
1601. *sharpii*, *Gould, Ann. & Mag. N. H.* (4) iv. p. 271 (1869). W.
Sharpe, Mon. Alced. p. 71, pl. 21 (1869); Cat. xvii. p. 120.

Genus II. ALCEDO.

Type.

- Alcedo*, *Linn. S. N.* i. p. 178 (1766) A. *ispida*.
- 1602. *semitorquata*, *Swains. Zool. Ill.* iii. pl. 151 (1823). S., E., N.E.
Rüpp. *Syst. Ueb.* p. 20, pl. 7 (1845); Sharpe, Mon. Alced. p. 27, pl. 7 (1869); Cat. xvii. p. 153.
1603. *quadribrachys*, *Bp. Consp. Av.* i. p. 158 (1850). W.
Sharpe, Cat. B. M. xvii. p. 157, pl. 4. fig. 1.
1604. *guentheri*, *Sharpe, Cut. B. M.* xvii. p. 156, pl. 4. fig. 2 (1892). W.

Genus III. CORYTHORNIS.

Type.

- Corythornis*, *Kaup, Fam. Eisvög.* p. 11 (1848) C. *cristata*.
- 1605. *cristata* (*Linn.*), *S. N.* i. p. 178 (1766). M.
Sharpe, Mon. Alced. p. 23, pl. 10 (1869); Cat. xvii. p. 162.
1606. *cyanostigma* (*Rüpp.*), *N. Wirb. Vög.* p. 70, pl. 24. fig. 2 (1835). W., S., E., N.E.
Sharpe, Mon. Alced. p. 35, pl. 11 (1869); Cat. xvii. p. 163.
1607. *galerita* (*P. L. S. Müll.*), *S. N. Suppl.* p. 94 (1776). W.
Sharpe, Mon. Alced. p. 39, pl. 12 (1869); Cat. xvii. p. 166.

Subfamily II. DACELONINÆ.

Genus I. ISPIDINA.

Type.

- Ispidina*, *Kaup, Fam. Eisvög.* p. 11 (1848) I. *picta*.
- 1608. *picta* (*Bodd.*), *Tabl. Pl. Ent.* p. 49 (1783). W., N.E.
Sharpe, Mon. Alced. p. 141, pl. 51 (1869); Cat. xvii. p. 190.
1609. *natalensis* (*Smith*), *S. Afr. Quart. Journ.* no. 5, p. 14 (1831). S., E.
Sharpe, Mon. Alced. p. 145, pl. 52 (1869); Cat. xvii. p. 193.
1610. *leucogastra* (*Fraser*), *P. Z. S.* 1846, p. 4. W.
Sharpe, Mon. Alced. p. 139, pl. 50 (1868); Cat. xvii. p. 193.
- 1611. *madagascariensis* (*Linn.*), *S. N.* i. p. 179 (1766). M.
Sharpe, Mon. Alced. p. 137, pl. 49 (1869); Cat. xvii. p. 194.

Genus II. MYIOCEYX.

Type.

Myioceyx, Sharpe, *Mon. Alced.* Introd. pp. xi, xiii (1871) . . . M. ruficeps.

1612. **ruficeps**, Hartl. *Orn. W.-Afr.* p. 262 (1857). W.

Sharpe, *Mon. Alced.* p. 147, pl. 53 (1869); Cat. xvii. p. 195.

1613. **lecontii** (*Cass.*), Proc. Philad. Acad. 1856, p. 158. W.

Sharpe, *Mon. Alced.* p. 140, pl. 54 (1871); Cat. xvii. p. 196.

Genus III. HALCYON.

Type.

Halcyon, Swains. Zool. Ill. text to pl. 27 (1820) . . . II. senegalensis.

Chelicutia, Reichenb. Handb. Alced. i. p. 38 (1851) . . . II. chelictensis.

1614. **badius**, Verr. Rev. et Mag. Zool. 1851, p. 264. W.

Sharpe, *Mon. Alced.* p. 159, pl. 58 (1870); Cat. xvii. p. 221.

— 1615. **semicæruleus**, Forskål, Descr. Anim. p. 2 (1775). W., E., N.E.

Sharpe, *Mon. Alced.* p. 173, pl. 64, fig. of adult (1870); Cat. xvii. p. 232.

1616. **pallidiventris**, Cab. J. f. O. 1880, p. 349. W., S., E.

Sharpe, *Mon. Alced.* p. 173, pl. 64, fig. of young (1870); Cat. xvii. p. 235.

1617. **albiventris** (*Scop.*), Del. Flor. et Faun. Insubr. ii. p. 9 (1786). S.

Sharpe, *Mon. Alced.* p. 177, pl. 65 (1870); Cat. xvii. p. 236.

— 1618. **orientalis**, Peters, J. f. O. 1878, p. 134. W., S., E.

Sharpe, *Mon. Alced.* p. 181, pl. 66 (1869); Cat. xvii. p. 238.

— 1619. **chelictensis** (*Stanl.*), Salt's Exp. Abyss. App. p. lvi (1834)*. W., S., E., N.E.

Sharpe, *Mon. Alced.* p. 183, pl. 37 (1870); Cat. xvii. p. 239.

— 1620. **senegaloides**, Smith, S. Afr. Quart. Journ. (2) 1834, p. 144. S., E.

Smith, Ill. Zool. S. Afr. pl. 63 (1840); Sharpe, *Mon. Alced.* p. 187, pl. 68 (1869); Cat. xvii. p. 242.

1621. **senegalensis** (*Linn.*), S. N. i. p. 180 (1766). W., S., E., N.E.

Sharpe, *Mon. Alced.* p. 191, pl. 70 (1870); Cat. xvii. p. 242.

1622. **cyanoleucus** (*Vieill.*), N. Dict. xix. p. 401 (1818). W., S., E., N.E.

Sharpe, *Mon. Alced.* p. 189, pl. 69 (1869); Cat. xvii. p. 245.

1623. **torquatus**, Swains. B. W. Afr. ii. p. 99 (1837). W.

Sharpe, *Cat. B. M.* xvii. p. 246, pl. 6. fig. 1 (head, 1892).

1624. **forbesi**, Sharpe, *Cat. B. M.* xvii. p. 247, pl. 6. fig. 2 (head, 1892). W.

1625. **fortis**, Reichen. Orn. Monatsb. 1893, p. 202. W.

Buff. Hist. Nat. viii. p. 64, pl. 334 (1783).

1626. **malimbicus** (*Shaw*), Gen. Zool. viii. p. 66 (1811). W., N.E.

Sharpe, *Mon. Alced.* p. 195, pl. 72 (1870); Cat. xvii. p. 246, pl. 6. fig. 3 (head).

* *chelicuti*, err.

1627. *dryas*, *Hartl. J. f. O.* 1854, p. 2. W.
Sharpe, Mon. Alced. p. 193, pl. 71 (1868); Cat. xvii. p. 248.
1628. *abyssinicus* (*Licht.*), *Nomencl. Av.* p. 67 (1854). N.E.
Cat. xvii. p. 278.

Family IX. COLIIDÆ.

Genus COLIUS.

Type.

<i>Colius</i> , <i>Briss. Orn.</i> iii. p. 304 (1760)	C. colius.
<i>Rhabdocolius</i> , <i>Bp. Consp. Volucr. Anisod.</i> p. 3 (1854)	C. striatus.
<i>Urocolius</i> , <i>Bp. t. c.</i> p. 3	C. macrurus.

1629. *colius* (*Linn.*), *S. N. i.* p. 301 (1766). S.
Levaill. *Ois. Afr.* vi. p. 391, pl. 257 (1808); Cat. xvii. p. 343 (1892).
1630. *castanonotus*, *J. & E. Verr. Rev. et Mag. Zool.* 1855, p. 351. W.
Selat. *P. Z. S.* 1876, p. 413, pl. 35; Cat. xvii. p. 342.
1631. *nigricollis*, *Vieill. N. Dict.* vii. p. 378 (1817). W., N.E.
Levaill. *Ois. Afr.* vi. p. 45, pl. 259 (1808); Cat. xvii. p. 341.
1632. *nigriscapalis*, *Reichen. J. f. O.* 1892, pp. 180, 218. W.
Cat. xvii. p. 500.
1633. *striatus*, *Gm. S. N. i.* p. 843 (1788). S.
Levaill. *Ois. Afr.* vi. p. 36, pl. 256 (1808); Cat. xvii. p. 339.
1634. *leucotis*, *Rüpp. Mus. Senckenb.* iii. p. 42, pl. 2, fig. 1 (1845). N.E.
Sharpe, *Cat. B. M.* xvii. p. 321, pl. 12, fig. 1.
- 1635. *affinis*, *Shelley's Ibis*, 1885, p. 312. E.
Sharpe, *Cat. B. M.* xvii. p. 342, pl. 12, fig. 2.
1636. *leucocephalus*, *Reichen. Orn. Centbl.* 1879, p. 114; *id. J. f. O.* 1879, p. 313. E.
Reichen. *Vög. Deutsch-Ost-Afr.* p. 105, fig. 48 (1894); Cat. xvii. p. 340.
- 1637. *macrurus* (*Linn.*), *S. N. i.* 134 (1766, *macrourus*, lap. cal.). W., E., N.E.
Gray, *Gen. B. ii.* p. 393, pl. 96 (1848); Cat. xvii. p. 345.
1638. *erythromelon*, *Vieill. N. Dict.* vii. p. 378 (1817). W., S.
Selat. *P. Z. S.* 1884, p. 473, pl. 45; Cat. xvii. p. 344.

Family X. MUSOPHAGIDÆ.

Genus I. TURACUS.

	<i>Type.</i>
Turacus, <i>Cuv. Leçons. d'Anat. Comp.</i> i. tab. 2 (1800)	T. macrorhynchus.
Corythaix, <i>Ill. Prodr.</i> p. 202 (1811)	T. leucotis.
Opæthus, <i>Vieill. Analyse</i> , pp. 29, 70 (1816).	T. erythrolophus.
Spelectos, <i>Wagl. Syst. Av.</i> , Spelectos, fol. 8, p. 3 (1827).	T. eorythaix.
1639. leucotis (<i>Rüpp.</i>), <i>N. Wirb. Vög.</i> p. 8, pl. 3 (1835).	N.E. Cat. xix. p. 436 (1891).
1640. persa (<i>Linn.</i>), <i>S. N. i.</i> p. 171 (1766).	W. Gray, <i>Gen. B. ii.</i> p. 395, pl. 97, fig. 1 (1845); Cat. xix. p. 437.
1641. buffoni (<i>Vieill.</i>), <i>N. Dict.</i> xxxiv. p. 304 (1819).	W. Jard. & Selby, <i>Ill. Or.</i> pl. 122 (1825); Sw. B. W. Af. i. p. 225, pl. 21 (1837); Cat. xix. p. 438.
1642. schalowi (<i>Reichen.</i>), <i>J. f. O.</i> 1891, p. 5.	S., E. Finsch & Hartl. <i>Vög. Ost-Afr.</i> pl. 8 (1870); Cat. xix. p. 439.
1643. livingstoni, <i>Gray</i> , <i>P. Z. S.</i> 1864, p. 44.	S., E. Reichen. & Schal. <i>J. f. O.</i> 1885, p. 460, pl. 5, fig. 4 (head); Cat. xix. p. 439.
1644. reichenowi, <i>Fisch. Orn. Centralbl.</i> 1880, p. 174.	E. Fisch. <i>J. f. O.</i> 1885, p. 123, pl. 5, fig. 5 (head); Cat. xix. p. 440.
1645. chalcolophus, <i>Neum. J. f. O.</i> 1895, p. 357.	E.
1646. emini, <i>Reichen. Orn. Monatsb.</i> 1893, p. 30.	E.
1647. corythaix (<i>Wagl.</i>), <i>Syst. Av.</i> , Spelectos, sp. 1 (1827).	S. Vieill. <i>Gal. Ois.</i> p. 46, pl. 49 (1825); Cat. xix. p. 440.
1648. schuetti (<i>Cab.</i>), <i>Orn. Centralbl.</i> 1879, p. 180.	W., N.E. Schal. <i>J. f. O.</i> 1885, pl. 5, fig. 2 (head); Cat. xix. p. 441.
1649. macrorhynchus (<i>Fraser</i>), <i>P. Z. S.</i> 1839, p. 34.	W. Gray, <i>Gen. B. ii.</i> pl. 95 (1845); Cat. xix. p. 441.
1650. meriani (<i>Rüpp.</i>), <i>Arch. f. Naturg.</i> xvii. p. 319 (1851).	W. Schal. & Westerm. <i>Toerakos</i> , p. 16, pl. 18 (1860); Cat. xix. p. 442.
1651. donaldsoni, <i>Sharpe</i> , <i>Bull. B. O. C.</i> 1895, iv. p. xxxii; <i>Ibis</i> , 1895, p. 281.	E. Sharpe, <i>P. Z. S.</i> 1895, p. 495, pl. 28.
1652. fischeri, <i>Reichen. Orn. Centralbl.</i> 1878, p. 88.	E. Reichen. <i>J. f. O.</i> 1878, p. 252, pl. 4, fig. 1 (head); Cat. xix. p. 443.
1653. erythrolophus (<i>Vieill.</i>), <i>N. Dict.</i> xxxiv. p. 306 (1819).	W. Vieill. <i>Gal. Ois.</i> p. 46, pl. 49 (1825); Cat. xix. p. 444.
1654. leucolophus, <i>Heugl. Syst. Uebers.</i> p. 45 (1856).	N.E. Heugl. <i>Orn. N.O.-Afr.</i> p. 703, pl. 24 (1871); Cat. xix. p. 444.

1655. *hartlaubi* (*Fisch. & Reichen.*), *J. f. O.* 1884, p. 52. E.
Fisch. J. f. O. 1885, p. 123, pl. 5, fig. 1 (head); *Cat. xix.* p. 445.

Genus II. GALLIREX.

Type.

Gallirex, *Less. Echo du Monde Sav.* col. 100 (1844) . . *G. porphyreolophus*.

1656. *porphyreolophus* (*Vig.*), *P. Z. S.* 1831, p. 93. S.
Smith, Ill. Zool. S. Afr. Av. pl. 35 (1839); *Cat. xix.* p. 446.
1657. *chlorochlamys*, *Shelley, Ibis*, 1881, p. 118. S., E.
Cat. xix. p. 447.

Genus III. MUSOPHAGA.

Type.

Musophaga, *Isert, Journ. Phys. Paris*, xxxiv. p. 458 (1789) . . *M. violacea*.

1658. *violacea*, *Isert, Schrift. Ges. naturf. Freunde Berlin*, iii. p. 18, pl. 1 (1789). W.
Swains. B. W. Afr. i. p. 218, pl. 19 (1837); *Cat. xix.* p. 448.
1659. *rossæ*, *Gould, P. Z. S.* 1851, p. 93. W., E.
Gould in Jard. Contr. Orn. 1851, p. 137, pl. 81; *Cat. xix.* p. 448.

Genus IV. CORYTHÆOLA.

Type.

Corythæola, *Heine, J. f. O.* 1860, p. 190 *C. cristata*.

1660. *cristata* (*Vicill.*), *Analyse*, p. 68 (1816). W., E., N.E.
Schal. & Westerm. Toerakos, p. 20, pl. 12 (1860); *Cat. xix.* p. 449.

Genus V. SCHIZORHIS.

Type.

Schizorhis, *Wagl. Syst. Av.* p. 111 (1827, *Chizærhis*, laps. cal.). S. *africana*.
Corythaixoides, *Smith, S. Afr. Quart. Journ. i.* p. 48 (1833) . . *S. concolor*.

1661. *africana* (*Lath.*), *Ind. Orn.* p. 631 (1790). W.
Schal. & Westerm. Toerakos, p. 23, pl. 16 (1860); *Cat. xix.* p. 450.
1662. *zonura*, *Rüpp. N. Wirb. Vög.* p. 9, pl. 4 (1835). E., N.E.
Schal. & Westerm. Toerakos, p. 24, pl. 17 (1860); *Cat. xix.* p. 451.
1663. *leucogastra*, *Rüpp. P.Z.S.* 1842, p. 9; *id. T.Z.S.* iii. p. 232, pl. 17 (1842). E., N.E.
Schal. & Westerm. Toerakos, p. 22, pl. 15 (1860); *Cat. xix.* p. 452.
1664. *concolor* (*Smith*), *S. Afr. Quart. Journ.* 1833, p. 48. W., S.
Smith, Ill. Zool. S. Afr. pl. 2 (1838); *Cat. xix.* p. 453.

Genus VI. GYMNOSCHIZORHIS.

- Type.
- Gymnoschizorhis, Schal. J. f. O. 1886, p. 72 G. personata.
1665. personata (Rüpp.), P.Z.S. 1842, p. 8; id. T.Z. S. iii. p. 232, pl. 16 (1842). N.E.
Heugl. Orn. N.O.-Afr. p. 704, pl. 25 (1871); Cat. xix. p. 455.
1666. leopoldi (Shelley), Ibis, 1881, p. 117, pl. 2. E.
Cat. xix. p. 456.

Family XI. CUCULIDÆ.

Subfamily I. PHENICOPHÆINÆ.

Genus I. COUA.

- Type.
- Coua, Cuv. Règne An. i. p. 425 (1817) C. cœrulea.
- Serisomus, Swains. Class. B. ii. p. 323 (1837) C. cristata.
- Cochlothrantes, Cab. & Heine, Mus. Hein. iv. p. 74 (1862) . C. delalandii.
1667. cœrulea (Linn.), S. N. i. p. 171 (1766). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 148, pl. 48 (1879); Cat. xix. p. 406 (1891).
1668. reynaudii, Pucher. Rev. Zool. 1845, p. 51. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 141, pl. 43 (1879); Cat. xix. p. 407.
1669. serriana, Pucher. Rev. Zool. 1845, p. 51. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 150, pl. 42 (1879); Cat. xix. p. 408.
1670. cristata (Linn.), S. N. i. p. 171 (1766). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 143, pl. 44 (1879); Cat. xix. p. 409.
1671. pyropyga, Grand. Rev. et Mag. Zool. 1867, pp. 86, 255. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 146, pl. 45 (1879); Cat. xix. p. 410.
1672. verreauxi, Grand. Rev. et Mag. Zool. 1867, pp. 86, 417. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 146, pl. 47 (1879); Cat. xix. p. 410.
1673. ruficeps, Gray, Gen. B. ii. p. 454, pl. 115 (1846). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 156, pl. 53 (1879); Cat. xix. p. 410.
1674. olivaceiceps (Sharpe), P. Z. S. 1873, p. 615. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 157, pl. 54 (1879); Cat. xix. p. 411.
1675. cursor, Grand. Rev. et Mag. Zool. 1867, pp. 86, 391. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 158, pl. 57 (1879); Cat. xix. p. 411.
1676. coquereli, Grand. Rev. et Mag. Zool. 1867, pp. 86, 391. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 159, pl. 58 (1879); Cat. xix. p. 412.

1677. *gigas* (*Bodd.*), *Tabl. Pl. Ent.* p. 56 (1783). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 153, pl. 51 (1879); Cat. xix. p. 412.
1678. *delalandii* (*Temm.*), *Pl. Col.* p. 440 (1828). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 152, pl. 50 (1879); Cat. xix. p. 413.

Genus II. CEUTHMOCHARES.

*Type.**Ceuthmochares*, *Cab. & Heine, Mus. Hein.* iv. p. 60 (1862) . . . *C. aeneus*.

1679. *flavirostris* (*Swains.*), *B. W. Afr.* ii. p. 183, pl. 19 (1837). W.
Sharpe, ed. Layard's B. S. Afr. pl. 5, fig. 2 (1875); Cat. xix. p. 401.
1680. *aeneus* (*Vieill.*), *N. Dict.* viii. p. 229 (1817, *aëreus*, laps. cal.). W., N.E.
Levaill. Ois. Afr. v. p. 60, pl. 215 (1806); Cat. xix. p. 402.
1681. *australis*, *Sharpe, P. Z. S.* 1873, p. 609. S., E.
Sharpe, ed. Layard's B. S. Afr. p. 161, pl. 5, fig. 1 (1875); Cat. xix. p. 403.

Subfamily II. CENTROPODINÆ.

Genus CENTROPUS.

*Type.**Centropus*, *Ill. Prodrom.* p. 205 (1811) *C. senegalensis*.
Corydonyx, *Vieill. Analyse*, p. 28 (1816) *C. toulou*.

1682. *toulou* (*P. L. S. Müll.*), *S. N. Suppl.* p. 90 (1776). M.
Milne-Edw. & Grand. His. Mad., Ois. p. 179, pls. 67, 68, 84 fig. juv. (1879); Cat. xix. p. 350.
1683. *nigrorufus* (*Cuv.*), *Règne Anim.* i. p. 426 (1817). W., S., E.
Levaill. Ois. Afr. v. p. 78, pl. 22 (1806); Cat. xix. p. 357.
1684. " *epomidis*, *Temm.*," *Bp. Consp. Ar.* i. p. 107 (1850). W.
Cat. xix. p. 357.
1685. *leucogaster* (*Leach*), *Zool. Misc.* i. p. 117 (1814). W.
Steph. Gen. Zool. ix. p. 49, pl. 12 (1815); Cat. xix. p. 358.
1686. *anselli*, *Sharpe, P. Z. S.* 1874, p. 204, pl. 33, fig. 1. W.
Cat. xix. p. 359.
1687. *fischeri*, *Reichen. J. f. O.* 1887, p. 57. E.
Cat. xix. p. 359.
1688. *monachus*, *Rüpp. N. Wirb. Vög.* p. 57, pl. 21, fig. 2 (1835-40). W., S., E., N.E.
Cat. xix. p. 359.
1689. *senegalensis* (*Linn.*), *S. N.* i. p. 169 (1766). W., S., N.E.
Levaill. Ois. Afr. v. p. 72, pl. 219 (1806); Reichen. J. f. O. 1894, p. 395, pl. 4; Cat. xix. p. 360.

1690. *natalensis*, *Shelley, Ibis*, 1882, p. 246. S.
Cat. xix. p. 362.
- 1691. *superciliosus*, *Hempr. & Ehr. Symb. fol. r* (1828). E., N.E.
Rüpp. *N. Wirb. Vög.* p. 56, pl. 21, fig. 1 (1835); Cat. xix. p. 363.

Subfamily III. CUCULINÆ.

Genus I. COCCYSTES.

Type.

- Coccystes*, *Gloger, Handb. Naturg.* p. 203 (1843) C. glandarius.
Oxylophus, *Swains. Class. B. ii.* p. 322 (1837) C. cafer.

1692. *glandarius* (*Linn.*), *S. N. i.* p. 167 (1766). W., S., E., N.E.
Dresser, *B. Eur. v.* p. 219, pl. 300, fig. 1 (1874); Cat. xix. p. 212.
1693. *jacobinus* (*Bodd.*), *Tabl. Pl. Enl.* p. 53 (1783). W., S., E., N.E.
Levaill. *Ois. Afr. v.* pl. 208 (1806); Cat. xix. p. 217.
1694. *hypopinarius*, *Cab. & Heine, Mus. Hein.* iv. p. 47 (1862). W., S.
Shelley, *Cat. B. M. xix.* p. 220, pl. 11, fig. 2 (1891).
1695. *caroli*, *Norman, Ibis*, 1888, p. 407. W.
Shelley, *Cat. B. M. xix.* p. 221, pl. 11, fig. 1 (1891).
- 1696. *cafer* (*Licht.*), *Cat. rer. nat. rar. Hamb.* p. 14 (1793). W., S., E., N.E.
Levaill. *Ois. Afr. v.* p. 44, pl. 209 (1806); Cat. xix. p. 221.
1697. *serratus* (*Sparrm.*), *Mus. Carls.* i. pl. 3 (1789). S.
Levaill. *Ois. Afr. v.* p. 39, pl. 207 (1806); Cat. xix. p. 223.
- 1698. *albonotatus*, *Shelley, P. Z. S.* 1881, p. 594. E.
Cat. xix. p. 224.

Genus II. PACHYCOCCYX.

Type.

- Pachycoccyx*, *Cab. J. f. O.* 1882, p. 230 P. validus.
1699. *audeberti* (*Sehl.*), *Notes Leyden Mus.* 1870, p. 99. M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 178, pl. 66 a (1879); Cat. xix. p. 224.
1700. *validus* (*Reichen.*), *Orn. Centr.* 1879, p. 139; *id. J. f. O.* 1879, p. 313. W., S., E.
Cat. xix. p. 225.

Genus III. CUCULUS.

Type.

- Cuculus*, *Linn. S. N. i.* p. 168 (1766) C. canorus.
1701. *gularis*, *Steph. Gen. Zool.* ix. p. 83, pl. 17 (1815). W., S., E., N.E.
Lev. *Ois. Afr. v.* p. 20, pl. 20 (1806); Sw. *B. W. Afr. ii.* p. 148, pl. 18; Cat. xix. p. 244.

1702. *canorus*, *Linn. S. N.* i. p. 168 (1766). W., S., E., N.E.
Dresser, *B. Eur.* v. p. 199, pl. 299 (1878); *Cat. xix.* p. 245.
1703. *poliocephalus*, *Lath. Ind. Orn.* i. p. 214 (1790). S., E., M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 176, pl. 66 (1879); *Cat. xix.* p. 255.
1704. *solitarius*, *Steph. Gen. Zool.* ix. p. 84, pl. 18 (1815). W., S., E., N.E.
Levaill. Ois. Afr. v. p. 35, pl. 206 (1806); *Cat. xix.* p. 258.
1705. *gabonensis*, *Lafr. Rev. et Mag. Zool.* 1853, p. 60. W.
Cat. xix. p. 259.
- 1706. *clamosus*, *Lath. Ind. Orn.* ii. Suppl. p. xxx (1801). W., S., E., N.E.
Lev. Ois. Af. v. p. 28, pls. 204, 205 (1706); *Sw. Zool. Ill.* (2) i. pl. 7 (1829); *Cat. xix.* p. 260.
1707. *aurivillii*, *Sjöstedt, J. f. O.* 1892, p. 313. W.
Sjöst. Kgl. Svenska Vet.-Ak. Handl. (27, no. 1) pl. 3 (1895).

Genus IV. CERCOCOCCYX.

- Cercococcyx*, *Cab. J. f. O.* 1882, p. 230 Type. C. meehowi.
1708. *meehowi*, *Cab. J. f. O.* 1882, p. 230. W., E.
Cat. xix. p. 265.

Genus V. CHRYSOCOCCYX.

- Chrysococcyx*, *Boie, Isis*, 1826, p. 976 Type. C. cupreus.
1709. *smaragdineus* (*Swains.*), *B. W. Afr.* ii. p. 191 (1837). W., S., E.
Vieill. Gal. Ois. i. p. 33, pl. 42 (1825); *Cat. xix.* p. 280.
1710. *flavigularis*, *Shelley, P. Z. S.* 1879, p. 679, pl. 50. W.
Cat. xix. p. 282.
- 1711. *klaasi* (*Steph.*), *Gen. Zool.* ix. p. 128 (1815). W., S., E., N.E.
Levaill. Ois. Afr. v. p. 53, pl. 212 (1806); *Swains. B. W. Afr.* ii. p. 189, pl. 21 (1837); *Cat. xix.* p. 283.
1712. *cupreus* (*Bodd.*), *Tabl. Pl. Enl.* p. 40 (1783). W., S., E., N.E.
Levaill. Ois. Afr. v. p. 46, pls. 210, 211 (1806); *Cat. xix.* p. 285.

Family XII. INDICATORIDÆ.

Genus I. INDICATOR.

- Indicator*, *Vieill. Analyse*, p. 28 (1816) Type. *I. indicator*.
Malignothes, *Cass. Proc. Philad. Acad.* 1856, p. 156 . . . *I. conirostris*.
- 1713. *indicator* (*Gm.*), *S. N.* i. p. 418 (1788). W., S., E., N.E.
Temm. *Pl. Col.* pl. 367 (1825); *Cat. xix.* p. 5 (1891).

- 1714. *major*, *Steph. Gen. Zool.* ix. p. 139, pl. 27, fig. 1 (1815). W., S., E., N.E.
Lev. Ois Af. v. p. 135, pl. 241, fig. 1 (1806); Row. Orn. Misc. i. p. 203, pl. upp. fig. (1876); Cat. xix. p. 6.
1715. *variegatus*, *Less. Traité*, p. 155 (1831). S., E.
Levaill. Ois. Afr. v. p. 104, pl. 241, fig. 2 (1806); Cat. xix. p. 7.
1716. *stictithorax*, *Reichen. J. f. O.* 1877, p. 110. W.
Cat. xix. p. 8.
1717. *maculatus*, *Gray, Gen. B.* ii. p. 451, pl. 113 (1847). W.
Cat. xix. p. 9.
- 1718. *minor*, *Steph. Gen. Zool.* ix. p. 140 (1815). W., S., E., N.E.
Temm. Pl. Col. pl. 542, fig. 2 (1822); Cat. xix. p. 9.
- 1719. *pygmæus*, *Reichen. J. f. O.* 1892, p. 24. E.
1720. *conirostris*, *Cass. Proc. Philad. Acad.* 1856, p. 156. W.
Cass. Proc. Philad. Acad. 1859, pl. 2; Cat. xix. p. 10.
- 1721. *exilis* (*Cass.*), *Proc. Philad. Acad.* 1856, p. 157. W.
Cass. Proc. Philad. Acad. 1859, p. 142, pl. 1, fig. 1; Cat. xix. p. 11.

Genus II. PRODOTISCUS.

Type.

Prodotiscus, *Sundev. Öfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 109. P. *regulus*.
Hetærodes, *Cass. Proc. Philad. Acad.* 1856, p. 157 P. *insignis*.

1722. *regulus*, *Sundev. Öfv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 109. S.
Sharpe in Rowley's Orn. Misc. i. p. 208, pl. lower fig. (1876); Cat. xix. p. 11.
1723. *insignis* (*Cass.*), *Proc. Philad. Acad.* 1856, p. 157; 1859, p. 142, pl. 1, fig. 2. W.
Cat. xix. p. 12.
1724. *zambesiæ*, *Shelley, Ibis*, 1894, p. 8. S.

Family XIII. CAPITONIDÆ.

Genus I. POGONORHYNCHUS.

Type.

Pogonorhynchus, *Van d. Hoeven, Handb.* ii. p. 446 (1833) . . . P. *dubius*.

- 1725. *dubius* (*Gm.*), *S. N. i.* p. 409 (1788). W.
Marshall, *Mon. Capit.* p. 7, pl. 4 (1871); Cat. xix. p. 15 (1891).

Genus II. ERYTHROBUCCO.

Type.

Erythrobucco, *Shelley, Ibis*, 1889, p. 475 E. *rolleti*.

1726. *rolleti* (*De Filippi*), *Rev. Zool.* 1853, p. 290. N.E.
Marshall, *Mon. Capit.* p. 9, pl. 5 (1871); Cat. xix. p. 17.

Genus III. MELANOBUCCO.

- Type.
- Melanobucco, Shelley, *Ibis*, 1882, p. 476 M. bidentatus.
1727. bidentatus (*Shaw*), *Nat. Miscell.* x. pl. 393 (1798). W.
Marshall, *Mon. Capit.* p. 11, pl. 6 (1870); *Cat. xix.* p. 18.
1728. æquatorialis, Shelley, *Ibis*, 1889, p. 476. E., N.E.
Shelley, *Cat. B. M. xix.* p. 19, pl. 1 (1891).
- 1729. melanopterus (*Peters*), *Bericht Akad. Berlin*, 1854, p. 134. E.
Marshall, *Mon. Capit.* p. 13, pl. 7 (1871); *Cat. xix.* p. 19.
1730. levaillanti (*Vieill.*), *N. Dict.* iii. p. 243 (1813). W.
Leach, *Zool. Misc.* ii. p. 146, pl. 117 (1815); *Cab. J. f. O.* 1876, p. 92, pl. 2. fig. 1;
Bouvier, *Bull. S. Z. France*, 1876, p. 229, pl. 6. fig. 2; *Cat. xix.* p. 20.
1731. leucocephalus (*De Filippi*), *Rev. et Mag. Zool.* 1853, p. 291. N.E.
Marshall, *Mon. Capit.* p. 15, pl. 8 (1871); *Cat. xix.* p. 21.
- ? — 1732. albicauda (Shelley), *Ibis*, 1881, p. 117. E.
Cat. xix. p. 21.
1733. senex (*Reichen.*), *J. f. O.* 1887, p. 59. E.
Cat. xix. p. 22.
1734. leucogaster (*Bocage*), *Jorn. Lisb.* 1877, p. 63. E.
Cat. xix. p. 22.
1735. abyssinicus (*Lath.*), *Ind. Orn. Suppl.* i. p. xlix (1801). N.E.
Marshall, *Mon. Capit.* p. 17, pl. 9 (1870); *Cat. xix.* p. 22.
1736. rubrifacies (*Reichen.*), *J. f. O.* 1892, p. 215. N.E.
1737. torquatus (*Dumont*), *Dict. Sc. Nat.* p. 65, pl. 28 (1806). S.
Marshall, *Mon. Capit.* p. 19, pl. 10 (1871); *Cat. xix.* p. 24.
1738. zombæ, Shelley, *Ibis*, 1893, p. 10. S.
1739. irroratus (*Cab.*), *J. f. O.* 1878, pp. 205, 239. E.
Cat. xix. p. 25.
1740. vieilloti (Leach), *Zool. Misc.* ii. pl. 97 (1815). W., N.E.
Marshall, *Mon. Capit.* p. 21, pl. 11 (1870); *Cat. xix.* p. 26.
1741. undatus (*Rüpp.*), *N. Wirb. Vög.* p. 52, pl. 20. fig. 2 (1835-40). N.E.
Marshall, *Mon. Capit.* p. 27, pl. 13 (1871); *Cat. xix.* p. 27.

Genus IV. TRICHLOLÆMA.

- Type.
- Tricholæma, *J. & E. Verr. J. f. O.* 1855, p. 102 T. hirsutum.
1742. hirsutum (*Swains.*), *Zool. Illustr.* ii. pl. 72 (1821-22). W.
Marshall, *Mon. Capit.* p. 5, pl. 3 (1871); *Cat. xix.* p. 28.

1743. *ansorgii*, *Shelley*, *Bull. B. O. C.* v. p. iii (1895). N.E.
 1744. *gabonense*, *Shelley*, *Bull. B. O. C.* v. p. iii (1895). W.
 — 1745. *stigmatothorax*, *Cab. J. f. O.* 1878, pp. 205, 240. E.
 Shelley, *Cat. B. M.* xix. p. 29, pl. 2. fig. 1 (1891).
 1746. " *melanocephalum* (*Rüpp.*)," *Cretz. in Rüpp. Atl.* p. 41, pl. 28. f. a (1827). W., N.E.
 Marshall, *Mon. Capit.* p. 31, pl. 15 (1870); *Cat. xix.* p. 30.
 — 1747. *lachrymosum*, *Cab. J. f. O.* 1878, pp. 205, 240. E., N.E.
 Cat. xix. p. 31.
 1748. *affine* (*Shelley*), *P. Z. S.* 1879, p. 680. S.
 Shelley, *Cat. B. M.* xix. p. 31, pl. 2. fig. 2 (1891).
 1749. *flavibuccale*, *Reichen. Orn. Monatsb.* 1893, p. 30. E.
 1750. *leucomelan* (*Bodd.*), *Tabl. Pl. Enl.* p. 43 (1783). S.
 Marshall, *Mon. Capit.* p. 23, pl. 12 (1870); *Cat. xix.* p. 31.
 1751. *diadematum* (*Heugl.*), *Syst. Uebers.* p. 47 (1856). N.E.
 Marshall, *Mon. Capit.* p. 29, pl. 14 (1871); *Cat. xix.* p. 33.
 1752. *frontatum* (*Cab.*), *J. f. O.* 1880, p. 351, pl. 2. fig. 1. W.
 Cat. xix. p. 34.
 1753. *massaicum* (*Reichen.*), *J. f. O.* 1887, p. 59. E.
 Cat. xix. p. 34.

Genus V. GYMNOBUCCO.

- Type.*
- Gymnobucco*, *Bp. Consp.* i. p. 141 (1850) *G. calvus*.
 1754. *calvus* (*Lafr.*), *Rev. Zool.* 1841, p. 241. W.
 Marshall, *Mon. Capit.* p. 136, pl. 54 (1871); *Cat. xix.* p. 34.
 1755. *cinereiceps*, *Sharpe, Ibis*, 1891, p. 122. E.

Genus VI. HELIOBUCCO.

- Type.*
- Heliobuoco*, *Shelley, Ibis*, 1889, p. 476 *H. bonapartii*.
 1756. *bonapartii* (*Hartl.*), *J. f. O.* 1854, p. 410. W., N.E.
 Marshall, *Mon. Capit.* p. 137, pl. 55 (1871); *Cat. xix.* p. 36.

Genus VII. SMILORHIS.

- Type.*
- Smilorhis*, *Sundev. Av. Tent.* p. 75 (1872) *S. leucotis*.
 1757. *leucotis* (*Sundev.*), *Oefv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 109. S.
 Marshall, *Mon. Capit.* p. 131, pl. 52 (1871); *Cat. xix.* p. 37.

1758. *bocagii*, *Sousa, Jorn. Lisb.* 1886, p. 158. S.
Cat. xix. p. 36, note.
1759. *whytii*, *Shelley, Ibis*, 1893, p. 11, pl. 1. S.
- 1760. *kilimensis*, *Shelley, Ibis*, 1889, p. 477. E.
Cat. xix. p. 37.

Genus VIII. BARBATULA.

- | | <i>Type.</i> |
|---|-----------------|
| <i>Barbatula</i> , <i>Less. Compl. Buff.</i> ix. p. 292 (1837) | B. erythronota. |
| <i>Xylobucco</i> , <i>Bp. Consp. Av.</i> i. p. 141 (1850) | B. scolopacea. |
| <i>Buccanodon</i> , <i>Verr. in Hartl. Orn. IV.-Afr.</i> p. 171 (1857) . | B. duchaillui. |
| 1761. <i>duchaillui</i> , <i>Cass. Proc. Acad. Philad.</i> 1855, p. 324. | W. |
| Marshall, <i>Mon. Capit.</i> p. 113, pl. 46 (1870); Cat. xix. p. 38. | |
| 1762. <i>ugandæ</i> , <i>Reichen. J. f. O.</i> 1892, p. 25. | E. |
| 1763. <i>pusilla</i> (<i>Dumont</i>), <i>Dict. Sc. Nat.</i> iv. p. 50 (1806). | S. |
| Marshall, <i>Mon. Capit.</i> p. 117, pl. 48 (1871); Cat. xix. p. 39. | |
| 1764. <i>minuta</i> , <i>Bp. Consp. Av.</i> i. p. 144 (1850). | W., N.E. |
| Cat. xix. p. 40. | |
| 1765. <i>affinis</i> , <i>Reichen. Orn. Centralbl.</i> 1879, p. 114. | E. |
| Cat. xix. p. 41. | |
| 1766. <i>uropygialis</i> , <i>Heugl. J. f. O.</i> 1862, p. 27. | E., N.E. |
| Marshall, <i>Mon. Capit.</i> p. 121, pl. 49. fig. 1 (1871); Cat. xix. p. 41. | |
| 1767. <i>chrysocoma</i> (<i>Temm.</i>), <i>Pl. Col.</i> iii. pl. 530. fig. 2 (1823). | W., N.E. |
| Marshall, <i>Mon. Capit.</i> p. 119, pl. 49 (1871); Cat. xix. p. 42. | |
| 1768. <i>extoni</i> , <i>Layard, Ibis</i> , 1871, p. 226. | S. |
| Cat. xix. p. 43. | |
| 1769. <i>erythronota</i> (<i>Cuv.</i>), <i>Règne An.</i> p. 428 (1817). | W. |
| Marshall, <i>Mon. Capit.</i> p. 136, pl. 50. fig. 1 (1871); Cat. xix. p. 43. | |
| 1770. <i>bilineata</i> (<i>Sundev.</i>), <i>Aefv. K. Vet.-Akad. Förh. Stockh.</i> 1850, p. 109. | S. |
| Shelley, <i>Cat. B. M.</i> xix. p. 44, pl. 3. fig. 2 (1891). | |
| 1771. <i>chrysopyga</i> , <i>Shelley, Ibis</i> , 1889, p. 477. | W. |
| Shelley, <i>Cat. B. M.</i> xix. p. 45, pl. 3. fig. 1 (1891). | |
| 1772. <i>coryphæa</i> , <i>Reichen. J. f. O.</i> 1892, pp. 181, 218, pl. 2. fig. 2. | W. |
| 1773. <i>leucolæma</i> , <i>J. & E. Verr. Rev. et Mag. Zool.</i> 1851, p. 265. | W., E., N.E. |
| Marshall, <i>Mon. Capit.</i> p. 129, pl. 51. fig. 2 (1871); Cat. xix. p. 45. | |
| 1774. <i>subsulphurea</i> (<i>Fraser</i>), <i>P. Z. S.</i> 1843, p. 3. | W. |
| Cat. xix. p. 46. | |

1775. *fischeri*, *Reichen. Orn. Centralbl.* 1880, p. 181. E.
Cat. xix. p. 46, note.
1776. " *scolopacea* (*Temm.*)," *Bp. Conspl. Av.* i. p. 141 (1850). W.
Marshall, *Mon. Capit.* p. 115, pl. 47 (1871); Cat. xix. p. 47.

Genus IX. BLAX.

Type.

- Blax*, *Reichen. Orn. Monatsb.* 1894, p. 126 B. *gymnophthalmus*.
1777. *gymnophthalmus*, *Reichen. Orn. Monatsb.* 1894, p. 126. W.

Genus X. STACTOLÆMA.

Type.

- Stactolæma*, *Marshall, P. Z. S.* 1870, p. 118 S. *anchietæ*.
1778. *anchietæ* (*Bocage*), *P. Z. S.* 1863, p. 436, pl. 29. S.
Marshall, *Mon. Capit.* p. 181, pl. 73 (1871); Cat. xix. p. 48.
1779. *olivaceum* (*Shelley*), *Ibis*, 1880, p. 334, pl. 7. E.
Cat. xix. p. 49.
1780. *woodwardi*, *Shelley, Bull. B. O. C.* v. p. iii (1895). S.
1781. *simplex* (*Fisch. & Reichen.*), *J. f. O.* 1884, p. 180. E.
Cat. xix. p. 49, note.
— 1782. *leucomystax* (*Sharpe*), *Ibis*, 1892, p. 310. E.

Genus XI. TRACHYPHONUS.

Type.

- Trachyphonus*, *Ranzani, Elem. Zoologie*, iii. p. 157 (1821) . . . T. *cafer*.
1783. *cafer* (*Vieill.*), *N. Dict.* xxiv. p. 102 (1818). S.
Marshall, *Mon. Capit.* p. 139, pl. 56 (1870); Cat. xix. p. 100.
1784. *suahelicus*, *Reichen. J. f. O.* 1887, p. 60. E.
Cat. xix. p. 102.
1785. *versicolor*, *Hartl. Abhandl. nat. Ver. Brem.* viii. p. 208 (1882). N.E.
Cat. xix. p. 102.
1786. *erythrocephalus*, *Cub. J. f. O.* 1878, pp. 206, 240, pl. 2, figs. 1, 2. E.
Cat. xix. p. 102.
1787. *shelleyi*, *Hartl. Ibis*, 1886, pp. 105, 111, pl. 5. N.E.
Cat. xix. p. 103.
1788. " *margaritatus* (*Rüpp.*)," *Cretzs. in Rüpp. Atlas, Vög.* p. 30, pl. 20 (1826). N.E.
Marshall, *Mon. Capit.* p. 143, pl. 27 (1870); Cat. xix. p. 103.
1789. *boehmi*, *Fisch. & Reichen. J. f. O.* 1884, p. 179. E.
Reichen. *Vög. Deutsch-Ost-Afr.* p. 118, fig. 53 (1894); Cat. xix. p. 104.

1790. <i>emini</i> , <i>Reichen. J. f. O.</i> 1891, p. 209.	E.
1791. <i>uropygialis</i> , <i>Salvad. Mem. R. Accad. Torino</i> , 1894, p. 551.	N.E.
1792. <i>arnaudi</i> (<i>Des Murs</i>), <i>Lefebvre's Voy. Abyss.</i> p. 133 (1845). Marshall, <i>Mon. Capit.</i> p. 147, pl. 58 (1871); <i>Cat. xix.</i> p. 105.	E., N.E.
1793. <i>purpuratus</i> , <i>J. & E. Verr. Rev. et Mag. Zool.</i> 1851, p. 260. Marshall, <i>Mon. Capit.</i> p. 151, pl. 60 (1871); <i>Cat. xix.</i> p. 106.	W.
1794. <i>elgonensis</i> , <i>Sharpe, Ibis</i> , 1891, p. 122.	E.
1795. <i>goftini</i> (<i>Schleg.</i>), <i>Mus. Pays-Bas, Buceones</i> , p. 72 (1863). Marshall, <i>Mon. Capit.</i> p. 149, pl. 59 (1871); <i>Cat. xix.</i> p. 106.	W.
1796. <i>togoensis</i> , <i>Reichen. J. f. O.</i> 1892, p. 131.	W.

Family XIV. PICIDÆ.

Subfamily I. TYNGINÆ.

Genus TYNX.

Type.

<i>Tynx</i> , <i>Linn. S. N. i.</i> p. 172 (1766)	I. <i>torquilla</i> .
1797. <i>torquilla</i> , <i>Linn. S. N. i.</i> p. 172 (1766)	W., N.E.
Dresser, <i>B. Eur. v.</i> p. 103, pl. 289 (1875); <i>Cat. xviii.</i> p. 560 (1890).	
1798. <i>pectoralis</i> , <i>Vig. P. Z. S.</i> 1831, p. 93.	W., S., E.
Gray, <i>Gen. B. ii.</i> p. 448, pl. 112 (1845); <i>Cat. xviii.</i> p. 565.	
1799. <i>pulchricollis</i> , <i>Hartl. Ibis</i> , 1884, p. 28, pl. 3.	N.E.
<i>Cat. xviii.</i> p. 566.	
1800. <i>aequatorialis</i> , <i>Rüpp. Syst. Uebers.</i> p. 93, pl. 37 (1845).	N.E.
<i>Cat. xviii.</i> p. 567.	

Subfamily II. PICUMNINÆ.

Genus VERREAUXIA.

Type.

<i>Verreauxia</i> , <i>Hartl. Orn. W.-Afr.</i> p. 176 (1857)	V. <i>africana</i> .
1801. <i>africana</i> (<i>Verr.</i>), <i>Rev. et Mag. Zool.</i> 1855, p. 218.	W.
Malh. <i>Picidæ</i> , ii. p. 284, pl. 118, fig. 1 (1862); <i>Cat. xviii.</i> p. 553.	

Subfamily III. PICINÆ.

Genus I. GEOCOLAPTES.

Type.

<i>Geocolaptes</i> , <i>Swains. Faun. Bor.-Am., Birds</i> , p. 315 (1831) . .	G. <i>olivaceus</i> .
1802. <i>olivaceus</i> (<i>Gm.</i>), <i>S. N.</i> p. 431 (1788).	S.
Levaill. <i>Ois. Afr. vi.</i> p. 27, pls. 254, 255 (1808); <i>Cat. xviii.</i> p. 9 (1890).	

Genus II. CAMPOTHERA.

Type.

* <i>Dendromus</i> , <i>Swains. Class. B.</i> ii. p. 307 (1837)	C. maculosa.
<i>Campethera</i> , <i>Gray, List Gen. B.</i> 1841, p. 70	C. maculosa.
<i>Chrysopicus</i> , <i>Malh. Mém. Acad. Metz</i> , 1848-49, p. 352	C. nubica.
<i>Stictopicus</i> , <i>Malh. Introd. Monogr. Picid.</i> p. liii (1861)	C. nivosa.
<i>Ipagrus</i> , <i>Cab. & Hein. Mus. Hein.</i> iv. p. 123 (1863)	C. bennetti.
<i>Cnipothesrus</i> , <i>Cab. & Hein. t. e.</i> p. 131	C. caroli.
— 1803. <i>nubica</i> (<i>Gm.</i>), <i>S. N. i.</i> p. 439 (1788)	E., N.E.
Rüpp. <i>Syst. Uebers.</i> p. 90, pl. 36 (1845); <i>Cat. xviii.</i> p. 93.	
1804. <i>notata</i> (<i>Licht.</i>), <i>Verz. Doubl.</i> 1823, p. 11.	S.
Levaill. <i>Ois. Afr.</i> vi. p. 14, pl. 250 (1808); <i>Cat. xviii.</i> p. 95.	
1805. <i>malherbii</i> (<i>Cass.</i>), <i>Journ. Acad. Philad.</i> 1863, p. 459, pl. 51. fig. 3, ♂.	E.
Cat. xviii. p. 96.	
1806. <i>punctata</i> (<i>Valenc.</i>), <i>Dict. Sc. Nat.</i> xl. p. 171 (1826).	W.
Malh. <i>Picid.</i> ii. p. 164, pl. 92. figs. 4, 5, 6 (1862); <i>Cat. xviii.</i> p. 96.	
1807. <i>balia</i> (<i>Heugl.</i>), <i>Orn. N.O.-Afr.</i> p. 810 (1871).	N.E.
Cat. xviii. p. 98.	
1808. <i>abingdoni</i> (<i>Smith</i>), <i>Rep. Exped. Centr. Afr.</i> p. 53 (1836).	S.
Malh. <i>Picid.</i> ii. p. 153, pl. 94. figs. 4, 6 (1862); <i>Cat. xviii.</i> p. 98.	
1809. <i>mombassica</i> , <i>Fisch. & Reichen. J. f. O.</i> 1884, p. 262.	E.
Cat. xviii. p. 100.	
1810. <i>smithi</i> (<i>Malh.</i>), <i>Rev. Zool.</i> 1845, p. 403.	S.
Malh. <i>Picid.</i> ii. p. 170, pl. 93. fig. 1 (1862); <i>Cat. xviii.</i> p. 100.	
1811. <i>cailliaudi</i> (<i>Malh.</i>), <i>Rev. Zool.</i> 1849, p. 540.	E.
Cat. xviii. p. 102.	
1812. <i>bennetti</i> (<i>Smith</i>), <i>Rep. Exped. Centr. Afr.</i> p. 53 (1836).	S., E.
Malh. <i>Picid.</i> ii. p. 165, pl. 95. figs. 1, 2 (1862); <i>Cat. xviii.</i> p. 102.	
1813. <i>capricorni</i> , <i>Strickl. & Sclat. Contr. Orn.</i> 1852, p. 155.	W., S.
Newton, <i>Ibis</i> , 1869, p. 323, pl. 9; <i>Cat. xviii.</i> p. 104.	
1814. <i>maculosa</i> (<i>Valenc.</i>), <i>Dict. Sc. Nat.</i> xl. p. 173 (1826).	W., N.E.
Malh. <i>Picid.</i> ii. p. 156, pl. 92. fig. 3 (1862); <i>Cat. xviii.</i> p. 104.	
1815. <i>tæniolæma</i> , <i>Reichen. & Neum. Orn. Monatsb.</i> 1895, p. 73.	E.
1816. <i>permista</i> , <i>Reichen. J. f. O.</i> 1876, p. 97.	W.
Malh. <i>Picid.</i> ii. p. 152, pl. 91. figs. 6, 7 (1862); <i>Cat. xviii.</i> p. 106.	

* Nec *Dendromys*, Smith, *Zool. Journ.* iv. p. 439 (1829); id. *Ill. Zool. S. Afr.*, *Mamm.* pl. 34, fig. 1.

1817. *caroli* (*Math.*), *Rev. Zool.* 1852, p. 550. W., N.E.
Malh. Picid. ii. p. 157, pl. 91, fig. 4 (1862); *Cat. xviii.* p. 107.
1818. *nivosa* (*Swains.*), *B. W. Afr.* ii. p. 162 (1837). W.
Malh. Picid. ii. p. 151, pl. 92, figs. 1, 2 (1862); *Cat. xviii.* p. 108.
1819. *tullbergi*, *Sjöstedt*, *J. f. O.* 1892, p. 313. W.
Sjöst. Kgl. Svenska Vet.-Ak. Handl. (27, no. 1) pl. 4, fig. 1 (1895).

Genus III. DENDROPICUS.

Type.

- Dendropicus*, *Malh. Rev. Zool.* 1849, p. 532 D. *cardinalis*.
Erythronerpes, *Reichb. Scans. Picinæ*, p. 356 (1854) . . . D. *abyssinicus*.
Pardipicus, *Bp. Consp. Voluer. Zygod.* no. 135 (1854) . . . D. *gabonensis*.

1820. *cardinalis* (*Gm.*), *S. N. i.* p. 438 (1788). S.
Levaill. Ois. Afr. vi. p. 25, pl. 253 (1808); *Cat. xviii.* p. 295.
- 1821. *zanzibari*, *Malh. Picid.* i. p. 201 (1861). W., E.
Cat. xviii. p. 297.
1822. *minutus* (*Temm.*), *Pl. Col.* pl. 197, fig. 2 (1823). W.
Malh. Picid. i. p. 208, pl. 45, figs. 4, 5 (1861); *Cat. xviii.* p. 299.
1823. *hemprichi* (*Ehrenb.*), *Symb. Phys. Av. fol. r*, p. 2 (1828). W.?, N.E.
Rüpp. Syst. Uebers. p. 88, pl. 35 (1845); *Cat. xviii.* p. 299.
1824. *lafresnayi*, *Malh. Rev. Zool.* 1849, p. 533. W., N.E.
Malh. Picid. i. p. 204, pl. 44, fig. 4 (1861); *Cat. xviii.* p. 301.
1825. *sharpii*, *Oust. N. Arch. Mus.* (2) ii. p. 62 (1879). W.
Cat. xviii. p. 302.
1826. *reichenowi*, *Sjöstedt*, *Orn. Monatsb.* 1893, p. 138. W.
Sjöst. Kgl. Svenska Vet.-Ak. Handl. (27, no. 1) pl. 4, fig. 2 (1895).
1827. *pœcilocolæmus*, *Reichen.* *Orn. Monatsb.* 1893, p. 30. E.
1828. *lepidus* (*Cab. & Hein.*), *Mus. Hein.* iv. p. 118 (1863). N.E.
Cat. xviii. p. 302.
1829. *abyssinicus* (*Stanley*), *in Salt's Voy. Abyss.* ii. p. lvi (1814). N.E.
Malh. Picid. i. p. 202, pl. 42, figs. 5, 6 (1861); *Cat. xviii.* p. 303.
1830. *gabonensis* (*J. & E. Verr.*), *Rev. et Mag. Zool.* 1851, p. 513. W.
Malh. Picid. ii. p. 149, pl. 91, figs. 1, 2 (1862); *Cat. xviii.* p. 304.
1831. *lacuum*, *Reichen.* *Orn. Monatsb.* 1893, p. 178. N.E.
1832. *lugubris*, *Hartl. Orn. W.-Afr.* p. 178 (1857). W.
Hargitt, Ibis, 1883, p. 445, pl. 12, fig. 2; *Cat. xviii.* p. 305.

Genus IV. THRIPIAS.

Type.

- Thripias*, *Cab. & Hein. Mus. Hein.* iv. p. 121 (1863) . . . *T. namaquus*.

1833. *namaquus* (*Licht.*), *Cat. rer. nat. rar. Hamb.* p. 17. no. 179 (1793). W., S., E.
Levaill. *Ois. Afr.* vii. p. 22, pls. 251, 252 (1808); *Cat. xviii.* p. 306.

1834. *schoensis* (*Rüpp.*), *Mus. Seuckenb.* iii. p. 124 (1842). N.E.
Rüpp. *Syst. Uebers.* p. 88, pl. 33; *Cat. xviii.* p. 308.

Genus V. IYNGIPICUS.

Type.

- Yungipicus, *Bp. Consp. Voluer. Zygod.* no. 67 (1854) . . . I. hardwickii.
Ipophilus, *Cab. & Hein. Mus. Hein.* iv. p. 113 (1863) . . . I. obsoletus.

1835. *obsoletus* (*Wagl.*), *Isis*, 1829, p. 510. W., N.E.
Malh. Picid. i. p. 206, pl. 45, figs. 1, 2 (1861); *Cat. xviii.* p. 336.

Genus VI. MESOPICUS.

Type.

- | | |
|--|--------------------|
| Mesopicos, <i>Math. Mém. Acad. Metz</i> , 1848-49, p. 340 . . | M. goertan. |
| Scolecotheres, <i>Reichb. Scans. Picinæ</i> , p. 427 (1854) . . | M. griseocephalus. |
| Camponomus, <i>Cab. & Heine, Mus. Hein.</i> iv. p. 137 (1863) | M. pyrrhogaster. |
| Poliopicus, <i>Cass. Proc. Acad. Philad.</i> 1863, p. 196 . . | M. ellioti. |
| 1836. goertan (<i>P. L. S. Müll.</i>), <i>S. N. Suppl.</i> p. 91 (1776). | W., N.E. |
| Malh. <i>Picidæ</i> , ii. pp. 45, 49, pl. 63, figs. 1, 2, 4, 5 (1862); Cat. xviii. p. 368. | |
| 1837. spodocephalus (<i>Bp.</i>), <i>Consp. Av.</i> i. p. 125 (1850). | N.E. |
| Rüpp. <i>Syst. Uebers.</i> p. 86, pl. 34 (1845); Cat. xviii. p. 370. | |
| 1838. rhodogaster, <i>Fisch. & Reichen. J. f. O.</i> 1884, p. 180. | E. |
| Cat. xviii. p. 371, pt. | |
| 1839. griseocephalus (<i>Bodd.</i>), <i>Tabl. Pl. Enl.</i> p. 49 (1783). | S. |
| Levaill. <i>Ois. Afr.</i> vi. p. 16, pls. 268, 269 (1808); Cat. xviii. p. 371. | |
| 1840. pyrrhogaster (<i>Malh.</i>), <i>Rev. Zool.</i> 1845, p. 399. | W. |
| Malh. <i>Picidæ</i> , ii. p. 41, pl. 8, figs. 9, 10 (1862); Cat. xviii. p. 373. | |
| 1841. ellioti (<i>Cass.</i>), <i>Proc. Acad. Philad.</i> 1863, p. 197. | W. |
| Cass. <i>Journ. Acad. Philad.</i> 1863, p. 457, pl. 51, fig. 1, ♀; Cat. xviii. p. 374. | |
| 1842. johnstoni (<i>Shelley</i>), <i>P. Z. S.</i> 1887, p. 122. | W. |
| Hargitt, <i>Cat. B. M.</i> xviii. p. 375, pl. 9 (1890). | |
| 1843. xantholophus (<i>Hargitt</i>), <i>Ibis</i> , 1883, p. 173. | W., N.E. |

Order III. COLUMBIFORMES.

Family I. COLUMBIDÆ.

Subfamily I. TRERONINÆ.

Genus I. ALECTRÖENAS.

Type.

- Alectroenas*, *Gray, List Gen. B.* p. 58 (1840) *A. nitidissima*.
Funingus, *Des Murs, Chenu Enc. H. N., Ois. vi.* p. 32 (1854) *A. madagascariensis*.
Erythræna, *Bp. Consp. Av.* ii. p. 30 (1854) *A. pulcherrima*.

1844. *nitidissima* (*Scop.*), *Del. Flor. et Faun. Insubr.* ii. p. 93 (1786). M.
 Temm. & Knip, *Pig.* i. p. 50, pl. 19 (1808); *Cat. xxi.* p. 163 (1893).
1845. *madagascariensis* (*Linn.*), *S. N.* i. p. 283 (1766). M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 476, pl. 193 (1885); *Cat. xxi.* p. 164.
1846. *sganzini* (*Des Murs*), *Enc. H. N., Ois.* vi. p. 32 (1854). M.
 Schl. & Poll. *Faun. Mad.*, *Ois.* p. 115, pl. 37 (1868); *Cat. xxi.* p. 162.
1847. *pulcherrima* (*Scop.*), *Del. Flor. et Faun. Insubr.* ii. p. 94 (1786). M.
 Temm. & Knip, *Pig.* i. pl. 20 (1808); *Cat. xxi.* pl. 161.

Genus II. VINAGO.

Type.

- Vinago*, *Cuv. Règn. An.* i. p. 457 (1817) *V. waalia*.
Phalacrotreron, *Bp. Consp. Av.* ii. p. 6 (1854) *V. delalandii*.

1848. *australis* (*Linn.*), *Mant.* p. 526 (1771). M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 470, pl. 190 (1885); *Cat. xxi.* p. 18.
1849. *waalia* (*Gm.*), *Bruce's Reis. Ueb. u. Cuhn*, v. ii. *Zusätze*, p. 31 (1791). W., N.E.
 Temm. & Knip, *Pig.* i. p. 131, pl. 9 (1808); *Cat. xxi.* p. 15.
1850. *crassirostris* (*Fraser*), *P. Z. S.* 1813, p. 35. W.
 Fraser, *Zool. Typ.* pl. 60 (1849); *Cat. xxi.* p. 17.
1851. *calva* (*Temm. & Knip*), *Pig.* i. p. 35, pl. 7 (1808). W., S., E., N.E.
 Vieill. *Enc. Meth.* i. p. 378, pl. 238 (1823); *Cat. xxi.* p. 20.
1852. *wakefieldi*, *Sharpe, P. Z. S.* 1873, p. 715, pl. 58, fig. 2. S., E.
Cat. xxi. p. 23.
1853. *schalowi*, *Reichen, Orn. Centralbl.* 1880, p. 108. S.
Cat. xxi. p. 24.
1854. *delalandii* (*Bp.*), *Consp. Av.* ii. p. 6 (1854). S., E.
Bp. Icon. Pig. pl. 1 (1857); *Cat. xxi.* p. 24.

Subfamily II. COLUMBINÆ.

Genus I. COLUMBA.

	<i>Type.</i>
<i>Columba</i> , Linn. S. N. i. p. 279 (1766)	C. <i>livia</i> .
<i>Palumbus</i> , Kaup, <i>Natürl. Syst.</i> p. 107 (1829)	C. <i>palumbus</i> .
<i>Tæniænas</i> , Reichenb. <i>Av. Syst. Nat.</i> p. xxv (1852)	C. <i>albitorques</i> .
<i>Stictænas</i> , Reichenb. <i>l. c.</i>	C. <i>arquatrix</i> .
<i>Leucotænia</i> , Reichenb. <i>Tauben</i> , ii. p. 167 (1862)	C. <i>unicincta</i> .
<i>Nesænas</i> , Salvad. <i>Cat. B. M.</i> xxi. p. 327 (1893)	C. <i>meyeri</i> .

1855. *livia*, Briss. *Orn.* i. p. 82 (1760). W.
Dresser, B. Eur. vii. p. 11, pl. 457, upper fig. (1879); Cat. xxi. p. 252.
1856. *gymnocyclo*, G. R. Gray, *List B. Brit. Mus.*, Columbæ, p. 28 (1856). W.
Cat. xxi. p. 257.
1857. *albitorques*, Rüpp. N. *Wirb. Vög.* p. 63, pl. 22, fig. 1 (1835). N.E.
Cat. xxi. p. 265.
1858. *unicincta* (*Cass.*), Proc. Philad. Acad. 1859, p. 143. W.
Buttik. Notes Leyd. Mus. 1885, p. 236, pl. 6; Cat. xxi. p. 242, note.
1859. *guiniensis*, Linn. S. N. i. p. 282 (1766, *guinea*, laps. cal.). W., E., N.E.
Edwards, Birds, i. pl. 75 (1747); Cat. xxi. p. 266.
1860. *phæonota*, G. R. Gray, *List B. Brit. Mus.*, Columbæ, p. 32 (1856). S.
Temm. & Knip, Pig. i. pl. 16 (1808); Cat. xxi. p. 268.
1861. *arquatrix*, Temm. & Knip, Pig. i. p. 11, pl. 5 (1808). S., E., N.E.
Levaill. Ois. Afr. vi. p. 67, pl. 264 (1808); Cat. xxi. p. 276.
1862. *polleni*, Schl. Ned. *Tijdschr. Dierk.* iii. p. 87 (1866). M.
Schl. & Poll. Faun. Madag., Ois. p. 112, pl. 37 (1868); Cat. xxi. p. 321.
1863. “ *meyeri*, Marchal,” Prév. & Knip, Pig. ii. pl. 60 (1843). M.
Cat. xxi. p. 327.

Genus II. TURTURÆNA.

- | | <i>Type.</i> |
|--|-------------------------|
| <i>Turturæna</i> , Bp. <i>Consp. Av.</i> ii. p. 45 (1854) | T. <i>delegorguui</i> . |
| 1864. <i>delegorguui</i> (<i>Delegorgue</i>), Voy. Afr. Austr. ii. p. 615. S.
Salvad. Cat. B. M. xxi. p. 328, pl. 9, figs. 1, 2 (1893). | |
| 1865. <i>sharpii</i> , Salvad. <i>Cat. B. M.</i> xxi. p. 329, pl. 9, fig. 3 (1893). E.
Rothsch. Novit. Zool. i. p. 41, pl. 3 (1894). | |
| 1866. <i>incerta</i> , Salvad. <i>Cat. B. M.</i> xxi. p. 330. ? | |

1867. *iriditorques* (*Cass.*), *Proc. Philad. Ac.* 1856, p. 254. W.
Cat. xxi. p. 330.
1868. *malherbi* (*Verr.*), *Rev. et Mag. Zool.* 1851, p. 514. W.
Cat. xxi. p. 331.

Genus III. HAPLOPELIA.

Type.

- Haploelia*, *Bp. Consp. Av.* ii. p. 66 (1854, *Aploelia*, laps. eal.). H. *larvata*.
1869. *larvata* (*Temm. & Knip.*), *Pig.* i. p. 71, pl. 31 (1808). S.
Cat. xxi. p. 538.
1870. *bronzina* (*Rüpp.*), *N. Wirb. Vög.* p. 65, pl. 23, fig. 1 (1835). N.E.
Cat. xxi. p. 540.
1871. *johnstoni*, *Shelley, Ibis*, 1893, p. 28, pl. 3. S.
Cat. xxi. p. 541.
1872. *inornata*, *Reichen. J. f. O.* 1892, p. 179. W.
Cat. xxi. p. 541.
1873. *simplex* (*Hartl.*), *Rev. et Mag. Zool.* 1849, p. 467. W.
Hartl. Abh. nat. Ver. Hamb. 1852, pp. 37, 55, pl. 10; Cat. xxi. p. 542.
1874. *principalis*, *Hartl. P. Z. S.* 1866, p. 330. W.
Cat. xxi. p. 542.

Genus IV. TURTUR.

Type.

- Turtur*, *Selby, Nat. Libr., Pigeons*, p. 169 (1835) T. *turtur*.
Streptopelia, *Bp. Consp. Av.* ii. p. 63 (1854) T. *risorius*.
Stigmatopelia, *Sundev. Meth. Av. Tent.* p. 100 (1872) . . . T. *senegalensis*.
1875. *turtur* (*Linn.*), *S. N. i.* p. 284 (1766). N.E.
Dresser, *B. Eur.* vii. p. 39, pl. 462 (1872); Cat. xxi. p. 396.
1876. *isabellinus*, *Bp. Compt. Rend.* xliii. pp. 942, 949 (1856). N.E.
Shelley, *B. Egypt.* p. 215, pl. 10, fig. 2 (1872); Cat. xxi. p. 400.
1877. *lugens*, *Rüpp. N. Wirb. Vög.* p. 64, pl. 22, fig. 2 (1835). E., N.E.
Cat. xxi. p. 408.

1878. *semitorquatus* (*Rüpp.*), *N. Wirb. Vög.* p. 66, pl. 23, fig. 2 (1835). W., S., E., N.E.
Cat. xxi. p. 416.

1879. *shelleyi*, *Salvad. Cat. B. M.* xxi. p. 419 (1893). W.
1880. *ambiguus*, *Boege, Orn. Angola*, p. 386 (1877). S., E.
Cat. xxi. p. 419.

1881. *perspicillatus*, *Fisch. & Reichen. J. f. O.* 1884, p. 179. E.
Cat. xxi. p. 421, note.
1882. *decipiens*, *Finsch & Hartl. Vög. Ost-Afr.* p. 544 (1870). N.E.
Cat. xxi. p. 420.
1883. *capicola* (*Sundev.*), *Krit. om Levail.* p. 54 (1857). S.
Cat. xxi. p. 424.
1884. *damarensis*, *Finsch & Hartl. Vög. Ost-Afr.* p. 550 (1870). S., E.
Cat. xxi. p. 426.
1885. *vinaceus* (*Gm.*), *S. N. i.* p. 782 (1788). W., N.E.
Cat. xxi. p. 428.
1886. *roseigriseus* (*Sundev.*), *Krit. om Levail.* p. 54 (1857). N.E.
Cat. xxi. p. 429.
1887. *senegalensis* (*Linn.*), *S. N. i.* p. 283 (1766). W., S., E., N.E.
Dresser, *B. Eur.* vii. p. 55, pl. 465 (1876): Cat. xxi. p. 449.

Genus V. HOMOPELIA.

*Type.**Homopelia*, *Salvad. Cat. B. M.* xxi. p. 409 (1893) *H. picturata*.

1888. *picturata* (*Temm.*), *Pig. et Gallin.* i. pp. 315, 480. *[8/3]* M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 460, pl. 185 (1885); Cat. xxi. p. 409.
1889. *aldabranica*, *Sclat. P. Z. S.* 1871, pp. 623, 692, pl. 73. M.
Cat. xxi. p. 411.
1890. *comorensis*, *Schl. P. Z. S.* 1886, p. 424. M.
Cat. xxi. p. 412.
1891. *coppingeri*, *Sharpe, Rep. Voy. 'Alert,'* p. 484 (1884). M.
Cat. xxi. p. 412.
1892. *rostrata*, *Bp. Consp. Av.* ii. p. 64 (1854). M.
Cat. xxi. p. 413.

Genus VI. CHALCOPELIA.

*Type.**Chalcopelia*, *Bp. Consp. Av.* ii. p. 67 (1854) *C. afra*.
Calopelia, *Salvad. Cat. B. M.* xxi. p. 522 (1893) *C. puella*.

1893. *puella* (*Schl.*), *Bijdr. tot de Dierk.* 1848, p. 17, pl. W.
Cat. xxi. p. 523.
1894. *brehmeri*, *Hartl. Ibis*, 1865, p. 236. W.
Cat. xxi. p. 524.
1895. *afra* (*Linn.*), *S. N. i.* p. 284 (1766). W., S., E., N.E.
Temm. & Knip, *Pig. i. fam. sec.* p. 83, pls. 38, 39 (1808): Cat. xxi. p. 506.

Genus VII. TYMPANISTRIA.

*Type.**Tympanistria*, *Reichenb. Av. Syst. Nat.* p. xxv (1852) . . . *T. tympanistria*.

1896. *tympanistria* (*Temm. & Knip.*), *Pig. i. fam. sec. p. 80, pl. 36* (1808). W., S., E., M.
Cat. xxi. p. 504.

Genus VIII. CENA.

*Type.**Cena*, *Selby in Swains. Class. B. ii.* p. 349 (1837) *C. capensis*.

1897. *capensis* (*Linn.*), *S. N. i.* p. 286 (1766). W., S., E., N.E.
Temm. *Pig. i. pls. 53, 54* (1808); *M.-Edw. & Gr. Hist. Mad.*, *Ois. pl. 188*; *Cat. xxi. p. 501*.

Genus IX. GEOPELIA.

*Type.**Geopelia*, *Swains. Class. B. ii.* p. 348 (1837) *G. striata*.

(Introduced)
1898. *striata* (*Linn.*), *S. N. i.* p. 282 (1776). St. Helena, Madag., &c.
Temm. & Knip., *Pig. i. fam. sec. pl. 47* (1808); *Cat. xxi. p. 458*.

Family II. DIDIDÆ.

Genus I. PEZOPHAPS.

*Type.**Pezophaps*, *Strickl. The Dodo and its Kindred*, pp. 46, 54 (1848). *P. solitarius*.

1899. *solitarius* (*Gm.*), *S. N. i.* p. 728 (1788). (Extinct.) M.
Cat. xxi. p. 629 (1893).

Genus II. DIDUS.

*Type.**Didus*, *Linn. S. N. i.* p. 267 (1766) *D. inceptus*.

1900. *inceptus*, *Linn. S. N. i.* p. 267 (1766). (Extinct.) M.
Broderip, *Tr. Z. S. iv.* p. 183, *pl. 54* (1862); *Cat. xxi. p. 632*.

Order IV. PSITTACIFORMES.

Family I. PSITTACIDÆ.

Genus I. PŒOCEPHALUS.

*Type.**Poicephalus*, *Swains. Class. B. ii.* p. 301 (1837) *P. senegalus*.

1901. *robustus* (*Gm.*), *S. N. i.* p. 344 (1788). S.
Levaill. *Perr. pls. 136* (ad.), 131 (var.) (1805); *Cat. xx. p. 363* (1891).

1902. *fuscicollis* (*Knhl.*), *Consp. Psitt.* p. 93 (1820). W., S., E.
Cat. xx. p. 364.
1903. *gulielmi* (*Jard.*), *Contr. Orn.* 1849, p. 64, pl. 28. W.
Reichen. Vogelb. pl. 7. fig. 7 (1878–83); Cat. xx. p. 366.
1904. *aubryanus*, *Souancé, Rev. et Mag. Zool.* 1856, p. 216. W.
Cat. xx. p. 367.
1905. *massaicus*, *Fisch. & Reichen. J. f. O.* 1884, p. 179. E.
Cat. xx. p. 367.
1906. *fuscicapillus* (*Verr. & Des Murs*), *Rev. et Mag. Zool.* 1849, p. 58. S., E.
Finsch & Hartl. Vög. O.-Afr. p. 499, pl. 7 (1870); Reich. Vogelb. p. 20, f. 8; Cat. xx. p. 368.
1907. *crassus* (*Sharpe*), *Journ. Linn. Soc., Zool.* xvii. p. 429 (1884). N.E.
Cat. xx. p. 369.
1908. *flavifrons* (*Rüpp.*), *Syst. Uebers.* p. 81, p. 31 (1845). N.E.
Cat. xx. p. 369.
1909. “*citrinocapillus* (*Heugl.*)”, *Schl. Mus. P.-B.*, Psittaci, p. 35 (1864). N.E.
Heugl. Orn. N.O.-Afr. p. 744, pl. 26; Reichen. Vogelb. pl. 20. f. 6; Cat. xx. p. 370.
1910. *senegalus* (*Linn.*), *S. N. i.* p. 149 (1766) W.
Levaill. H. N. Perr. pls. 116, 117; Reichen. Vogelb. pl. 7. fig. 2; Cat. xx. p. 371.
1911. “*versteri* (*Goffin*)”, *Finsch, Ned. Tijdschr. Dierk.* 1863, p. 16. W.
Cat. xx. p. 372.
1912. *rufiventris* (*Rüpp.*), *Syst. Uebers.* p. 83, pl. 32 (1845). E., N.E.
Reichen. Vogelb. pl. 20. fig. 7; Cat. xx. p. 372.
1913. “*meyeri* (*Rüpp.*)”, *Cretzsch. in Rüpp. Atlas*, p. 18, pl. 11 (1826). S., E., N.E.
Bourjot St.-Hil. H. N. Perr. pl. 61; Reichen. Vogelb. pl. 7. fig. 1; Cat. xx. p. 373.
1914. *rueppelli* (*G. R. Gray*), *P. Z. S.* 1848, p. 125, pl. 5. S.
Reichen. Vogelb. pl. 7. fig. 3; Cat. xx. p. 375.

Genus II. PSITTACUS.

Type.

- Psittacus*, *Linn. S. N. i.* p. 139 (1766) P. *crithacus*.
- 1915. *erithacus*, *Linn. S. N. i.* p. 144 (1766). W., E.
Levaill. H. N. Perr. pls. 99, 100; Reichen. Vogelb. pl. 7. fig. 5; Cat. xx. p. 377.
1916. *timneh*, *Fraser, P. Z. S.* 1844, p. 38. W.
Levaill. H. N. Perr. pl. 110; Reichen. Vogelb. pl. 7. fig. 4; Cat. xx. p. 380.

Genus III. CORACOPSIS.

Type.

- Coracopsis*, *Wagler, Abhandl. Ak. Wiss. Münch.* i. p. 501 (1832). C. *vasa*.
- 1917. *vasa* (*Shaw*), *Gen. Zool.* viii. p. 528. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 1, pl. 1 (1876); Cat. xx. p. 381.

- 1918. *nigra* (*Linn.*), *S. N.* i. p. 145 (1766). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 6, pl. 1 (1879); Cat. xx. p. 382.
- 1919. *comorensis*, *Peters*, *Sitz. Berl. Ak. Wiss.* 1854, p. 371. M.
Cat. xx. p. 383.
- 1920. *barklyi*, *E. Newton*, *P. Z. S.* 1867, p. 346, p. 22. M.
Cat. xx. p. 384.
1921. *sibilans*, *Milne-Edw. & Oust. C. R. ci.* p. 220 (1885). M.
Cat. xx. p. 384.

Genus IV. MASCARINUS.

Mascarinus, *Lesson*, *Traité Orn.* p. 188 (1831) Type.
M. *mascarinus*.

1922. *mascarinus* (*Linn.*), *Mantiss.* p. 524 (1771). M.
Levaill. Perr. ii. p. 171, pl. 139 (1805); Cat. xx. p. 421.

Genus V. NECROPSITTACUS.

Necropsittacus, *M.-Edw. An. Sc. N.*(5)xix. art. 3, p. 18 (1874). Type.
N. *rodericanus*.

1923. *rodericanus* (*Milne-Edw.*), *Ann. Sc. Nat.* (5) viii. p. 151, pl. 7. M.
Cat. xx. p. 387.

Genus VI. PALÆORNIS.

Palæornis, *Vigors, Zool. Journ.* ii. p. 46 (1825) Type.
P. *cupatria*.

1924. *wardi*, *E. Newton*, *P. Z. S.* 1867, p. 346. M.
E. Newton, *Ibis*, 1876, p. 283, pl. 6; Cat. xx. p. 441.
1925. *eques* (*Bodd.*), *Tabl. Pl. Enl.* p. 13 (1783). M.
Cat. xx. p. 442.

1926. *docilis* (*Vieill.*), *N. Dict.* xxv. p. 343 (1817). W., N.E.
Swains. B. W. Afr. ii. frontispiece (1837); Cat. xx. p. 447.

1927. *exsul*, *A. Newton*, *Ibis*, 1872, p. 33. M.
A. Newton, *Ibis*, 1875, p. 342, pl. 7; Cat. xx. p. 459.

Genus VII. AGAPORNIS.

Agapornis, *Selby in Jard. Nat. Libr.* vi. p. 117, pl. 11 (1836) . A. *pullaria*. Type.

- 1928. *cana* (*Gm.*), *S. N.* i. p. 350 (1788). M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 17, pl. 7 (1879); Cat. xx. p. 507.
1929. *taranta* (*Stanley*), *in Salt's Trav. Abyss.* App. p. lii (1814). N.E.
Lear, Ill. Psitt. pl. 39 (1832); Reichen. Vogelb. pl. 20. fig. 2; Cat. xx. p. 509.

1930. *lilianæ*, *Shelley, Ibis*, 1894, p. 466, pl. 12. S.
 1931. *fischeri*, *Reichen. J. f. O.* 1887, p. 54. E.
 Reichen. J. f. O. 1889, pl. 4, fig. 1; *Cat. xx.* p. 511.
 1932. *personata*, *Reichen. J. f. O.* 1887, p. 55, pl. 4. E.
 Reichen. J. f. O. 1889, pl. 4, fig. 2; *Cat. xx.* p. 512.
 1933. *pullaria* (*Linn.*), *S. N. i.* p. 149 (1766). W., E., N.E.
 Bourjot St.-Hil. H. N. Perr. pl. 90; *Reichen. Vogelb.* pl. 20, fig. 3; *Cat. xx.* p. 510.
 1934. *roseicollis* (*Vieill.*), *N. Dict.* xxxv. p. 377 (1817). S.
 Bourjot St.-Hil. H. N. Perr. pl. 91; *Reichen. Vogelb.* pl. 20, fig. 1; *Cat. xx.* p. 522.
 1935. *swinderenii* (*Kuhl*), *Consp. Psittac.* p. 62, pl. 2 (1820). W.
 Cab. J. f. O. 1877, pl. 5, fig. 2; *Cat. xx.* p. 514.
 1936. *zenkeri*, *Reichen. Orn. Monatsb.* 1895, p. 112. W.

Order V. ACCIPITRIFORMES.

Family I. STRIGIDÆ.

Subfamily I. STRIGINÆ.

Genus STRIX.

- | | <i>Type.</i> |
|--|----------------------|
| <i>Strix</i> , <i>Linn. S. N. i.</i> p. 131 (1766) | S. flammea. |
| <i>Heliodilus</i> , <i>Milne-Edw. & Grand. C. R.</i> lxxxv. p. 1282 (1877). | S. soumagnii. |
| 1937. <i>flammea</i> , <i>Linn. S. N. i.</i> p. 133 (1766).
Dresser, <i>B. Eur. v.</i> p. 237, pl. 302 (1879); <i>Cat. ii.</i> p. 291 (1875). | W., S., E., N.E., M. |
| 1938. <i>soumagnii</i> (<i>Grand.</i>), <i>Hist. Mad.</i> , <i>Ois.</i> p. 113, pl. 36 A (1879). | M. |
| 1939. <i>capensis</i> , <i>Smith, S. Afr. Quart. Journ.</i> 1834, p. 307.
Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 65 (1840); <i>Cat. ii.</i> p. 307. | S. |

Subfamily II. SYRNIINÆ.

Genus I. ASIO.

- | | <i>Type.</i> |
|--|--------------|
| <i>Asio</i> , <i>Briss. Orn. i.</i> p. 28 (1760) | A. otus. |
| <i>Phasmoptynx</i> , <i>Kaup, Isis</i> , 1848, p. 770 | A. capensis. |
| 1940. <i>otus</i> (<i>Linn.</i>), <i>S. N. i.</i> p. 132 (1766).
Dresser, <i>B. Eur. v.</i> p. 251, pl. 303 (1876); <i>Cat. ii.</i> p. 227. | N.E. |
| 1941. <i>madagascariensis</i> (<i>Smith</i>), <i>S. Afr. Quart. Journ.</i> 1834, p. 316.
Milne-Edw. & Grand. <i>Hist. Mad.</i> , <i>Ois.</i> p. 119, pl. 38 (1876); <i>Cat. ii.</i> p. 232. | M. |

1942. *accipitrinus* (*Pall.*), *Reise. Reichs*, i. p. 455 (1771). N.E.
Dresser, *B. Eur.* v. p. 257, pl. 304 (1876); *Cat. ii.* p. 234.
1943. *capensis* (*Smith*), *S. Afr. Quart. Journ.* 1834, p. 316. W., S., E., M.
Smith, Ill. Zool. S. Afr. Av. p. 67 (1841); Dresser, *B. Eur.* v. p. 265, pl. 305 (1877); *Cat. ii.* p. 239.

Genus II. SYRNIUM.

Type.

- Syrnium*, *Savigny, Syst. Ois. Egypte*, pp. 9, 51 (1810) S. *alueo*.
1944. *aluco* (*Linn.*), *S. N.* i. p. 132 (1766). N.E.
Dresser, *B. Eur.* v. p. 271, pl. 306 (1879); *Cat. ii.* p. 247.
1945. *woodfordi* (*Smith*), *S. Afr. Quart. Journ.* 1834, p. 312. S., E., N.E.
Smith, Ill. Zool. S. Afr. Av. pl. 71 (1842); *Cat. ii.* p. 267.
1946. *nuchale*, *Sharpe, Ibis*, 1870, p. 487. W.
Cat. ii. p. 265.
1947. *bohndorffi*, *Sharpe, Journ. Linn. Soc., Zool.* xvii. p. 439 (1884). N.E.

Subfamily III. BUBONINÆ.

Genus I. GLAUCIDIUM.

Type.

- Glaucidium*, *Boie, Isis*, 1826, p. 970 (misprint 976 on page). G. *passerinum*.
Nyctipetes, *Swains. Class. B.* ii. p. 218 (1837) G. *perlatum*.
Smithiglaux, *Bp. Rev. Zool.* (2) vi. p. 544 (1854) G. *capense*.
1948. *perlatum* (*Vieill.*), *N. Dict.* vii. p. 26. W., S., E., N.E.
Temm. *Pl. Col.* i. p. 34 (1823); *Cat. ii.* p. 209.
1949. *kilimense*, *Reichen. Orn. Monatsb.* 1893, p. 178. E.
1950. *capense* (*Smith*), *S. Afr. Quart. Journ.* 1834, p. 313. S., E.
Sm. Ill. Zool. S. Afr. Av. pl. 33 (1839); *Sharpe, ed. Layard's B. S. Af.* p. 77, pl. 3; *Cat. ii.* p. 223.
1951. *castaneum*, *Reichen. Orn. Monatsb.* 1893, p. 62. E.
1952. *sjoestedii*, *Reichen. Orn. Monatsb.* 1893, p. 65. W.
Sjöst. Kgl. Svenska Vet.-Ak. Handl. (27, no. 1) pl. 2 (1895).

Genus II. NINOX.

Type.

- Ninox*, *Hodgs. Madras Journ.* v. p. 23, pl. 14 (1837) N. *lugubris*.
1953. *superciliaris* (*Vieill.*), *N. Dict.* vii. p. 33 (1817). M.
Milne-Edw. & Grand. Hist. Mad., *Ois.* p. 126, pl. 39 (1876); *Cat. ii.* p. 181.

Genus III. CARINE.

	<i>Type.</i>
Carine, <i>Kaup, Natürl. Syst.</i> p. 29 (1829)	C. noctua.
1954. glaux (<i>Savigny</i>), <i>Observ. Syst. Ois. Egypte &c.</i> p. 45 (1810).	N.E.
Dresser, <i>B. Eur.</i> v. p. 367, pl. 318 (1877); <i>Cat. ii.</i> p. 135.	
1955. spilogastra, <i>Heugl. J. f. O.</i> 1863, p. 15.	N.E.
<i>Heugl. Orn. N.O.-Afr.</i> p. 119, pl. 4 (1870); <i>Cat. ii.</i> p. 138.	

Genus IV. SCOPS.

	<i>Type.</i>
Scops, <i>Brünnich, Zool. Fundamenta</i> , pp. 70, 74 (1772)	S. giu.
Ptilopsis, <i>Kaup, Isis</i> , 1848, p. 769	S. leucotis.
1956. scops (<i>Linn.</i>), <i>S. N. i.</i> p. 132 (1766).	W., N.E.
Dresser, <i>B. Eur.</i> v. p. 329, pl. 314 (1876); <i>Cat. ii.</i> p. 47.	
1957. leucopsis (<i>Hartl.</i>), <i>Rev. Zool.</i> 1849, p. 496.	W.
<i>Hartl. Beitr. Orn. W.-Afr.</i> p. 16, pl. 1 (1852); <i>Cat. ii.</i> p. 311.	
1958. capensis, <i>Smith, S. Afr. Quart. Journ.</i> 1834, p. 314.	S.E.
<i>Sharpe, Cat. B. M. ii.</i> p. 52, pl. 3, fig. 1 (1875).	
1959. rutilus, <i>Pucher. Rev. et Mag. de Zool.</i> 1849, p. 29.	M.
<i>Milne-Edw. & Grand. Hist. Mad.</i> , <i>Ois.</i> p. 133, pl. 40 (1876); <i>Cat. ii.</i> p. 80.	
1960. scapulatus, <i>Bocage, Jorn. Lisb.</i> 1888, pp. 225, 233.	W.
1961. icterorhynchus, <i>Shelley, Ibis</i> , 1873, p. 138.	W.
<i>Cat. ii.</i> p. 103.	
1962. leucotis (<i>Temm.</i>), <i>Pl. Col. i.</i> p. 16.	W., S., E., N.E.
<i>Cat. ii.</i> p. 97.	

Genus V. BUBO.

	<i>Type.</i>
Bubo, <i>Duméril, Zool. Anal.</i> p. 34 (1806)	B. maximus.
“Ascalaphia, G.St.-Hil. 1830,” <i>D'Orb. Dict. H.N. ii.</i> p. 203 (1844)	B. ascalaphus.
<i>Nyctætus, Gloger, Handb. Naturf.</i> p. 228 (1842)	B. lacteus.
<i>Nisuella, Less. Echo Monde Sav.</i> 1843, col. 469	B. maculosus.
1963. ascalaphus, <i>Savigny, Descr. Egypte</i> , pl. 3, fig. 2.	N.E.
<i>Temm. Pl. Col. ii.</i> pl. 57 (1825); <i>Cat. ii.</i> p. 24.	
1964. capensis, <i>Smith, S. Afr. Quaart. Journ.</i> 1834, p. 317.	S.
<i>Smith, Ill. Zool. S. Afr. Av.</i> pl. 70 (1842); <i>Cat. ii.</i> p. 27.	
1965. maculosus (<i>Vieill.</i>), <i>N. Dict. vii.</i> p. 44 (1817).	S., E.
<i>Temm. Pl. Col. ii.</i> pl. 50 (1824); <i>Cat. ii.</i> p. 39.	

1966. *cinerascens*, Guér. *Rev. Zool.* 1843, p. 321. N.E.
 Des Murs in Lefebvre's *Voy. Abyss.*, *Zool.* p. 74, pl. 4 (1845-50); *Cat. ii.* p. 32.

1967. *lacteus* (*Temm.*), *Pl. Col. ii.* pl. 4 (1824). W., S., E., N.E.
Cat. ii. p. 33.

1968. *shelleyi* (*Sharpe & Ussher*), *Ibis*, 1872, p. 182. W.
Sharpe, *Cat. B. M. ii.* p. 37, pl. 2 (1875).

1969. *leucostictus*, *Hartl. J. f. O.* 1855, p. 354. W.
Cat. ii. p. 41.

1970. *poensis*, *Fraser, P. Z. S.* 1853, p. 13. W.
Sclat. P. Z. S. 1863, p. 376, pl. 33; *Sharpe, Ibis*, 1869, p. 194, pl. 4; *Cat. ii.* p. 42.

Genus VI. SCOTOPELIA.

Type.

- Scotopelia, Bp. Consp. Av.** i. p. 44 (1850) S. peli.
 1971. "peli, Temm.," *Bp. Consp. Av.* i. p. 44 (1850). W., S., E.
 Gurney, *Ibis*, 1859, p. 445, pl. 15; Cat. ii. p. 10.
 1972. ussleri, *Sharpe, Ibis*, 1871, pp. 101, 417, pl. 12. W.
 Cat. ii. p. 11.
 1973. bouvieri, *Sharpe, Ibis*, 1875, p. 261. W.
 Sharpe, Cat. B. M. ii. p. 11, pl. 1 (1875).

Family II. FALCONIDÆ.

Subfamily I. PANDIONINÆ.

Genus PANDION.

Type.

1974. *haliaetus* (*Linn.*), *S. N.* i. p. 129 (1766). W., S., E., N.E.
Dresser, B. *Eur.* vi. p. 139, pls. 386, 387 (1876); *Cat.* i. p. 449 (1874).

Subfamily II. FALCONINÆ.

Genus I. FALCO.

Type.

- xx

Falco, <i>Linn. S. N.</i> i. p. 124 (1766)	F. <i>peregrinus</i> .
Hypotriorchis, <i>Boie, Isis</i> , 1826, p. 970	F. <i>subbuteo</i> .
1975. sacer, <i>Gm. S. N.</i> i. p. 273 (1788). Dresser, B. <i>Eur.</i> vi. p. 59, pls. 276, 277 (1879); <i>Cat.</i> i. p. 417.	N.E.
1976. <i>peregrinus</i> , <i>Tunst. Orn. Brit. Cat.</i> p. 1 (1771). Dresser, B. <i>Eur.</i> vi. p. 31, pl. 372 (1876); <i>Cat.</i> i. p. 376.	E., N.E.

1977. *minor*, *Bp. Rev. et Mag. Zool.* 1850, p. 484. S., E., N.E. *M.*
Sharpe, Cat. B. M. i. p. 383, pl. 12 (1874).
1978. *barbarus*, *Linn. S. N.* i. p. 125 (1766). W., N.E.
Gurney, *Ibis*, 1861, p. 218, pl. 7; Dresser, *B. Eur.* vi. p. 47, pl. 374 (1876); Cat. i. p. 386.
1979. *feldeggii*, *Schl. Abhandl. Geb. Zool.* p. 3, pls. 10, 11 (1841). N.E.
Dresser, *B. Eur.* vi. p. 51, pl. 375 (1879); Cat. i. p. 389.
1980. *tanypterus*, *Schl. Abhandl. Geb. Zool.* p. 8, pls. 12, 13 (1841). W., N.E.
Cat. i. p. 391.
1981. *biarmicus*, *Temm. Pl. Col.* i. pl. 324 (1825). S., E.
Sharpe, ed. Layard's *B. S. Afr.* p. 58, pl. 2 (1875); Cat. i. p. 391.
1982. *ruficollis*, *Swains. B. W. Afr.* i. p. 107, pl. 2 (1837). W., S., E., N.E.
Cat. i. p. 404.
1983. *subbuteo*, *Linn. S. N.* i. p. 127 (1766). S., N.E.
Dresser, *B. Eur.* vi. p. 69, pl. 379 (1871); Cat. i. p. 395.
1984. *fasciinucha*, *Reichen. & Neumann, Orn. Monatsb.* 1895, p. 114. E.
1985. *cuvieri*, *Smith, S. Afr. Quart. Journ.* 1830, p. 392. W., S., E.
Schl. Nederl. Tijdschr. i. p. 123, pl. 5 (1861); Cat. i. p. 400.
1986. *eleanoræ*, *Gené, Rev. Zool.* 1839, p. 105. E., N.E.
Dresser, *B. Eur.* vi. p. 103, pl. 383 (1873); Cat. i. p. 404.
1987. *concolor*, *Temm. Pl. Col.* texte to pl. 330 (1825). E., M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 37, pl. 11 (1876); Cat. i. p. 405.

Genus II. ERYTHROPOUS.

Type.

- Erythropus*, *Brehm, Isis*, 1828, p. 1270 E. *vespertinus*.
Dissodeectes, *Scl. P.Z.S.* 1864, p. 248; *id. Ibis*, 1864, p. 306, pl. 8. E. *dickinsoni*.
1988. *zoniventris* (*Peters*), *Sitz. k. pr. Akad. Wiss. Berlin*, 1853, p. 7. M.
Sharpe, *Cat. B. M.* i. p. 447, pl. 14, fig. 2 (1874); Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 35, pl. 10.
1989. *dickinsoni*, *Sclat. P. Z. S.* 1864, p. 240. S., E.
Sclat. Ibis, 1864, p. 305, pl. 8; Cat. i. p. 447.
1990. *ardesiacus* (*Bonn. et Vieill.*), *Enc. Méth.* i. p. 1238 (1823). W., E.
Swains. *B. W. Afr.* i. p. 122, pl. 3 (1837); Fritsch, *Vög. Eur.* pl. 3, fig. 4 (1858); Cat. i. p. 446.
1991. *vespertina* (*Linn.*), *Syst. Nat.* i. p. 129 (1766). S., E., N.E.
Dresser, *B. Eur.* vi. p. 93, pl. 382 (1871); Cat. i. p. 443.
1992. *amurensis* (*Homey.*), *J. f. O.* 1868, p. 251. S.
Gurney, *Ibis*, 1868, p. 41, pl. 2; Cat. i. p. 445.

[January 1896.]

L

Genus III. TINNUNCULUS.

Type.

- Tinnunculus*, *Vieill. Ois. Amér. Sept.* i. p. 39 (1807). T. tinnunculus (*Linn.*).
Cerchneis, *Boie, Isis*, 1826, p. 970 ? T. rupicola.
Tichornis, *Kaup, Classif. Säug. u. Vög.* p. 108 (1844). T. naumannii.

1993. *tinnunculus* (*Linn.*), *S. N.* i. p. 127 (1766). W., S., E., N.E.
 Dresser, *B. Eur.* vi. p. 113, pl. 384 (1871); *Cat. i.* p. 425.
1994. *neglectus* (*Schl.*), *Mus. Pays-Bas, Accipitr.* p. 43 (1873). W.
Cat. i. p. 428.
1995. *rupicolus* (*Daud.*), *Traité*, ii. p. 135 (1800). S.
 Sharpe, *P. Z. S.* 1874, p. 581, pl. 68. figs. 1, 2; *Cat. i.* p. 429.
1996. *rupicoloides*, *Smith, S. Afr. Quart. Journ.* 1830, p. 238. S.
 Smith, *Ill. Zool. S. Afr. Av.* pl. 92 (1844); *Cat. i.* p. 432.
1997. *arthuri*, *Gurney, List Diurn. Birds of Prey*, pp. 98, 156 (1884). E.
1998. *alopex* (*Heugl.*), *Syst. Uebers.* p. 10 (1856). N.E.
 Sharpe, *Cat. B. M. i.* p. 432, pl. 14. fig. 1 (1874).
1999. *punctatus* (*Temm.*), *Pl. Col. i.* pl. 45 (1823). M.
Schl. & Poll. Faun. Mad., *Ois.* p. 33, pl. 11. fig. 3 (1868); *Cat. i.* p. 434.
- 2000. *newtoni*, *Gurney, Ibis*, 1863, p. 34, pl. 2. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 45, pl. 13 (1879); *Cat. i.* p. 433.
- 2001. *gracilis* (*Less.*), *Traité*, p. 93 (1831). M.
 Des Murs, *Icon. Orn.* pl. 25 (1846); *Schl. & Poll. F. Mad.* p. 34, pl. 11. figs. 4, 5 (1868).
Cat. i. p. 435.
2002. *cenchris* (*Naumann*), *Nat. Vög. Deutschl.* p. 318, note (1818-22). S., E., N.E.
 Dresser, *B. Eur. vi.* p. 125, pl. 385 (1871); *Cat. i.* p. 435.

Genus IV. POLIOHIERAX.

Type.

- Polihierax*, *Kaup, Isis*, 1847, p. 47 P. semitorquatus.
 2003. *semitorquatus* (*Smith*), *Rep. Exp. Centr. Afr.* 1836, p. 44. S., E., N.E.
 Smith, *Ill. Zool. S. Afr. Av.* pl. 1 (1838); *Cat. i.* p. 370.

Genus V. BAZA.

Type.

- Baza*, *Hodgs. J. A. S. Beng.* v. p. 777 (1836) B. lophotes.
Aviceda, *Swains. B. W. Afr.* i. p. 104 (1837) B. euculoides.
 2004. *madagascariensis* (*Smith*), *S. Afr. Quart. Journ.* 1834, p. 285. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 68, pl. 19 (1876); *Cat. i.* p. 353.

2005. *cuculoides* (*Swains.*), *B. W. Afr.* i. p. 104, pl. 1 (1837). W.
Sharpe, *Cat. B. Brit. Mus.* i. p. 354, pl. 11. fig. 2 (1874).
2006. *verreauxi* (*Laf.*), *Rev. Zool.* 1846, p. 130. S., E.
Sharpe, ed. Layard's *B. S. Afr.* p. 54, pl. 1 (1875); *Cat. i.* p. 354.

Subfamily III. MILVINÆ.

Genus I. PERNIS.

- | | <i>Type.</i> |
|---|--------------|
| <i>Pernis</i> , <i>Cuv. Règne Animal</i> , i. p. 322 (1817) | P. apivorus. |
| 2007. <i>apivorus</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 130 (1766).
Dresser, <i>B. Eur.</i> vi. p. 3, pls. 364, 365, 366 (1875); <i>Cat. i.</i> p. 344. | W., S., M. |

Genus II. MACHÆRHAMPUS.

- | | <i>Type.</i> |
|---|-------------------------------|
| <i>Machærhamphus</i> , <i>Westerm. Bij. t. d. Dier.</i> i. p. 29, pl. 12 (1848).
<i>Stringonyx</i> , <i>Gurney, P. Z. S.</i> 1865, p. 618 | M. aleinus.
M. anderssoni. |
| 2008. <i>anderssoni</i> , <i>Gurney, P. Z. S.</i> 1865, p. 618.
Gurney, <i>Tr. Z. S.</i> vi. p. 117, pl. 29 (1869); M.-Edw. & Grand. H. Mad., <i>Ois.</i> p. 79, pl. 24.
<i>Cat. i.</i> p. 343. | W., S., M. |

Genus III. ELANUS.

- | | <i>Type.</i> |
|---|--------------|
| <i>Elanus</i> , <i>Savigny, Ois. Egypte</i> , pp. 9, 37 (1810) | E. cœruleus. |
| 2009. <i>cœruleus</i> (<i>Desf.</i>), <i>Mém. Acad. R. Sci.</i> 1787, p. 503, pl. 15. W., S., E., N.E.
Dresser, <i>B. Eur.</i> v. p. 663, pl. 363 (1875); <i>Cat. i.</i> p. 336. | - |

Genus IV. NAUCLERUS.

- | | <i>Type.</i> |
|---|--------------|
| <i>Nauclerus</i> , <i>Vigors, Zool. Journ.</i> ii. p. 386 (1825) | N. riocouri. |
| 2010. <i>riocouri</i> (<i>Vieill. et Oud.</i>), <i>Gal. Ois.</i> i. p. 43, pl. 16 (1823).
Temm. <i>Pl. Col.</i> i. pl. 85 (1824); <i>Cat. i.</i> p. 318. | W., N.E. |

Genus V. MILVUS.

- | | <i>Type.</i> |
|---|----------------------|
| <i>Milvus</i> , <i>Cuv. Leçons Anat. Comp.</i> i. table 2 (1800) | M. regalis. |
| <i>Hydroictinia</i> , <i>Kaup, Class. Säug. u. Vög.</i> p. 115 (1814) . . . | M. korschun. |
| 2011. <i>aegyptius</i> (<i>Gm.</i>), <i>S. N.</i> i. p. 261 (1788).
Levaill. <i>Ois. Afr.</i> i. p. 88, pl. 22 (1799); <i>Cat. i.</i> p. 320. | W., S., E., N.E., M. |
| 2012. <i>korschun</i> (<i>Gm.</i>), <i>N. Comm. Petrop.</i> xv. p. 444 (1771).
Dresser, <i>B. Eur.</i> v. p. 651, pl. 362 (1875); <i>Cat. i.</i> p. 322. | W., E., N.E. |

Subfamily IV. HALIAËTINÆ.

Genus I. GYPOHIERAX.

- Type.
- Gypohierax*, Rüpp. *N. Wirb. Vög.* p. 46 (1835) G. angolensis.
 2013. *angolensis* (*Gm.*), *S. N. i.* p. 252 (1788). W., S., E.
 Gray, *Gen. B. i.* p. 7, pl. 4 (1844); *Cat. i.* p. 312.

Genus II. HALIAËTUS.

- Type.
- Haliaëtus*, Savigny, *Syst. Ois. Egypte*, pp. 8, 25 (1810) . . H. albicillus.
Pontoaëtus, Kaup, *Class. Säug. u. Vögel*, p. 122 (1844) . . H. leucogaster.
 2014. *vocifer* (*Daud.*), *Traité*, ii. p. 66 (1800). W., S., E.
Cat. i. p. 310.
 2015. *vociferoides*, Des Murs, *Rev. Zool.* 1845, p. 175. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 24, pl. 9 (1876); *Cat. i.* p. 311.

Genus III. HELOTARSUS.

- Type.
- Helotarsus*, Smith, *S. Afr. Quart. Journ.* ii. p. 110 (1830) . . H. ecaudatus.
 2016. *ecaudatus* (*Daud.*), *Traité*, ii. p. 54 (1800). W., S., E., N.E.
Levaill. Ois. Afr. i. p. 31, pls. 7, 8 (1799); *Cat. i.* p. 300.
 2017. *leuconotus*, Rüpp. *Syst. Uebers.* p. 10 (1845). S., N.E.
Cat. i. p. 301.

Subfamily V. AQUILINÆ.

Genus I. GYPAËTUS.

- Type.
- Gypaëtus*, Storr, *Alpenreise*, i. p. 69 (1784) G. barbatus.
Phene, Savigny, *Syst. Ois. Egypte*, pp. 8, 17 (1810) G. ossifragus.
 2018. *ossifragus*, Savigny, *Syst. Ois. Egypte*, p. 245 (1810). S., N.E.
Rüpp. Syst. Uebers. p. 1, pl. 1 (1845); *Cat. i.* p. 230.

Genus II. AQUILA.

- Type.
- Aquila*, Briss. *Orn.* i. p. 419 (1760) A. chrysaëtus.
Pteroaëtus, Kaup, *Class. Säug. u. Vög.* p. 120 (1844) . . . A. verreauxi.
 2019. *verreauxi*, Less. *Cent. Zool.* p. 105, pl. 38 (1830). S., N.E.
Des Murs in Lefebvr. Voy. Abyss., *Zool.* p. 49, pl. 4 (1848); *Cat. i.* p. 234.

2020. *chrysaëtus* (*Linn.*), *S. N.* i. p. 125 (1766). ? N.E.
Dresser, *B. Eur.* v. p. 533, pl. 345 (1880); *Cat. i.* p. 235.
2021. *mogilnik*, *Gm. N. Comm. Petrop.* xv. p. 445, pl. 11 b (1770). N.E.
Dresser, *B. Eur.* v. p. 521, pls. 343, fig. 2, 344 (1873); *Cat. i.* p. 238.
2022. *rapax* (*Temm.*), *Pl. Col.* i. pl. 455 (1828). W., S., E., N.E.
Dresser, *B. Eur.* v. p. 513, pl. 341 (1880); *Cat. i.* p. 242.
2023. *pomarina*, *Brehm, Vög. Deutschl.* p. 27 (1831). N.E.
Dresser, *B. Eur.* v. p. 491, pl. 338 (1878); *Cat. i.* p. 246.
2024. *wahlbergi*, *Sundev. Öfsv. K. Vet.-Ak. Förh. Stockh.* 1850, p. 109. W., S., E., N.E.
Gurney, *Trans. Z. S.* iv. p. 366, pl. 77 (1862); *Cat. i.* p. 245.

Genus III. **NISAËTUS.**

- Type.*
- Nisaëtus*, *Hodgs. J. A. S. Beng.* v. p. 228, pl. 7 (1836) N. *fasciatus*.
Hieraaëtus, *Kaup, Class. Säug. u. Vög.* p. 120 (1841) N. *pennatus*.
2025. *pennatus* (*Gm.*), *S. N.* i. p. 272 (1788). S., N.E.
Dresser, *B. Eur.* v. p. 481, pls. 336, 337 (1874); *Cat. i.* p. 253.
2026. *spilogaster* (*Bp.*), *Rev. et Mag. Zoot.* 1850, p. 487. S., E., N.E.
Müll. *Ois. Afr.* pl. 1 (1853); *Cat. i.* p. 252.
2027. *fasciatus* (*Vieill.*), *Mém. Linn. Soc. Paris*, p. 152 (1822). N.E.
Dresser, *B. Eur.* v. p. 575, pls. 351, fig. 1, 352, 353 (1874); *Cat. i.* p. 250.
2028. *bellicosus* (*Daud.*), *Traité*, ii. p. 38. S., E.
Smith, *Ill. Zool. S. Afr.* pl. 42 (1840); *Cat. i.* p. 265.

Genus IV. **SPIZAËTUS.**

- Type.*
- Spizaëtus*, *Vieill. Analyse*, p. 24 (1816) S. *mauduyti*.
2029. *coronatus* (*Linn.*), *S. N.* i. p. 124 (1766). W., S.
Smith, *Ill. Zool. S. Afr. Av.* pls. 40, 41 (1840); *Cat. i.* p. 266.

Genus V. **LOPHOAËTUS.**

- Type.*
- Lophaëtus*, *Kaup, Isis*, 1847, p. 165 L. *oecipitalis*.
2030. *occipitalis* (*Daud.*), *Traité*, ii. p. 40 (1800). W., S., E.
Levaill. *Ois. Afr.* i. p. 8, pl. 2 (1799); *Cat. i.* p. 274.

Subfamily VI. BUTEONINÆ.

Genus I. BUTEO.

Type.

- Buteo, *Cuv. Leçons Anat. Comp.* i. table 2 (1800) B. vulgaris.
 Butaquila, *Hodgs. in Gray's Zoot. Misc.* p. 81 (1844) B. ferox.
2031. jakal (*Daud.*), *Traité*, ii. p. 161 (1800). S.
 Levaill. *Ois. Afr.* i. p. 73, pl. 16 (1799); *Cat. i.* p. 173.
2032. augur, *Rüpp. N. Wirb. Vög.* p. 38, pls. 16, 17 (1835–40). S., E., N.E.
Cat. i. p. 175.
2033. auguralis, *Salvad. Att. Soc. Ital. Sc. Nat.* viii. p. 377 (1865). W., N.E.
Salvad. Ann. Mus. Civ. Gen. 1873, p. 387, pl. 1; *Cat. i.* p. 175.
2034. desertorum (*Daud.*), *Traité*, ii. p. 164 (1800). W., S., E., N.E.
 Dresser, *B. Eur.* v. p. 457, pl. 332 (1875); *Cat. i.* p. 179.
2035. brachypterus, *Pelz. in Hartl. Faun. Madag.* p. 1 (1861). M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 84, pl. 22 (1876); *Cat. i.* p. 183.
2036. ferox (*Gm.*), *N. Comum. Ac. Petrop.* xv. p. 442, pl. 10 (1769). N.E.
 Dresser, *B. Eur.* v. p. 463, pl. 333 (1875); *Cat. i.* p. 176.

Genus II. BUTASTUR.

Type.

- Butastur, *Hodgs. J. A. S. Beng.* xii. p. 311 (1843) B. teesa.
2037. rufipennis (*Sundev.*), *Œfv. K. Vet.-Akad. Förh. Stockh.* 1850, p. 131. N.E.
 Strickl. *P. Z. S.* 1850, p. 214, pl. 22; *Cat. i.* p. 299.

Genus III. CIRCAËTUS.

Type.

- Circaetus, *Vieill. Analyse*, p. 23 (1816) C. gallieus.
2038. gallicus (*Gm.*), *S. N.* i. p. 295 (1788). N.E.
 Dresser, *B. Eur.* v. p. 563, pls. 349, 350 (1874); *Cat. i.* p. 280.
2039. cinerascens, *Müll. Naum.* iv. 1851, p. 27. W., S., E.
 Heugl. *Ibis*, 1860, p. 410, pl. 15; *Cat. i.* p. 285.
2040. fasciolatus, *Gray, Cat. Accipit.* p. 18 (1848). S., E.
 Gurney, *Ibis*, 1862, p. 35, pl. 3; *Cat. i.* p. 285.
2041. beaudouinii, *Verr. & Des Murs, Ibis*, 1862, p. 212, pl. 7. W., N.E.
Cat. i. p. 284.
2042. pectoralis, *Smith, S. Afr. Quart. Journ.* ii. p. 109 (1830). S., E.
2043. cinereus, *Vieill. N. Dict.* xxiii. p. 445 (1818). W., E., N.E.
 Vieill. *Gal. Ois.* pl. 12 (1825); *Rüpp. N. Wirb. Vög.* p. 351, pl. 14 (1835); *Cat. i.* p. 282.

Genus IV. DRYOTRIORCHIS.

Type.

Dryotriorchis, Shelley, *Ibis*, 1874, p. 90 D. spectabilis.

— 2044. *spectabilis* (*Schl.*), *Nederl. Tijdschr.* i. p. 13, pl. 6 (1864). W.
Gurney, *P. Z. S.* 1880, p. 621, pl. 58; *Cat. i.* p. 279.

Genus V. EUTRIORCHIS.

Type.

Eutriorchis, Sharpe, *P. Z. S.* 1875, p. 73 E. astur.

2045. *astur*, Sharpe, *P. Z. S.* 1875, p. 73, pl. 13. M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 31, pl. 9 B (1879).

Genus VI. ASTURINULA.

Type.

Asturinula, Finsch & Hartl. *Vög. Ost-Afr.* p. 52 (1870). A. monogrammica.

2046. *monogrammica* (*Temm.*), *Pl. Col.* i. pl. 314 (1824). W., S., E., N.E.
Cat. i. p. 275.

Subfamily VII. ACCIPITRINÆ.

Genus I. UROTRIORCHIS.

Type.

Urotrorchis, Sharpe, *Cat. B. M.* i. p. 83 (1874) U. macrurus.

2047. “*macrurus* (*Temm.*)”, Hartl. *J. f. O.* 1855, p. 353. W.
Sharpe, *Ibis*, 1870, p. 58, pl. 3; *Cat. i.* p. 83.

Genus II. MELIERAX.

Type.

Melierax, Gray, *List Gen. B.* p. 5 (1840) M. canorus.

2048. *canorus* (*Rislach*), in Thunb. *Diss. Ac.* iii. p. 261 (1799). S.
Levaill. *Ois. Afr.* i. p. 117, pl. 27 (1799); *Cat. i.* p. 87.

2049. *poliopterus*, Cab. in Decken's *Reise*, iii. *Vög.* p. 40 (1869). E., N.E.
Cat. i. p. 88.

2050. *polyzonus* (*Rüpp.*), N. *Wirb. Vög.* p. 36, pl. 15 (1835). W., N.E.
Cat. i. p. 88.

2051. *metabates*, Heugl. *Ibis*, 1861, p. 72. N.E.

2052. *mechowi*, Cab. *J. f. O.* 1882, p. 229. W., E.

2053. *gabar* (*Daud.*), *Traité*, ii. p. 87 (1800). W., S., E., N.E.
Levaill. *Ois. Afr.* i. p. 136, pl. 33 (1799); *Cat. i.* p. 89.

2054. *niger* (*Bonn. et Vieill.*), Enc. *Méth.* iii. p. 1269 (1823). W., S., E., N.E.
Vieill. et Oudart, *Gall. Ois.* i. pl. 22 (1825); *Cat. i.* p. 91.

Genus III. ASTUR.

Type.

- Astur, *Lacépède, Mém. Inst. Paris*, iii. p. 506 (1801) . . . A. palumbarius.
 Scelospiza, *Kaup, Isis*, 1847, pp. 170, 173 A. francesi.
 Nisoides, *Poll. Bull. Soc. Sc. et Arts Réunion*, 1866, p. 62. A. moreli.
2055. hensti, *Schl. Mus. Pays-Bas, Rev. Accipitr.* p. 62 (1873). M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 98, pls. 30, 30 A (1876); Cat. i. p. 97.
2056. moreli (*Poll.*), *Bull. Soc. Sc. et Arts Réunion*, 1866, p. 62. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 105, pl. 32, fig. 2 (1876); Cat. i. p. 129.
2057. pusillus (*Gurney*), *Ibis*, 1875, p. 358. M.
 Selater, *Ibis*, 1875, p. 298, pl. 7.
 64.
- 2058. francesi (*Smith*), *S. Afr. Quart. Journ.* ii. p. 280 (1834). M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 99, pls. 31, 32, fig. 1 (1876); Cat. i. p. 116.
2059. brutus (*Poll.*), *Nederl. Tijdschr.* iii. p. 80 (1866). M.
 Schl. & Poll. Faun. Mad., Ois. p. 88, pl. 12, fig. 2 (1868); Cat. i. p. 107.
2060. polyzonoides (*Smith*), *Ill. Zool. S. Afr.* pl. 11 (1838). S.E.
 Cat. i. p. 113.
2061. sphenurus (*Rüpp.*), *N. Wirb. Vög.* p. 42 (1835–40). W., N.E.
 Rüpp. Syst. Uebers. pp. 6, 11, pl. 2 (1845); Cat. i. p. 112.
2062. tachiro (*Daud.*), *Traité*, ii. p. 90 (1800). S., E.
 Temm. Pl. Col. pls. 377, 420 (1870); Cat. i. p. 99.
2063. unduliventer (*Rüpp.*), *N. Wirb. Vög.* p. 40, pl. 18, fig. 1 (1835–40). W., N.E.
 Sharpe, Cat. B. M. i. p. 100, pl. 3 (1874).
2064. toussenelii (*Verr.*), *Rev. et Mag. Zool.* 1854, p. 538. W.
 Sharpe, Cat. B. M. i. p. 101, pl. 6, fig. 1 (1874).

Genus IV. ACCIPITER.

Type.

- Accipiter, *Brisson, Orn.* i. p. 310 (1760) A. nisus.
2065. nisus (*Linn.*), *S. N.* i. p. 130 (1766). N.E.
 Dresser, B. Eur. v. p. 599, pls. 355, 356, 357 (1871); Cat. i. p. 132.
2066. madagascariensis, *Verr. S. Afr. Quart. Journ.* ii. p. 282 (1834). M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 106, pl. 35 (1876); Cat. i. p. 143.
2067. ovampensis, *Gurney, Ibis*, 1875, p. 367, pl. 6. S.
2068. minullus (*Daud.*), *Traité*, ii. p. 88 (1800). W., S., E.
 Levaill. Ois. Afr. ii. p. 140, pl. 34 (1799); Cat. i. p. 140.
2069. erythropus (*Hartl.*), *J. f. O.* 1855, p. 354. W.
 Cat. i. p. 141.

2070. *zenkeri*, *Reichen. Orn. Monatsb.* 1894, p. 125. W.
 2071. *hartlaubi* (*Verr.*), in *Hartl. Orn. W.-Afr.* p. 15 (1857). W.
 Sharpe, Cat. B. M. i. p. 150, pl. 6, fig. 2 (1874).
 2072. *büttikoferi*, *Sharpe, Notes Leyd. Mus.* 1888, p. 199. W.
 2073. *rufiventris*, *Smith, S. Afr. Quart. Journ.* 1830, p. 231. S., N.E.
 Smith, *Ill. Zool. S. Afr. Av.* pl. 93 (1844); Cat. i. p. 148.
 2074. *melanoleucus*, *Smith, S. Afr. Quart. Journ.* 1830, p. 229. W., S., E., N.E.
 Smith, *Ill. Zool. S. Afr. Av.* pl. 18 (1839); Cat. i. p. 156.

Genus V. CIRCUS.

Type.

- Circus*, *Lacépède, Mém. Inst. Paris*, iii. p. 506 (1801) . . . C. cyaneus.
Glaucopterix, *Kaup, Class. Säug. u. Vög.* p. 113 (1844) . . . C. pygargus.
 2075. *cyaneus* (*Linn.*), *S. N.* i. p. 126 (1766). N.E.
 Dresser, *B. Eur. v.* p. 431, pl. 329 (1879); Cat. i. p. 52.
 2076. *macrurus* (*Gm.*), *N. Comm. Petrop.* xv. p. 439, pls. 8, 9 (1771). W., S., E., N.E.
 Dresser, *B. Eur. v.* p. 441, pl. 330 (1878); Cat. i. p. 67.
 2077. *pygargus* (*Linn.*), *S. N.* i. p. 148 (1766). S., E., N.E.
 Dresser, *B. Eur. v.* p. 423, pl. 328 (1878); Cat. i. p. 64.
 2078. *maurus* (*Temm.*), *Pl. Col.* i. pl. 461 (1828).
 Cat. i. p. 60.
 2079. *maillardii*, *Verr. in Maill. Ile Réun.* ii. p. 12 (1863). M.
 Selat. *Ibis*, 1863, p. 163, pl. 4; M.-Edw. & G. *Hist. Mad.*, *Ois.* p. 9, pl. 28; Cat. i. p. 59.
 2080. *macroscelis*, *A. Newton, P. Z. S.* 1863, p. 180. M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 90, pl. 27; Cat. i. p. 73.
 2081. *humbloti*, *M.-Edw. & G. Hist. Mad.*, *Ois.* p. 747, note, pl. 29A. fig. 1 (1884). M.
 2082. *ranivorus* (*Daud.*), *Traité*, ii. p. 170 (1800). S., E.
 Levaill. *Ois. Afr.* i. p. 95, pl. 23 (1799); Cat. i. p. 71.
 2083. *aeruginosus* (*Linn.*), *S. N.* i. p. 130 (1766). S., E., N.E.
 Dresser, *B. Eur. v.* p. 415, pls. 326, 327 (1878); Cat. i. p. 69.

Subfamily VIII. SERPENTARIINÆ.

Genus I. POLYBOROIDES.

Type.

- Polyboroides*, *Smith, S. Afr. Quart. Journ.* ii. p. 106 (1830). . . P. typicus.
Gymnogenys, *Less. Traité Orn.* p. 64 (1831) P. radiatus.
 2084. *typicus*, *Smith, S. Afr. Quart. Journ.* ii. p. 107 (1830). W., S., E.
 Smith, *Ill. Zool. S. Afr. Av.* pls. 81, 82 (1843); Cat. i. p. 48.
 2085. *radiatus* (*Scop.*), *Del. Faun. et Flor. Insubr.* ii. p. 85 (1788). M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 50, pls. 15, 16 (1876); Cat. i. p. 48.

Genus II. SERPENTARIUS.

- Type.*
- Serpentarius*, *Cuv. Tabl. Elém. Hist. Nat.* p. 254 (1798) . . . *S. secretarius*.
2086. *serpentarius* (*Miller*), *Various Subj. N.H.* pl. 18 A, n (1785). W., S., E., N.E.
Levaill. *Ois. Afr.* i. p. 103, pl. 25 (1799); *Cat. i.* p. 45.

Subfamily IX. VULTURINÆ.

Genus I. VULTUR.

- Type.*
- Vultur*, *Linn. S. N.* i. p. 121 (1766) *V. monachus*.
2087. *monachus*, *Linn. S. N.* i. p. 122 (1766). N.E.
Dresser, *B. Eur. v.* p. 383, pl. 321 (1872); *Cat. i.* p. 3.

Genus II. LOPHOGYPS.

- Type.*
- Lophogyps*, *Bp. Rev. et Mag. de Zool.* 1854, p. 530 *L. occipitalis*.
2088. *occipitalis* (*Burch.*), *Trav. S. Afr.* ii. p. 329 (1824). W., S., E., N.E.
Hempr. & Ehr. *Symb. Phys. Av.* pl. 14 (1828); *Cat. i.* p. 15.

Genus III. OTOGYPS.

- Type.*
- Otogyps*, *Gray, List Gen. B.* ed. 2, p. 2 (1841) *O. auricularis*.
2089. *auricularis*, *Daud. Traité Orn.* ii. p. 10 (1800). S.
Levaill. *Ois. Afr.* i. p. 36, pl. 9 (1799); *Cat. i.* p. 13.
2090. *nubicus* (*H. Smith*), *in Griffith's An. Kingd.* i. p. 164, pl. (1829). N.E.

Genus IV. GYPS.

- Type.*
- Gyps*, *Savigny, Syst. Ois. Egypte*, pp. 8, 11 (1810) *G. fulvus*.
2091. *fulvus* (*Gm.*), *S. N.* i. p. 248 (1788). W., N.E.
Dresser, *B. Eur. v.* p. 373, pls. 319, 320 (1879); *Cat. i.* p. 5.
2092. *kolbi* (*Daud.*), *Traité*, ii. p. 15 (1800). S.
Sharpe, *Cat. B. M.* i. p. 8, pl. 1 (1874).
2093. *rueppelli* (*Brehm*), *Naum.* 1852, pt. 3, p. 44. S., N.E.
Cretzschm. *in Rüpp. Atlas, Vög.* p. 27, pl. 32 (1826); *Cat. i.* p. 9.

Genus V. PSEUDOGYPS.

- Type.*
- Pseudogyps*, *Sharpe, Ann. Nat. Hist.* (4) xi. p. 133 (1873) . . *P. bengalensis*.
2094. *africanus* (*Salvad.*), *R. Accad. Torino*, 1865, p. 133. W., S., E., N.E.
Bocage, *Orn. Angola*, p. 1, pl. 9 (1877); *Cat. i.* p. 12.

Genus VI. NEOPHRON.

Type.

- Neophron*, *Savigny*, *Syst. Ois. Egypte*, pp. 8, 15 (1810) . . . N. perenopterus.
Necrosyrtes, *Gloger*, *Handb. Naturg.* p. 236 (1842) . . . N. monachus.
Gypiscus, *Sundev. Av. Tent.* p. 110 (1872) N. pileatus.

2095. *perenopterus* (*Linn.*), *S. N.* i. p. 123 (1766). S., E., N.E.
 Dresser, *B. Eur.* v. p. 391, pl. 322 (1879); *Cat. i.* p. 17.
2096. *monachus* (*Temm.*), *Pl. Col.* pl. 222 (1823). W., N.E.
Cat. i. p. 19.
2097. *pileatus* (*Burchell*), *Trav. Inter. S. Afr.* ii. p. 195 (1824). S., E.
Cat. i. p. 18.

Order VI. ARDEIFORMES.

Family I. PLATALEIDÆ.

Subfamily I. IBIDINÆ.

Genus I. IBIS.

Type.

- “*Ibis*, *Lacépède*,” *Cuv. Règn. Anim.* i. p. 483 (1817) . . . I. æthiopica.
Geronticus, *Wagler*, *Isis*, 1832, p. 1232 I. calva.
Comatibis, *Reichenb. Av. Syst. Nat.* p. xiv (1852) I. comata.

2098. *æthiopica* (*Lath.*), *Ind. Orn.* ii. p. 706 (1790). S., E., N.E.
 Cory, *Beautiful & Curious Birds*, pl. 5 (1882); *Cat. xxvi.* p. 4.
2099. *bernieri*, *Bp. Consp.* ii. p. 151, note (1857). M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 531, pl. 219 (1881); *Cat. xxvi.* p. 7.
2100. *abbotti*, *Ridgw. Proc. U.S. Nat. Mus.* xvi. p. 599 (1893). M.
2101. “*comata*, *Hempr.*,” *Rüpp. N. Wirb. Vög.* p. 49 (1835–40). N.E.
 Dresser, *B. Eur.* vi. p. 329, pl. 408 (1879); *Cat. xxvi.* p. 16.
2102. *calva* (*Bodd.*), *Tabl. Pl. Enl.* p. 52 (1783). S.
 Daubent. *Pl. Enl.* viii. pl. 867; *Cat. xxvi.* p. 17.

Genus II. BOSTRYCHIA.

Type.

- Bostrychia*, *Reichen. Av. Syst. Nat.* p. xiv (1852) B. carunculata.
 2103. *carunculata* (*Rüpp.*), *N. Wirb. Vög.* p. 49, pl. 19 (1835). N.E.
Cat. xxvi. p. 18.

Genus III. HAGEDASHIA.

	Type.
Hagedashia, <i>Bp. Consp.</i> ii. p. 152 (1867)	H. hagedash.
2104. hagedash (<i>Lath.</i>), <i>Ind. Orn.</i> ii. p. 709 (1790). Vieill. <i>Gall. Ois.</i> ii. p. 123, pl. 246 (1834); <i>Cat. xxvi.</i> p. 19.	W., S., E.

Genus IV. LOPHOTIBIS.

	Type.
Lophotibis, <i>Reichen. Av. Syst. Nat.</i> p. xiv (1852)	L. cristata.
2105. cristata (<i>Bodd.</i>), <i>Tabl. Pl. Enl.</i> p. 51 (1783). Milne-Edw. & Grand. <i>Hist. Mad.</i> , <i>Ois.</i> p. 536, pl. 223 (1881); <i>Cat. xxvi.</i> p. 27.	M.

Genus V. PLEGADIS.

	Type.
Plegadis, <i>Kaup, Natürl. Syst.</i> p. 62 (1829)	P. falcinellus.
Lamprabis, <i>Elliot, P. Z. S.</i> 1877, p. 507, pl. 51	P. olivaceus.
2106. falcinellus (<i>Linn.</i>), <i>S. N. i.</i> p. 241 (1766). Dresser, <i>B. Eur.</i> vi. p. 335, pl. 409 (1878); <i>Cat. xxvi.</i> p. 29.	W., S., E., N.E., M.
2107. olivaceus (<i>Du Bus</i>), <i>Bull. Acad. Bruxelles</i> , 1837, p. 105. Elliot, <i>P. Z. S.</i> 1877, p. 507, pl. 51; <i>Cat. xxvi.</i> p. 38.	W.

Subfamily II. PLATALEINÆ.

Genus PLATALEA.

	Type.
Platalea, <i>Linu. S. N. i.</i> p. 231 (1766)	P. leucerodia.
2108. leucerodia, <i>Linu. S. N. i.</i> p. 231 (1766; <i>leucorodia</i> , laps. cal.). Dresser, <i>B. Eur.</i> vi. p. 329, pl. 408 (1880); <i>Cat. xxvi.</i> p. 44.	E., N.E.
2109. alba, <i>Scop. Del. Flor. et Faun. Insubr.</i> ii. p. 92 (1786). Milne-Edw. & Grand. <i>Hist. Mad.</i> , <i>Ois.</i> p. 524, pl. 215 (1881); <i>Cat. xxvi.</i> p. 49.	W., S., E., N.E., M.

Family II. ARDEIDÆ.

Subfamily I. ARDEINÆ.

Genus I. HERODIAS.

	Type.
Herodias, <i>Boie, Isis</i> , 1822, p. 559	H. alba.
Ardeola, <i>Boie, l. c.</i>	H. ralloides.
Garzetta, <i>Kaup, Natürl. Syst.</i> p. 76 (1829)	H. garzetta.
2110. ralloides (<i>Scop.</i>), <i>Ann. i. Hist. Nat.</i> p. 88 (1769). Dresser, <i>B. Eur.</i> vi. p. 251, pl. 400, fig. 2 (1879); <i>Cat. xxvi.</i> p. 202.	S., E., N.E., M.

2111. *idæ* (*Hartl.*), *J. f. O.* 1860, p. 167. M.
Cat. xxvi. p. 206.
2112. *lucidus*, *Rafin. Caratteri*, p. 3 (1810). W., S., E., N.E., M.
Dresser, *B. Eur.* vi. p. 245, pl. 400. fig. 2 (1879); Cat. xxvi. p. 213.
2113. *alba* (*Linn.*), *S. N. i.* p. 239 (1766). W., S., E., N.E., M.
Dresser, *B. Eur.* vi. p. 231, pl. 398 (1880); Cat. xxvi. p. 90.
2114. *brachyrhyncha*, *Brehm, J. f. O.* 1858, p. 471. S., E., N.E.
Cat. xxvi. p. 87.
2115. *garzetta* (*Linn.*), *S. N. i.* p. 237 (1766). W., S., E., N.E., M.
Dresser, *B. Eur.* vi. p. 239, pl. 399 (1880); Cat. xxvi. p. 118.
2116. *xanthopoda* (*Pelz.*), *J. f. O.* 1860, p. 166. M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 556, pl. 226 (1881).

Genus II. ARDEA.

- | | <i>Type.</i> |
|--|-----------------------|
| <i>Ardea</i> , <i>Linn. S. N. i.</i> p. 233 (1766) | A. <i>cinerea</i> . |
| <i>Lepterodias</i> , <i>Hempr. & Ehr. Symb. Av.</i> fol. i (1832) | A. <i>gularis</i> . |
| <i>Ardeomega</i> , <i>Bp. Consp.</i> ii. p. 109 (1855) | A. <i>goliath</i> . |
| <i>Phox</i> , <i>Stejn. Proc. U.S. Nat. Mus.</i> x. p. 311 (1887) . . . | A. <i>purpurea</i> . |
| <i>Melanophox</i> , <i>Sharpe, Bull. B. O. C.</i> iii. p. xxxviii (1894) . . | A. <i>ardesiaca</i> . |
| 2117. <i>humbloti</i> , <i>Milne-Edw. & Grand. Hist. Mad.</i> , <i>Ois.</i> p. 546 (1882). M.
Cat. xxvi. p. 70. | |
| 2118. <i>ardesiaca</i> , <i>Wagl. Syst. Av.</i> , <i>Ardea</i> , p. 189, sp. 20 (1827). W., S., E., M.
Milne-Edw. & Grand. <i>Hist. Mad.</i> , <i>Ois.</i> p. 547, pl. 225 A (1881); Cat. xxvi. p. 104. | |
| 2119. <i>vinaceigula</i> (<i>Sharpe</i>), <i>Cat. B. M.</i> xxvi. p. 105. S. | |
| 2120. <i>gularis</i> , <i>Bosc, Actes Soc. Hist. Nat. Paris</i> , i. p. 4, pl. 2 (1792). W., E., N.E., M.
Vieill. <i>G. Ois.</i> ii. p. 136, pl. 253 (1825); <i>Hem. & Ehr. Symb. Ph.</i> fol. i, pl. 6 (1832); <i>Cat. xxvi.</i> p. 114. | |
| 2121. <i>melanocephala</i> , <i>Vig. & Child., Den. & Clap. Voy.</i> ii. App. p. 201 (1826). W., S., E., M.
Smith, <i>Ill. Z. S. Af. Av.</i> pl. 86 (1843); Dresser, <i>B. Eur.</i> vi. p. 225, pl. 397 (1871); Cat. xxvi. p. 60. | |
| 2122. <i>cinerea</i> , <i>Linn. S. N. i.</i> p. 236 (1766). W., S., E., N.E., M.
Dresser, <i>B. Eur.</i> vi. p. 207, pl. 395 (1875); Cat. xxvi. p. 74. | |
| 2123. <i>purpurea</i> , <i>Linn. S. N. i.</i> p. 236 (1766). W., S., E., N.E., M.
Dresser, <i>B. Eur.</i> vi. p. 217, pl. 396 (1875); Cat. xxvi. p. 60. | |
| 2124. “ <i>goliath</i> , <i>Rüpp.</i> ,” <i>Cretz. in Rüpp. Att.</i> , <i>Vög.</i> p. 39, pl. 26 (1826). W., S., E., N.E., M.
Temm. <i>Pl. Col.</i> v. pl. 474 (1829); Cat. xxvi. p. 66. | |

Genus III. BUTORIDES.

- | | <i>Type.</i> |
|---|----------------------|
| <i>Butorides</i> , <i>Blyth, Cat. B. Mus. As. Soc.</i> p. 281 (1849) | B. <i>javanica</i> . |
| 2125. <i>javanica</i> (<i>Horsf.</i>), <i>Tr. Linn. Soc.</i> xiii. p. 199 (1821). M.
Hodgs. <i>Icon. ined. in Brit. Mus. Grallæ</i> , App. pl. 42. no. 682; Cat. xxvi. p. 177. | |

2126. atricapilla (*Afzel.*), *Acta Ac. Stockh.* xxv. p. 264 (1804). W., S., E., N.E., M.
Milne-Edw. & Grand. *Hist. Mad.*, Ois. p. 227 D (1881); Cat. xxvi. p. 172.

Genus IV. NYCTICORAX.

- | | <i>Type.</i> |
|--|----------------------|
| Nycticorax, <i>Rafin. Analyse</i> , p. 71 (1815) | N. nycticorax. |
| 2127. nycticorax (<i>Linn.</i>), <i>S. N.</i> i. p. 235 (1766). | W., S., E., N.E., M. |
| Dresser, <i>B. Eur.</i> vi. p. 269, pl. 402 (1879); Cat. xxvi. p. 146. | |
| 2128. leuconotus (<i>Wagl.</i>), <i>Syst. Av.</i> , Ardea, p. 189, sp. 33 (1827). W., S., E., N.E. | |
| Cab. in Decken's <i>Reis.</i> iii. p. 50, pl. 18 (1869); Cat. xxvi. p. 157. | |

Genus V. TIGRORNIS.

- | | <i>Type.</i> |
|---|----------------|
| Tigrornis, <i>Sharpe, Bull. B. O. C.</i> v. p. xiv (1895) | T. leucolopha. |
| 2129. leucolopha (<i>Jard.</i>), <i>Ann. & Mag. N. H.</i> xvii. p. 86 (1846). | W. |
| Cat. xxvi. p. 191. | |

Genus VI. BOTAUROS.

- | | <i>Type.</i> |
|--|---------------|
| Botaurus, <i>Briss. Orn.</i> v. p. 444 (1760). | B. stellaris. |
| 2130. stellaris (<i>Linn.</i>), <i>S. N.</i> i. p. 239 (1766). | S., E., N.E. |
| Dresser, <i>B. Eur.</i> vi. p. 281, pl. 403 (1875). | |

Genus VII. ARDETTA.

- | | <i>Type.</i> |
|---|--------------|
| Ardetta, <i>Gray, List Gen. B. App.</i> p. 13 (1842) | A. minuta. |
| 2131. minuta (<i>Linn.</i>), <i>S. N.</i> i. p. 240 (1766). | N.E. |
| Dresser, <i>B. Eur.</i> vi. p. 259, pl. 401 (1880). | |
| 2132. podiceps, <i>Bp. Consp.</i> ii. p. 134 (1857). | S., E., M. |
| Milne-Edw. & Grand. <i>Hist. Mad.</i> , Ois. p. 559, pl. 229 A (1881). | |
| 2133. sturmi (<i>Wagl.</i>), <i>Syst. Av.</i> , Ardea, sp. 37 (1827). | W., S., E. |
| Smith, <i>Ill. Zool. S. Afr.</i> Av. pl. 91 (1843); Gray, <i>Gen. B.</i> iii. p. 663, pl. 183 (1847). | |

Subfamily II. BALÆNICEPITINÆ.

Genus BALÆNICEPS.

- | | <i>Type.</i> |
|--|--------------|
| Balaeniceps, <i>Gould, P. Z. S.</i> 1851, p. 1 | B. rex. |
| 2134. rex, <i>Gould, P. Z. S.</i> 1851, p. 1, pl. 35. | N.E. |
| Parker, <i>Trans. Z. S.</i> iv. p. 269, pl. 64 (1862). | |

Subfamily III. SCOPINÆ.

Genus SCOPUS.

Type.

- Scopus*, Briss. *Orn.* v. p. 503 (1760) S. umbretta.
 2135. *umbretta*, Gm. *S. N.* i. p. 618 (1788). W., S., E., M.
 Reichenb. *Vollst. Naturg. Grall.* pl. 148, fig. 513 (1844).

Family III. CICONIIDÆ.

Genus I. CICONIA.

Type.

- Ciconia*, Briss. *Orn.* v. p. 361 (1760). C. ciconia.
 2136. *ciconia* (*Linn.*), *S. N.* i. p. 235 (1766). W., S., E., N.E.
 Dresser, *B. Eur.* vi. p. 295, pl. 405 (1873).
 2137. *nigra* (*Linn.*), *S. N.* i. p. 235 (1766). W., S., E., N.E.
 Dresser, *B. Eur.* vi. p. 309, pl. 406 (1873).
 2138. *abdimii*, *Licht. Verz. Doubl.* p. 76 (1823). W., S., E., N.E.
 Rüpp. *Atlas, Vög.* p. 11, pl. 8 (1826).
 2139. *episcopus* (*Bodd.*), *Tabl. Pl. Enl.* p. 54, no. 906 (1783). W., S., E.
 Gray, *Gen. B.* iii. pl. 151 (1849); Reichenb. *Vollst. Naturg. Grall.* pl. 165, fig. 455 (1844).

Genus II. MYCTERIA.

Type.

- Mycteria*, Linn. *S. N.* i. p. 232 (1766). M. americana.
 2140. *senegalensis*, *Shaw, Trans. Linn. Soc.* v. p. 35 (1800). W., S., E.
 Rüpp. *Atlas, Vög.* p. 5, pl. 3 (1826); Reichenb. *Vollst. Naturg. Grall.* p. 166 (1844).

Genus III. LEPTOPTILUS.

Type.

- Leptoptilos*, Less. *Traité*, p. 583 (1831, *laps. cal.*). L. javanicus.
 2141. *argala* (*Temm.*), *Pl. Col.* iii. pl. 301 (1824). W., S., E.
 Reichb. *Vollst. Nat. Grall.* p. 166, f. 448 (1844); Reichb. *Vög. Deut. O.-Af.* p. 58, f. 30 (1894).
 2142. *rueppelli*, *Vierth. Naum.* ii. p. 56 (1852). N.E.

Genus IV. ANASTOMUS.

Type.

- Anastomus*, Bonn. *Enc. Méth.* p. xciii (1790) A. oscitans.
 2143. *lamelligerus*, *Temm. Pl. Col.* ii. pl. 236 (1823). S., E.
 Reichenb. *Vollst. Naturg. Grall.* pl. 167, fig. 438 (1844); Temm. *Pl. Col.* pl. 236.
 2144. *madagascariensis*, *Milne-Edw. C. R.* xci. p. 1037 (1880). M.
 Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 519, pl. 211 (1885).

Genus V. TANTALUS.

- Type.

Tantalus, *Linn. S. N. i.* p. 240 (1766). T. loculator.
 2145. ibis, *Linn. S. N. i.* p. 240 (1766). S., E., M.
 Reichenb. Vollst. Naturg. Grall. pl. 146, fig. 516 (1844).

Order VII. PELECANIFORMES.

Family I. FREGATIDÆ.

Genus FREGATA.

- | | <i>Type.</i> |
|---|--------------|
| <i>Fregata, Briss. Orn.</i> vi. p. 506 (1760) | F. aquila. |
| 2146. <i>aquila</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 216 (1766). | W., S. |
| Aud. <i>B. Am.</i> vii. pl. 421 (1844); Gould, <i>B. Austr.</i> vii. pl. 72 (1848). | |
| 2147. <i>minor</i> (<i>Gm.</i>), <i>S. N.</i> i. p. 573 (1788). | S., M. |
| Gray, <i>Gen. B.</i> iii. pl. 185 (1845); Gould, <i>B. Austr.</i> vii. pl. 72 (1848). | |

Family II. PHALACROCORACIDÆ.

Genus I. PHALACROCORAX.

- | | Type. |
|---|----------------------|
| Phalacrocorax, <i>Briss. Orn.</i> iv. p. 511 (1760) | P. carbo. |
| 2148. carbo (<i>Linn.</i>), <i>S. N. i.</i> p. 216 (1766).
Dresser, <i>B. Eur.</i> vi. p. 151, pl. 388 (1879). | W., S., N.E. |
| 2149. lucidus (<i>Licht.</i>), <i>Verz. Doubl.</i> p. 86 (1823).
Rüpp. <i>Syst. Uebers.</i> p. 134, pl. 50 (1845). | W., S., E., N.E. |
| 2150. gutturalis, <i>Reichen. J. f. O.</i> 1892, pp. 5, 133 (Dec. 1891). | E. |
| 2151. capensis (<i>Sparrm.</i>), <i>Mus. Carls.</i> fasc. iii. pl. 61 (1788). | S. |
| 2152. neglectus, <i>Wahlb. Öefsv. K. Vet.-Ak. Förh. Stockh.</i> 1855, p. 214. | S. |
| 2153. africanus (<i>Gm.</i>), <i>S. N. i.</i> p. 577 (1788).
Dresser, <i>B. Eur.</i> vi. p. 169, pl. 390 (1876); <i>Swain. B. W. Afr.</i> p. 255, pl. 31 (1837). | W., S., E., N.E., M. |

Genus II. PLOTUS.

	<i>Type.</i>
Plotus , <i>Linn. S. N. i.</i> p. 218 (1766).	P. anhinga.
2154. levaillanti , <i>Licht. Verz. Doubl.</i> p. 87 (1823).	W., S., E.
Tristram, <i>Ibis</i> , 1886, p. 41, pl. 3.	
2155. melanogaster , <i>Gm. S. N. i.</i> p. 580 (1788).	M.
Penn. Ind. Orn. (2) p. 53, pl. 15 (1790); Gray, Gen. B. iii. p. 664, pl. 184 (1848).	

Family III. SULIDÆ.

Genus SULA.

	<i>Type.</i>
Sula , <i>Briss. Orn. vi.</i> p. 494 (1760)	S. bassana.
2156. bassana (<i>Linn.</i>), <i>S. N. i.</i> p. 217 (1766).	W.
Dresser, <i>B. Eur. vi.</i> p. 181, pl. 392 (1880).	
2157. capensis (<i>Licht.</i>), <i>Verz. Doubl.</i> p. 86 (1823).	S., E.
2158. piscator (<i>Linn.</i>), <i>S. N. i.</i> p. 217 (1766).	W., S., M.
Gould, <i>B. Austr. vii.</i> pl. 79 (1848).	
2159. cyanops , <i>Sundev. Isis</i> , 1842, p. 848.	N.E.
Gould, <i>B. Austr. vii.</i> p. 77 (1848); Heugl. <i>Ibis</i> , 1859, p. 351, pl. 10, figs. 2, 3.	

Family IV. PELECANIDÆ.

Genus PELECANUS.

	<i>Type.</i>
Pelecanus , <i>Linn. S. N. i.</i> p. 215 (1766)	P. onocrotalus.
2160. onocrotalus , <i>Linn. S. N. i.</i> p. 215 (1766).	W., N.E.
Dresser, <i>B. Eur. vi.</i> p. 193, pl. 393 (1879).	
2161. minor , <i>Rüpp. Mus. Senck. pt. ii.</i> p. 185 (1837).	S., N.E.
Rüpp. <i>Syst. Uebers.</i> p. 132, pl. 49 (1845).	
2162. sharpii , <i>Bocage, P. Z. S.</i> 1870, pp. 173, 409.	W.
Selat. <i>P. Z. S.</i> 1871, p. 632, pl. 51.	
2163. crispus , <i>Bruch, Isis</i> , 1832, p. 1109.	N.E.
Dresser, <i>B. Eur. vi.</i> p. 199, pl. 394 (1879).	
2164. rufescens , <i>Gm. S. N. i.</i> p. 571 (1788).	W., S., E., N.E., M.
Rüpp. <i>Atlas, Vög.</i> p. 31, pl. 21 (1826); Selat. <i>P. Z. S.</i> 1868, p. 267, pl. 26.	

Family V. PHÆTONIDÆ.

Genus PHÆTON.

	Type.
Phæton, <i>Linn. S. N.</i> i. p. 219 (1766)	P. æthereus.
2165. æthereus, <i>Linn. S. N.</i> i. p. 219 (1766).	N.E., M.
Aud. <i>B. Amer.</i> vii. p. 64, pl. 427 (1844); Gray, <i>Gen. B.</i> iii. p. 663, pl. 183 (1847).	
2166. rubricauda (<i>Bodd.</i>), <i>Tabl. Pl. Enl.</i> p. 57 (1783).	S., E., M.
Vieill. <i>Gal. Ois.</i> ii. p. 199, pl. 279 (1825); Gould, <i>B. Austr.</i> vii. p. 73 (1848).	

Order VIII. LARIFORMES.

Family I. LARIDÆ.

Subfamily I. STERNINÆ.

Genus I. HYDROCHELIDON.

	Type.
Hydrochelidon, <i>Boie, Isis</i> , 1822, p. 563	H. nigra.
Pelodes, <i>Kaup, Natürl. Syst.</i> p. 107 (1829)	H. hybrida.
2167. leucoptera (<i>Meisner & Schinz</i>), <i>Vög. Schweiz.</i> p. 264 (1815). W., S., E., N.E., M.	
Dresser, <i>B. Eur.</i> viii. p. 321, pls. 590, 591 (1875); <i>Cat. xxv.</i> p. 6 (1896).	
2168. hybrida (<i>Pall.</i>), <i>Zool. Rosso-Asiat.</i> ii. p. 338 (1811). W., S., E., N.E., M.	
Dresser, <i>B. Eur.</i> viii. p. 315, pls. 588, 589 (1877); <i>Cat. xxv.</i> p. 10.	
2169. nigra (<i>Linn.</i>), <i>S. N.</i> i. p. 137 (1766).	W., N.E.
Dresser, <i>B. Eur.</i> viii. p. 327, pl. 592 (1876); <i>Cat. xxv.</i> p. 17.	

Genus II. STERNA.

	Type.
Sterna, <i>Linn. S. N.</i> i. p. 227 (1766)	"S. hirundo," <i>Linn.</i>
Thalasseus, <i>Boie, Isis</i> , 1822, p. 563	S. caspia &c.
Sternula, <i>Boie, Isis</i> , 1822, p. 563	S. minuta.
Actochelidon, <i>Kaup, Natürl. Syst.</i> p. 31 (1829) . . .	S. cantiaca.
Hydroprogne, <i>Kaup, Natürl. Syst.</i> p. 91 (1829) . . .	S. caspia.
Gelochelidon, <i>Brehm, Isis</i> , 1830, p. 994	S. anglica.
Pelecanopus, <i>Wagler, Isis</i> , 1832, pp. 277, 1225 . . .	S. bergii.
Onychoprion, <i>Wagler, Isis</i> , 1832, p. 277	S. fuliginosa.
Melanosterna, <i>Blyth, J. A. S. B.</i> xv. p. 373 (1846) . . .	S. anaesthetia.
2170. melanogaster, <i>Temm. Pl. Col.</i> v. pl. 434 (1827).	M.
Gould, <i>B. Asia</i> , vii. pl. 70 (1867); <i>Cat. xxv.</i> p. 43.	

2171. *melanauchen*, *Temm. Pl. Col.* v. pl. 427 (1827). M.
Gould, B. Austr. v. pl. 28 (1848); Cat. xxv. p. 126.
2172. *minuta*, *Linn. S. N. i.* p. 228 (1766). W., S.
Dresser, B. Eur. viii. p. 279, pl. 582 (1876); Cat. xxv. p. 116.
2173. *antillarum*, *Less. Descr. Mamm. et Ois.* p. 256 (1847). W., S.
Wilson, Amer. Orn. vii. p. 84, pl. 70, fig. 2 (1813); Cat. xxv. p. 122.
2174. *saudersi*, *Hume, Stray Feathers*, v. pp. 324-6 (1877). S., E., N.E., M.
Cat. xxv. p. 120.
2175. *balænarum* (*Strickl.*), *Contr. Orn.* 1852, p. 160. S., E.
Cat. xxv. p. 111.
2176. *virgata*, *Cab. J. f. O.* 1875, p. 449. S.
Cat. xxv. p. 50.
2177. *vittata*, *Gm. S. N. i.* p. 609 (1788). S.
Cat. xxv. p. 51.
2178. *fluviatilis*, *Naum. Isis*, 1819, pp. 1847-8. W., S., E., N.E., M.
Dresser, B. Eur. viii. p. 263, pl. 580 (1872); Cat. xxv. p. 54.
2179. *macrura*, *Naum. Isis*, 1819, p. 1847. W., S.
Dresser, B. Eur. viii. p. 255, pl. 579 (1872); Cat. xxv. p. 62.
2180. *albigena*, *Licht. Nomencl. Av.* p. 98 (1854). N.E.
Finseh & Hartl. Vög. Ost-Afr. p. 834, pl. 10, fig. 2 (1870); Cat. xxv. p. 69.
2181. *dougalli*, *Mont. Orn. Dict. Suppl.* fig. (1813). W., S., E., M.
Dresser, B. Eur. viii. p. 273, pl. 581 (1876); Cat. xxv. p. 70.
2182. *cantiaca*, *Gm. S. N. i.* p. 606 (1788). W., S., N.E.
Dresser, B. Eur. viii. p. 301, pl. 586 (1877); Cat. xxv. p. 75.
2183. *anglica*, *Mont. Orn. Dict. Suppl.* fig. (1813). N.E.
Dresser, B. Eur. viii. p. 295, pl. 585 (1877); Cat. xxv. p. 25.
2184. *caspia*, *Pall. Nov. Com. Pet.* xiv. i. p. 582, pl. 22, fig. 2 (1770). W., S., E., N.E., M.
Dresser, B. Eur. viii. p. 289, pl. 584 (1877); Cat. xxv. p. 32.
2185. *maxima*, *Bodd. Tabl. Pl. Engl.* p. 58, no. 988 (1783). W.
Swains. B. W. Afr. ii. p. 247, pl. 30 (1837); Cat. xxv. p. 80.
2186. *media*, *Horsf. Tr. Linn. Soc.* xiii. p. 198 (1820). E., N.E., M.
Dresser, B. Eur. viii. p. 285, pl. 583 (1878); Cat. xxv. p. 86.
2187. *bernsteini*, *Schl. Mus. Pays-Bas*, Sternæ, p. 9 (1863). M.
Cat. xxv. p. 96.
2188. *bergii*, *Licht. Verz. Doubl.* p. 80 (1823). S., E., N.E., M.
Rüpp. Atlas, p. 21, pl. 13 (1826); Cat. xxv. p. 89.

2189. *anæsthetæ*, *Scop. Del. Faun. et Flor. Ins.* i. p. 92 (1786). W., E., N.E., M.
Gould, B. Austr. vii. pl. 33 (1848); Cat. xxv. p. 101.
2190. *fuliginosa*, *Gm. S. N.* i. p. 605 (1788). W., E., M.
Dresser, B. Eur. viii. p. 307, pl. 587 (1877); Cat. xxv. p. 106.

Genus III. ANOUS.

*Type.**Anous*, *Steph. in Shaw's Gen. Zool.* xiii. pt. I, p. 139 (1826) . . *A. stolidus*.

2191. *stolidus* (*Linn.*), *S. N.* i. p. 227 (1766). W., S., E., N.E., M.
Gould, B. Austr. vii. pl. 34 (1848); Cat. xxv. p. 136.

Genus IV. MICRANOUS.

*Type.**Micranous*, *Saunders, Bull. B. O. Club*, iv. p. xix (1895) . . *M. tenuirostris*.

2192. *tenuirostris* (*Temm.*), *Pl. Col.* pl. 202 (1823). M.
Gould, B. Austr. vii. pl. 35 (1848); Cat. xxv. p. 144.
2193. *leucocapillus* (*Gould*), *P. Z. S.* 1845, p. 103. W., S., M.
Gould, B. Austr. vii. p. 36 (1848); Cat. xxv. p. 145.

Genus V. GYGIS.

*Type.**Gygis*, *Wagler, Isis*, 1832, p. 1223 *G. caudida*.

2194. *candida* (*Gm.*), *S. N.* i. p. 607 (1788). S., M.
Gould, B. Austr. vii. pl. 30 (1848); Cat. xxv. p. 149.

Subfamily II. RIYNCHIOPINÆ.

Genus RHYNCHOPS.

*Type.**Rynchops*, *Linn. S. N.* i. p. 228 (1766) *R. nigra*.

2195. *flavirostris*, *Vieill. N. Dict.* iii. p. 383 (1816). W., S., E., N.E.
Vieill. Gal. Ois. ii. p. 237, pl. 291 (1834); Shelley, B. Egypt, p. 302, pl. 14 (1872); Cat. xxv. p. 158.

Subfamily III. LARINÆ.

Genus LARUS.

Type.

<i>Larus</i> , <i>Linn. S. N.</i> i. p. 224 (1766)	<i>L. canus</i> .
<i>Gavia</i> , <i>Forster, Ench. Hist. Nat.</i> p. 38 (1788)	<i>L. ridibundus</i> .
<i>Ichthyaëtus</i> , <i>Kaup, Natürl. Syst.</i> p. 102 (1829)	<i>L. ichthyaëtus</i> .
<i>Adelarus</i> , <i>Bruch, J. f. O.</i> 1853, p. 106	<i>L. leucophthalmus</i> .
<i>Gelastes</i> , <i>Bp. Naum.</i> 1854, p. 212	<i>L. gelastes</i> .
<i>Cirrocephalus</i> , <i>Bruch, J. f. O.</i> 1855, p. 288.	<i>L. cirrhocephalus</i> .
<i>Clupeilarus</i> , <i>Bp. Conspl. Av.</i> ii. p. 220 (1857)	<i>L. fuseus</i> .

2196. *cachinnans*, *Pall. Zoogr. Rosso-Asiat.* ii. p. 318 (1811). W., N.E.
Dresser, B. Eur. viii. p. 411, pl. 602, fig. 1 (1873); Cat. xxv. p. 266.
2197. *fuscus*, *Linn. S. N. i.* p. 225 (1766). W., E., N.E.
Dresser, B. Eur. viii. p. 421, pl. 603 (1873); Cat. xxv. p. 250.
2198. *affinis*, *Reinhardt, Vidensk. Meddel.* 1853, p. 78. N.E.
Cat. xxv. p. 254.
2199. *dominicanus*, *Licht. Verz. Doubl.* p. 82 (1823). S.
Gray, Gen. B. iii. pl. 180; Buller, B. N. Zeal. p. 270, pl. 28, fig. 1 (1873); Cat. xxv. p. 245.
2200. *gelastes*, *Thienem. Forlpflanz. Vög. Eur.* pt. v. p. 22 (1838). N.E.
Dresser, B. Eur. viii. p. 389, pl. 601, fig. 2 (1878); Cat. xxv. p. 230.
2201. *hartlaubi* (*Bruch*), *J. f. O.* 1853, p. 102. S.
Cat. xxv. p. 240.
2202. *leucophthalmus*, *Temm. Pl. Col.* pt. 62, pl. 366 (1825). N.E.
Cat. xxv. p. 219.
2203. *hemprichi* (*Bruch*), *J. f. O.* 1853, p. 106. E., N.E.
Finsch, Trans. Z. S. vii. p. 302, pl. 27 (1870); Cat. xxv. p. 221.
2204. *ridibundus*, *Linn. S. N. i.* p. 225 (1766). W., N.E.
Dresser, B. Eur. viii. p. 357, pls. 596, 597, fig. 1 (1878); Cat. xxv. p. 207.
2205. *cirrhocephalus*, *Vieill. N. Dict.* xxi. p. 502 (1818). W., S., E., M.
Vieill. Gal. Ois. ii. p. 223, pl. 289 (1834); Sw. B. W. Afr. ii. p. 245, pl. 29 (1837); Cat. xxv. p. 198.
2206. *ichthyaëtus*, *Pall. Reis. Russ. Reichs*, ii. p. 713 (1773). N.E.
Dresser, B. Eur. viii. p. 369, pl. 598 (1873); Cat. xxv. p. 176.

Family II. STERCORARIIDÆ.

Genus STERCORARIUS.

Type.

- Stercorarius*, *Briss. Orn.* vi. p. 150 (1760) S. crepidatus.
Lestris, *Ill. Prodromus*, p. 272 (1811) S. parasiticus.
Megalestris, *Bp. Cat. Parzudaki*, p. 11 (1856) S. catarrhaetes.

2207. *crepidatus* (*Banks*), *in Cook's Voy., Hawkesw. ed.* ii. p. 15 (1773). W., S., E.
Dresser, B. Eur. viii. p. 471, pls. 611, 612, fig. 2 (1876); Cat. xxv. p. 327.
2208. *pomatorhinus* (*Temm.*), *Man. Orn.* p. 514 (1815; s. n. *pomarina*). W., S.
Dresser, B. Eur. viii. p. 463, pl. 610 (1877); Cat. xxv. p. 322.
2209. *antarcticus* (*Less.*), *Traité*, p. 616 (1831). S., M.
Sharpe, Phil. Tr. clxviii. p. 109, pl. 7, figs. 1, 2 (1878); Cat. xxv. p. 319.

Order IX. PROCELLARIIFORMES.

Family I. PROCELLARIIDÆ.

Subfamily I. PROCELLARIINÆ.

Genus I. PROCELLARIA.

	Type.
Procellaria, Linn. S. N. i. p. 212 (1766)	P. pelagica.
Cymochorea, Coues, Pr. Ac. Phil. 1834, p. 75	P. leucorrhoa.
2210. pelagica, Linn. S. N. i. p. 212 (1766).	W., S., E., N.E. Gould, B. Eur. v. pl. 448; Dress. B. Eur. viii. p. 491, pl. 613. f. 1; Cat. xxv. p. 343 (1895).
2211. leucorrhoa, Vieill. N. Dict. xxv. p. 422 (1817).	W., S. Gould, B. Eur. v. pl. 447; Dress. B. Eur. viii. p. 497, pl. 613. fig. 2; Cat. xxv. p. 348.
2212. cryptoleucura (Ridgw.), Pr. U.S. Nat. Mus. iv. p. 337 (1882).	W., S. Cat. xxv. p. 350.

Genus II. OCEANITES.

	Type.
Oceanites, Keys. & Blas. Wirb. Eur. ii. pp. xciii, 131, 238 (1840).	O. oceanicus.
Pelagodroma, Reichenb. Av. Syst. Nat. p. iv (1852)	O. marinus.
Cymodroma, Ridg. in B., Br., & R. Wat. B. N. A. ii. p. 418 (1884).	O. melanogaster.
2213. oceanicus (Kuhl), Beitr. p. 136 (1820).	W., S., M. Gould, B. Austr. vii. pl. 65; Dress. B. Eur. viii. p. 505, pl. 614. fig. 1; Cat. xxv. p. 358.
2214. marinus (Lath.), Ind. Orn. ii. p. 826 (1790).	W., S. Gould, B. Austr. vii. pl. 61 (1845); Cat. xxv. p. 362.
2215. melanogaster (Gould), Ann. & Mag. N. H. xiii. p. 367 (1844).	W., S., E., M. Gould, B. Austr. vii. pl. 62 (1847); Cat. xxv. p. 364.
2216. grallarius (Vieill.), N. Dict. xxv. p. 418 (1817).	S., E., M. Gould, B. Austr. vii. pl. 63 (1847); Cat. xxv. p. 366.

Subfamily II. PUFFININÆ.

Genus I. PUFFINUS.

	Type.
Puffinus, Briss. Orn. vi. p. 131 (1760)	P. puffinus.
Thyellas, Gloger, pt. (1827); Gray, List Gen. B. p. 78 (1840).	P. gravis.
2217. chlororhynchus, Less. Traité, p. 612 (1831).	E., M. Gould, B. Austr. vii. pl. 58 (1848); Cat. xxv. p. 372.
2218. gravis (O'Reilly), Voy. Greenland, &c. p. 140, pl. 12. fig. 1 (1818).	W., S. Gould, B. Gt. Brit. v. pl. 88; Dress. B. Eur. viii. p. 527, pl. 616; Cat. xxv. p. 373.
2219. kuhli (Boie), Isis, 1835, p. 257.	W., S. Gould, B. Eur. v. pl. 445; Dress. B. Eur. viii. p. 513, pl. 615 (1877); Cat. xxv. p. 375.

2220. *obscurus* (*Gm.*), *S. N. i.* p. 559 (1788). W., S., E., M.
Vieill. Gal. Ois. ii. p. 230, pl. 301; Gould, B. Eur. v. pls. 442, 444, f. 1; Cat. xxv. p. 382.
2221. *assimilis*, *Gould*, *P. Z. S.* 1837, p. 156. W., S.
Gould, B. Austr. vii. pl. 59 (1848); Cat. xxv. p. 384.
2222. *griseus* (*Gm.*), *S. N. i.* p. 564 (1788). W., S.
Gould, B. Eur. v. pl. 444, fig. 2; Dress. B. Eur. viii. p. 523, pl. 616; Cat. xxv. p. 386.

Genus II. PRIOFINUS.

- Priofinus*, *Hombr. & Jacq. C. R.* xviii. p. 355 (1814) *Type.*
P. *cinereus*.
2223. *cinereus* (*Gm.*), *S. N. i.* p. 563 (1788). S., E.
Smith, Ill. Zool. S. Afr. Av. pl. 56 (1840); Gould, B. Aus. vii. pl. 47 (1848); Cat. xxv. p. 390.

Genus III. PRIOCELLA.

- Priocella*, *Hombr. & Jacq. C. R.* xviii. p. 357 (1814) *Type.*
P. *glacialoides*.
2224. *glacialoides* (*Smith*), *Ill. Zool. S. Afr. Av.* pl. 51 (1840). S.
Gould, B. Austr. vii. pl. 48 (1848); Cat. xxv. p. 393.

Genus IV. MAJAQUEUS.

- Majaqueus*, *Reichenb. Av. Syst. Nat.* p. iv (1852) *Type.*
M. *aequinoctialis*.
2225. *aequinoctialis* (*Linn.*), *S. N. i.* p. 213 (1766). S., E., M.
Gould, B. Austr. vii. pl. 46 (1848); Cat. xxv. p. 395.

Genus V. CESTRELATA.

- Aestrelata*, *Bp. Consp. Av.* ii. p. 188 (1855). *Type.*
E. *haesitata*.
- Pterodroma*, *Bp. t. c.* p. 191 *Type.*
E. *macroptera*.
2226. *macroptera* (*Smith*), *Ill. Zool. S. Afr. Av.* pl. 52 (1840). S., M.
Buller, B. New Zealand, p. 304, pl. — (1873); Cat. xxv. p. 399.
2227. *aterrima* (*Bp.*), *C. R.* xl. p. 191, xliii. p. 768 (1856). E., M.
Cat. xxv. p. 401.
2228. *lessoni* (*Garnot*), *Ann. Sc. Nat.* vii. p. 54, pl. 4 (1826). S.
Gould, B. Aus. vii. pl. 49 (1848); Bull. B. N. Zeal. p. 303, pl. — (1873); Cat. xxv. p. 401.
2229. *incerta* (*Schl.*), *Mus. P.-B.* vi. Proeell. p. 9 (1863). S.
Cat. xxv. p. 405.
2230. *mollis* (*Gould*), *Ann. & Mag. N. H.* xiii. p. 363 (1844). W., S.
Gould, B. Austr. vii. pl. 50 (1848); Cat. xxv. p. 406.

Genus VI. BULWERIA.

- Bulweria*, *Bp. Cat. Met. Ucc. Eur.* p. 81 (1842) *Type.*
B. *bulweri*.
2231. *bulweri* (*Jard. & Selby*), *Ill. Orn.* ii. pl. 65 (1829). W.
Gould, B. Eur. v. pl. 449; Dress. B. Eur. viii. p. 551, pl. 614, fig. 2; Cat. xxv. p. 420.

Genus VII. OSSIFRAGA.

Type.

- Ossifraga, Hombr. & Jacq. C. R. xviii. p. 356 (1844) . . . O. gigantea.
 2232. gigantea (Gm.), S. N. i. p. 563 (1788). S., M.
 Gould, B. Austr. vii. pl. 45 (1848); Elliot, N. Am. B. ii. pl. 59 (1869); Cat. xxv. p. 422.

Genus VIII. DAPTION.

Type.

- Daption, Steph. in Shaw's Gen. Zool. xiii. p. 239 (1826) . . . D. capensis.
 2233. capensis (Linn.), S. N. i. p. 213 (1766). S., E., M.
 Gould, B. Austr. vii. pl. 53 (1847); Cat. xxv. p. 428.

Genus IX. HALOBÆNA.

Type.

- "Halobæna, Is. Geoffr. St.-Hil. 1836," Bp. Cons. ii. p. 193 (1856). H. cœrulea.
 2234. cœrulea (Gm.), S. N. i. p. 560 (1788). S.
 Smith, Ill. Zool. S. Afr. Av. pl. 53; Gould, B. Austr. vii. pl. 52; Cat. xxv. p. 431.

Genus X. PRION.

Type.

- Prion, Lacépède, Mém. Inst. iii. p. 513 (1801) . . . P. vittatus.
 Pseudoprion, Coues, Pr. Ac. Philad. 1866, p. 164 . . . P. desolatus.
 2235. vittatus (Gm.), S. N. i. p. 560 (1788). S., M.
 Jard. & Selby, Ill. Orn. pl. 47; Gould, B. Austr. vii. pl. 55; Cat. xxv. p. 432.
 2236. banksi, Gould, Ann. & Mag. N. H. xiii. p. 366 (1844). S., E., M.
 Smith, Ill. Zool. S. Afr. Av. pl. 55 (1840); Cat. xxv. p. 434.
 2237. desolatus (Gm.), S. N. i. p. 562 (1788). S.
 Smith, Ill. Zool. S. Afr. Av. pl. 54; Gould, B. Austr. pl. 54; Cat. xxv. p. 434.
 2238. ariel, Gould, Ann. & Mag. N. H. xiii. p. 366 (1844). W., S.
 Gould, P. Z. S. 1855, p. 88, pl. 93; Cat. xxv. p. 436.

Family II. PELECANOIDIDÆ.

Genus PELECANOIDES.

Type.

- Pelecanoides, Lacépède, Mém. Inst. iii. p. 513 (1801) . . . P. urinatrix.
 2239. exsul, Salvin, Cat. B. Brit. Mus. xxv. p. 438 (1896). S.

Family III. DIOMEDEIDÆ.

Genus DIOMEDEA.

Type.

- Diomedea, Linn. S. N. i. p. 214 (1766) . . . D. exulans.
 Thalassarche, Reichenb. Av. Syst. Nat. p. v (1852) . . . D. melanophrys.
 Thalassogeran, Ridgw. Water-B. N. Am. ii. p. 357 (1884) . D. culminata.

2240. *exulans*, *Linn. S. N. i.* p. 214 (1766). S.
 Vieill. Gal. Ois. ii. p. 234, pl. 293; Gould, B. Austr. vii. pl. 38; Cat. xxv. p. 441.
2241. *chionoptera*, *Salvin, Cat. B. M.* xxv. p. 443 (1896). S.
2242. “*melanophrys*, *Boie*,” *Temm. Pl. Col.* 456 (1838). S., M.
 Gould, B. Austr. vii. pl. 43 (1844); Cat. xxv. p. 447.
2243. *chlororhyncha*, *Gm. S. N. i.* p. 568 (1788). S., M.
 Gould, B. Austr. vii. pl. 42; Elliot, B. N. Am. ii. pl. 58 (1869).
2244. *culminata*, *Gould, P. Z. S.* 1843, p. 107. S.
 Gould, B. Austr. vii. pl. 41 (1844).
2245. *fuliginosa*, *Gm. S. N. i.* p. 568 (1788). S.
 Gould, B. Austr. vii. pl. 44 (1844); Temm. Pl. Col. 469.

Order X. SPHENISCIFORMES.

Family SPHENISCIDÆ.

Genus I. SPHENISCUS.

- Spheniscus*, *Briss. Orn. vi.* p. 97 (1760) Type. S. *demersus*.
2246. *demersus* (*Linn.*), *S. N. i.* p. 214 (1776). S.
 Temm. Pl. Enl. pl. 382 (1770); Sclat. Rep. Voy. Challenger, ii. p. 124, pl. 29 (1881).

Genus II. EUDYPTES.

- Eudyptes*, *Vieill. Analyse*, pp. 67, 70 (1816) Type. E. *chrysolophus*.
2247. *chrysolophus* (*Brandt*), *Bull. Acad. Pétersb.* ii. p. 314 (1837). S.
 Gould, B. Austr. vii. pl. 83 (1848); Sclat. Rep. Voy. Challenger, ii. p. 127, pl. 29 (1881).

Order XI. PHÆNICOPTERIFORMES.

Family PHÆNICOPTERIDÆ.

Genus PHÆNICOPTERUS.

- Phœnicopterus*, *Linn. S. N. i.* p. 230 (1766) Type. P. *ruber*.
- Phœniconaias*, *G. R. Gray, Ibis*, 1869, p. 442 P. *minor*.
2248. “*ruber*, *Linn.*,” *Bonn. Enc. Méth.* i. p. 162 (1790). W. !
 Wils. Am. Orn. viii. p. 45, pl. 66 (1814); Cat. xxvii. p. 9 (1895).

2249. "roseus, Barr.," *Pall. Zoogr. Rosso-As.* ii. p. 207 (1818). W., S., E., N.E.
Dresser, *B. Eur.* vi. p. 343, pl. 410; Chapman, *Ibis*, 1884, p. 88, pl. 4; Cat. xxvii. p. 12.
2250. *minor*, *G.St.-Hil.Bull.S.Phil.* ii. p. 98, pl.—figs. 1, 2, 3 (1798). W., S., E., N.E., M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 612, pl. 262 (1885); Cat. xxvii. p. 18.

Order XII. ANSERIFORMES.

Family I. ANSERIDÆ.

Subfamily I. PLECTROPTERINÆ.

Genus I. PLECTROPTERUS.

- Type.*
- "*Plectropterus, Leach*," *Steph. Gen. Zool.* xii. 2, p. 6 (1824). *P. gambensis*.
2251. *rueppelli*, *Sclat. P. Z. S.* 1859, p. 132, pl. 153. fig. 1. N.E.
Rüpp. Mus. Senckenb. iii. p. 12, pl. 1 (1845); Cat. xxvii. p. 47.
2252. *gambensis* (*Linn.*), *S. N. i.* p. 195 (1766). W., S., E.
Sclat. P. Z. S. 1859, p. 131, pl. 153. fig. 2; Cat. xxvii. p. 48.
2253. *niger*, *Sclat. P. Z. S.* 1877, p. 48, pl. 7. S.
Cat. xxvii. p. 50.
2254. *scioanus*, *Salvat. Ann. Mus. Civ. Gen.* 1884, p. 229. N.E.
Cat. xxvii. p. 51.

Genus II. SARCIDIORNIS.

Type.

- Sarkidiornis, Eyton, Mon. Anat.* p. 20 (1838) S. melanonota.
2255. *melanonota* (*Penn.*), *Ind. Zool.* p. 12, pl. 11 (1769). W., S., E., N.E., M.
Vieill. Gal. Ois. ii. pl. 285; *M.-E. & Grand. Hist. Mad.*, *Ois.* p. 719, pl. 267; Cat. xxvii. p. 54.

Genus III. PTERONETTA.

Type.

- Pteronetta, Salvad. Cat. B. M.* xxvii. p. 63 (1895) P. hartlaubi.
2256. *hartlaubi* (*Cass.*), *Proc. Ac. Philad.* 1859, p. 175. W.
Oust. Nouv. Arch. Mus. (2) ii. p. 122, pl. 6 (1879); Cat. xxvii. p. 63.

Genus IV. NETTOPUS.

Type.

- Nettapus, Brandt, Des. et Ic. An. Ross. Nov. Av.* pt. I, p. 5 (1836). N. auritus.
2257. *auritus* (*Bodd.*), *Tabl. Pl. Enl.* p. 48 (1783). W., S., E., M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 714, pl. 264 (1885); Cat. xxvii. p. 65.

Subfamily II. ANSERINÆ.

Genus CYANOCHEN.

Type.“*Cyanochen, Hartl.*,” *Bp. C. R.* xliii. p. 618, gen. 10 (1856) C. cyanopterus.

2258. *cyanopterus* (*Rüpp.*), *Syst. Uebers.* pp. 129, 137, pl. 47 (1845). N.E.
Cat. xxvii. p. 139.

Family II. ANATIDÆ.

Subfamily I. ANATINÆ.

Genus I. DENDROCYCNA.

*Type.**Dendrocygna, Swains. Class. B.* ii. p. 365 (1837) D. areuata.

2259. *viduata* (*Linn.*), *S. N.* i. p. 205 (1766). W., S., E., N.E., M.
Daubent. *Pl. Enl.* pl. 808; *Cat. xxvii.* p. 145.
2260. *fulva* (*Gm.*), *S. N.* i. p. 530 (1788). W., S., E., N.E., M.
Milne-Edw. & Grand. *Hist. Mad.*, *Ois.* p. 731, pl. 272 (1882); *Cat. xxvii.* p. 149.

Genus II. CHENALOPEX.

*Type.**Chenalopex, Steph. Gen. Zool.* xii. 2, p. 41 (1824) C. ægyptiacus.

2261. *ægyptiacus* (*Linn.*), *S. N.* i. p. 197 (1766). W., S., E., N.E.
Daubent. *Pl. Enl.* pl. 379 (1770); *Cat. xxvii.* p. 167.

Genus III. CASARCA.

*Type.**Casarca, Bp. Comp. List B. Eur. & N. Am.* p. 56 (1838) C. casarea.

2262. *casarca* (*Linn.*), *S. N.* iii. p. 224 (1768). N.E.
Dresser, *B. Eur.* vi. p. 461, pl. 421 (1875); *Cat. xxvii.* p. 177.
2263. *cana* (*Gm.*), *S. N.* i. p. 510 (1788).
Brown, *Ill.* pp. 102, 104, *pls.* 41, 42 (1776); *Cat. xxvii.* p. 182.

Genus IV. ANAS.

*Type.**Anas, Linn. S. N.* i. p. 194 (1766) A. boscas.

2264. *boscas*, *Linn. S. N.* i. p. 205 (1766; s. n. *boschas*). N.E.
Dresser, *B. Eur.* vi. p. 469, pl. 422 (1873); *Cat. xxvii.* p. 189.

2265. *melleri*, *Sclat. P. Z. S.* 1864, p. 487, pl. 34. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 724, pl. 269 (1882); Cat. xxvii. p. 199.
2266. *undulata*, *Dubois, Orn. Gall.* p. 119, pl. 77 (1839). W., S., E., N.E.
Smith, Ill. Zool. S. Afr. Av. pl. 96 (1844); Cat. xxvii. p. 212.
2267. *sparsa*, *Smith, Cat. S. Afr. Mus.* p. 36 (1837). S., E., N.E.
Rüpp. Syst. Ueb. p. 130, pl. 48 (1845); Smith, Ill. Zool. S. Afr. Av. pl. 97 (1844); Cat. xxvii. p. 213.

Genus V. CHAULELASMUS.

- "Chaulelasmus, G.R.Gr."* *Bp. Comp. List B.E. & N.A.* p. 56 (1838). C. streperus. Type.
2268. *streperus* (*Linn.*), *S. N.* i. p. 200 (1766). N.E.
Dresser, B. Eur. vi. p. 487, pl. 424 (1873); Cat. xxvii. p. 221.

Genus VI. MARECA.

- Mareca, Steph. Gen. Zool.* xii. 2, p. 130 (1824) M. penelope. Type.
2269. *penelope* (*Linn.*), *S. N.* i. p. 202 (1766). N.E.
Dresser, B. Eur. vi. p. 541, pls. 432, 433 (1876); Cat. xxvii. p. 227

Genus VII. QUERQUEDULA.

- Querquedula, Steph. Gen. Zool.* xii. 2, p. 142 (1824) Q. circia.
Nettion, Kaup, Natürl. Syst. p. 95 (1829) Q. crecca.
2270. *crecca* (*Linn.*), *S. N.* i. p. 204 (1766). N.E.
Dresser, B. Eur. vi. p. 507, pl. 426 (1871); Cat. xxvii. p. 243.
2271. " *bernieri* (*J. Verr.*)" *Hartl. J. f. O.* 1860, p. 173. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 726, pl. 270 (1882); Cat. xxvii. p. 258.
2272. *capensis* (*Gm.*), *S. N.* i. p. 527 (1788). W., S., E., N.E.
Salvad. P. Z. S. 1884, p. 172, pl. 13; Cat. xxvii. p. 259.
2273. *punctata* (*Burch.*), *Trav. S. Afr.* i. p. 283, note (1822). W., S., E., N.E., M.
Smith, Ill. Zool. S. Afr. Av. pl. 105 (1845); Cat. xxvii. p. 265.
2274. *circia* (*Linn.*), *S. N.* i. p. 204 (1766). N.E.
Dresser, B. Eur. vi. p. 513, pl. 427 (1871); Cat. xxvii. p. 293.

Genus VIII. PŒCILONETTA.

- Pœcilonitta, Eyton, Mon. Anat.* p. 31 (1838) P. bahamensis. Type.
2275. *erythrorhyncha* (*Gm.*), *S. N.* i. p. 517 (1788) W., S., E., N.E., M.
Smith, Ill. Zool. S. Afr. Av. pl. 104 (1845); Cat. xxvii. p. 285.

Genus IX. DAFILA.

- | | <i>Type.</i> |
|--|--------------|
| “ <i>Dafila</i> , <i>Leach</i> ,” <i>Steph. Gen. Zool.</i> xii. 2, p. 126 (1824) | D. acuta. |
| 2276. <i>acuta</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 202 (1766). | N.E. |
| Dresser, <i>B. Eur.</i> vi. p. 531, pls. 430, 431 (1873); <i>Cat. xxvii.</i> p. 270. | |

Genus X. SPATULA.

- | | <i>Type.</i> |
|--|--------------|
| <i>Spatula</i> , <i>Boie, Isis</i> , 1822, p. 564 | S. clypeata. |
| 2277. <i>clypeata</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 200 (1766). | W., N.E. |
| Dresser, <i>B. Eur.</i> vi. p. 497, pl. 425 (1873); <i>Cat. xxvii.</i> p. 306. | |
| 2278. <i>capensis</i> (<i>Smith</i>), <i>Cat. S. Afr. Mus.</i> p. 36 (1837). | S. |
| Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 98 (1844); <i>Cat. xxvii.</i> p. 318. | |

Subfamily II. FULIGULINÆ.

Genus I. NYROCA.

- | | <i>Type.</i> |
|---|--------------|
| <i>Nyroca</i> , <i>Flem. Phil. of Zool.</i> ii. p. 260 (1822) | N. africana. |
| <i>Aithya</i> , <i>Kaup, Natürl. Syst.</i> p. 99 (1829) | N. ferina. |
| 2279. <i>ferina</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 203 (1766). | N.E. |
| Dresser, <i>B. Eur.</i> vi. p. 551, pl. 434 (1878); <i>Cat. xxvii.</i> p. 335. | |
| 2280. <i>nyroca</i> (<i>Güldenst.</i>), <i>Nov. Comm. Petrop.</i> xiv. 1, p. 403 (1769). | N.E., M. |
| Dresser, <i>B. Eur.</i> vi. p. 581, pl. 438 (1872); <i>Cat. xxvii.</i> p. 435. | |
| 2281. <i>innotata</i> , <i>Salvad. Bull. B. O. Club</i> , iv. p. ii (1894); <i>id. Ibis</i> , 1895, p. 136. | M. |
| <i>Salvad. Cat. B. M.</i> xxvii. p. 350, pl. 4. | |
| 2282. <i>brunnea</i> , <i>Eyt. Mon. Anat.</i> p. 161, pl. 23 (1838). | S., E., N.E. |
| <i>Cat. xxvii.</i> p. 351. | |

Genus II. FULIGULA.

- | | <i>Type.</i> |
|--|--------------|
| <i>Fuligula</i> , <i>Steph. Gen. Zool.</i> xii. 2, p. 187 (1824) | F. fuligula. |
| 2283. <i>fuligula</i> (<i>Linn.</i>), <i>S. N.</i> i. p. 207 (1766). | N.E. |
| Dresser, <i>B. Eur.</i> vi. p. 573, pl. 437 (1879); <i>Cat. xxvii.</i> p. 363. | |

Subfamily III. ERISMATURINÆ.

Genus I. THALASSIORNIS.

- | | <i>Type.</i> |
|---|----------------------|
| <i>Thalassornis</i> , <i>Eyt. Mon. Anat.</i> p. 70 (1838) | T. leuconota. |
| 2284. <i>leuconota</i> (<i>Smith</i>), <i>Cat. S. Afr. Mus.</i> p. 37 (1837). | W., S., E., N.E., M. |
| Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 107 (1846); <i>Cat. xxvii.</i> p. 436. | |

Genus II. ERISMATURA.

- Type.*
- Erismatura*, *Bp. Sag. Dis. Met., Ag. e Corr.* p. 143 (1832). E. jamaicensis.
Cerconectes, *Wagl. Isis*, 1832, p. 282 E. lencocephala.
2285. *leucocephala* (*Scop.*), *Ann. I. H. N.* p. 65 (1769). N.E.
 Shelley, *B. Eg.* p. 291, pl. 12 (1872); *Dress. B. Eur.* vi. p. 677, pl. 451 (1878); *Cat. xxvii.* p. 442.
2286. *maccoa* (*Smith*), *Cat. S. Afr. Mus.* p. 37 (1837). S., E., N.E.
 Smith, *Ill. Zool. S. Afr. Av.* pls. 108, 109 (1847); *Cat. xxvii.* p. 448.

Order XIII. PODICIPEDIDIFORMES.

Family PODICIPITIDÆ.

Genus PODICIPES.

- Type.*
- Podicipes*, *Lath. Suppl. Gen. Syn.* p. 294 (1787; s. n. *Podiceps*). P. cristatus.
Tachybaptus, *Reichenb. Av. Syst. Nat.* pl. 2 (1849) P. fluviatilis.
2287. *cristatus* (*Linn.*), *S. N. i.* p. 222 (1766). W., S., N.E.
 Dresser, *B. Eur.* viii. p. 629, pl. 629 (1879).
2288. “*capensis*, *Licht.*,” *Salvad. Ann. Mus. Civ. Gen.* 1888, p. 326. W., S., E., N.E.
Hartl. Faun. Madag., 1861, 83.
2289. *pelzelnii*, *S. Roch & E. Newton, Ibis*, 1863, p. 175. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 710, pl. 276 (1885).

Order XIV. GALLIFORMES.

Family I. RALLIDÆ.

Genus I. MESITES.

- Type.*
- Mesites*, *Geoffr. St.-Hilaire, C. R.* 1838, p. 443 M. variegata.
2290. *variegata*, *Geoffr. St.-Hilaire, C. R.* 1838, p. 443. M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 601, pls. 246, 247 (1885); *Cat. xxiii.* p. 244 (1894).

Genus II. PODICA.

- Type.*
- Podica*, *Less. Traité Orn.* p. 596 (1831) P. senegalensis.
2291. *senegalensis* (*Vieill.*), *N. Dict. xiv.* p. 277 (1817). W.
 Gray, *Gen. B.* iii. p. 634, pl. 173 (1844); *Cat. xxiii.* p. 230.

2292. *petersi*, Hartl. *Abhandl. nat. Ver. Hamb.* ii. p. 62 (1852). W., S., E.
Sharpe, ed. Layard's B. S. Afr. p. 625, pl. 12 (1884); Cat. xxiii. p. 231.
2293. *camerunensis*, Sjöstedt, *Orn. Monatsb.* 1893, p. 42. W.
Sjöst. Kgl. Svensk. Vet.-Ak. Handl. Stockh. (27, no. 1) pl. 29, pl. 1 (1895).

Genus III. FULICA.

- | | Type. |
|---|--------------|
| <i>Fulica</i> , Linn. S. N. i. p. 257 (1766) | F. atra. |
| <i>Lupha</i> , Reichenb. <i>Av. Syst. Nat.</i> p. xxi (1852) | F. cristata. |
| 2294. <i>atra</i> , Linn. S. N. i. p. 257 (1766). N.E. | |
| Dresser, B. Eur. vii. p. 327, pl. 504, fig. 2 (1879); Cat. xxiii. p. 210. | |
| 2295. <i>cristata</i> , Gm. S. N. i. p. 704 (1788). S., E., N.E., M. | |
| Dresser, B. Eur. vii. p. 323, pl. 504, fig. 1 (1879); Cat. xxiii. p. 215. | |

Genus IV. PORPHYRIO.

- | | Type. |
|--|---------------|
| <i>Porphyrio</i> , Briss. <i>Orn.</i> v. p. 522 (1760) | P. porphyrio. |
| <i>Porphyrula</i> , Blyth, <i>Cat. B. Mus. As. Soc.</i> p. 283 (1849) . . | P. allenii. |
| 2296. <i>porphyrio</i> (<i>Linn.</i>), S. N. i. p. 258 (1766). S., E., N.E., M. | |
| Dresser, B. Eur. vii. p. 303, pl. 501 (1876); Cat. xxiii. p. 195. | |
| 2297. <i>allenii</i> , Thoms. <i>Ann. & Mag. N. H.</i> x. p. 204 (1842). W., S., E., N.E., M. | |
| Dress. B. E. vii. p. 307, pl. 502; M.-Ed. & Gr. H. Mad., Ois. p. 593, pl. 245; Cat. xxiii. p. 187. | |

Genus V. GALLINULA.

- | | Type. |
|--|---------------|
| <i>Gallinula</i> , Briss. <i>Orn.</i> vi. p. 3 (1860) | G. chloropus. |
| 2298. <i>chloropus</i> (<i>Linn.</i>), S. N. i. p. 258 (1766). S., E., N.E., M. | |
| Dress. B. E. vii. p. 313, pl. 503; M.-Ed. & Gr. H. Mad., Ois. p. 594, pl. 240; Cat. xxiii. p. 169. | |
| 2299. <i>angulata</i> , Sundev. <i>Œfv. K. Vet.-Ak. Förh. Stockh.</i> 1850, p. 110. W., S., E. | |
| Selat. Ibis, 1859, p. 249, pl. 7; Cat. xxiii. p. 181. | |

Genus VI. RALLUS.

- | | Type. |
|---|----------------------|
| <i>Rallus</i> , Linn. S. N. i. p. 261 (1766) | R. aquaticus. |
| <i>Biensis</i> , Pucher. <i>Rev. Zool.</i> 1845, p. 278 | R. madagascariensis. |
| 2300. <i>cærulescens</i> , Gm. S. N. i. p. 716 (1788). S., E. | |
| Cat. xxiii. p. 25. | |
| 2301. <i>madagascariensis</i> , Verr. <i>S. Afr. Quart. Journ.</i> ii. p. 80 (1833). M. | |
| Milne-Edw. & Grand. <i>Hist. Mad.</i> , Ois. p. 568, pl. 231 (1882); Cat. xxiii. p. 26. | |

Genus VII. HIMANTORNIS.

Type.

"Himantornis, Temm.," Hartl. J. f. O. 1855, p. 357 . . . II. haematopus.

2302. "haematopus, Temm.," Hartl. J. f. O. 1855, p. 357.
Schl. Handl. Dierk. ii. p. 448, pl. 7, fig. 88 (1857); Cat. xxiii. p. 69.

W.

Genus VIII. CREX.

Type.

Crex, Bechst. Orn. Taschenb. p. 336 (1802) C. crex.
Canirallus, Bp. C. R. 1856, p. 600; Hartl. J. f. O. 1860, p. 172. C. oculea.
Crecopsis, Sharpe, Bull. B. O. C. i. p. xxviii (1893). C. egregia.
Dryolimnas, Sharpe, l. c. C. cuvieri.

2303. crex (Linn.), S. N. i. p. 261 (1766).
Dresser, B. Eur. vii. p. 291, pl. 499 (1878); Cat. xxiii. p. 82.

S., E., N.E.

2304. egregia, Peters, Monatsb. Ak. Wiss. Berlin, 1854, p. 134. W., S., E., N.E.
Cat. xxiii. p. 81.

2305. oculea (Hartl.), J. f. O. 1855, p. 357.
Cat. xxiii. p. 72.

W.

2306. kioloides (Pucher.), Rev. et Mag. Zool. 1845, p. 279.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 571, pl. 233 (1882); Cat. xxiii. p. 73.

M.

2307. cuvieri (Pucher.), Rev. et Mag. Zool. 1845, p. 279.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 569, pl. 232 (1879); Cat. xxiii. p. 70.

M.

2308. aldabrana (Günther), Ann. & Mag. N. H. (5) iii. pp. 164, 168 (1879). M.
Cat. xxiii. p. 71.

Genus IX. PORZANA.

Type.

Porzana, Vieill. Analyse, p. 61 (1816) P. porzana.
Zapornia, Leach, Syst. Cat. Mamm. & B. Br. Mus. p. 34 (1816) P. parva.

2309. porzana (Linn.), S. N. i. p. 262 (1766).
Dresser, B. Eur. vii. p. 267, pl. 496 (1878); Cat. xxiii. p. 93.

E., N.E.

2310. intermedia (Hermann), Obs. Zool. Strasbourg, i. p. 198 (1804). S., E., N.E.
Dresser, B. Eur. vii. p. 275, pl. 497 (1878); Cat. xxiii. p. 103.

2311. parva (Scop.), Ann. i. p. 108 (1769).
Dresser, B. Eur. vii. p. 283, pl. 498 (1878); Cat. xxiii. p. 89.

E., N.E.

Genus X. LIMNOCORAX.

Limnocorax, Peters, *Ber. preuss. Ak. Wiss. Berlin*, 1854, p. 187. *L. niger*.
Type.

2312. *niger* (*Gm.*), *S. N.* i. p. 717 (1788). W., S., E., N.E.
 Swains. *B. W. Afr.* ii. p. 244, pl. 28 (1837); *Cat. xxiii.* p. 150.

Genus XI. ROUGETIUS.

Rougetius, *Bp. C. R.* 1856, p. 599 *Type.*
R. rougeti.

2313. *rougeti* (*Guérin*), *Rev. Zool.* 1843, p. 322. N.E.
 Rüpp. *Syst. Uebers.* p. 127, pl. 46 (1845); *Cat. xxiii.* p. 162.

Genus XII. COTURNICOPS.

Coturnicops, *Bp. Consp. Syst. Orn.* p. 46 (1854) . . . *Type.*
C. noveboracensis.

2314. *ayresi*, Gurney, *Ibis*, 1877, p. 352, pl. 7. S.
Cat. xxiii. p. 129.

Genus XIII. CORETHRURA.

“*Corethrura, Reichenb.*,” Gray, *Gen. B.* iii. p. 595 (1846) . . . *C. rufa*.
Type.

2315. *pulchra*, J. E. Gray, in *Griff. ed. Cuv. An. King. Av.* pp. 410, 542, fig. W., E.
 Sharpe, *Cat. B. M.* xxiii. p. 116, pl. 9 (1894).

2316. *insularis*, Sharpe, *P. Z. S.* 1870, p. 400; 1871, pp. 31, 315, pl. 32. M.
 Milne-Edw. & Grand. *Hist. Mad.*, Ois. p. 575, pl. 235 (1881); *Cat. xxiii.* p. 118.

2317. *lineata* (*Swains.*), *An. in Menag.* p. 339 (1837). S.
 Smith, *Ill. Zool. S. Afr. Av.* pl. 21 (1839); *Cat. xxiii.* p. 118.

2318. *watersi* (*Bartlett*), *P. Z. S.* 1879, p. 772, pl. 63. M.
 Milne-Edw. & Grand. *Hist. Mad.*, Ois. p. 577, pl. 234 (1882); *Cat. xxiii.* p. 119.

2319. *elegans* (*Smith*), *Ill. Zool. S. Afr. Av.* pl. 22 (1839). S.
Cat. xxiii. p. 120.

2320. *reichenowi*, Sharpe, *Cat. B. M.* xxiii. p. 121 (1894). W.

2321. *rufa* (*Vieill.*), *N. Dict.* xxviii. p. 564 (1819). S., E.
 Smith, *Ill. Zool. S. Afr. Av.* pl. 20 (1839); *Cat. xxiii.* p. 121.

2322. *lugens* (*Böhm*), *J. f. O.* 1884, pp. 176, 214. E.
Cat. xxiii. p. 123.

2323. “*bonapartii*, Hartl.” *Bp. C. R.* 1856, p. 599. W.
Cat. xxiii. p. 123.

Family II. TURNICIDÆ.

Genus I. TURNIX.

- Type.
- | | |
|--|-----------------|
| Turnix, <i>Bonn. Tabl. Encycl. Méth.</i> i. pp. lxxxii, 5 (1790) | T. sylvatica. |
| Hemipodius, <i>Temm. Man. Orn.</i> p. 313 (1815) | T. nigricollis. |
| 2324. lepurana (<i>Smith</i>), <i>Rep. Exped. Centr. Afr.</i> p. 55 (1836). W., S., E., N.E.
Smith, <i>Ill. Zool. S. Afr. Av.</i> pl. 16 (1838); <i>Cat. xxii.</i> p. 539 (1893). | |
| 2325. nana (<i>Sundev.</i>), <i>Aefv. K. Vet.-Ak. Förh. Stockh.</i> 1850, p. 110.
<i>Cat. xxii.</i> p. 541. | S. |
| 2326. hottentotta, <i>Temm. Pig. et Gall.</i> iii. pp. 636, 757 (1815).
<i>Cat. xxii.</i> p. 542. | S. |
| 2327. nigricollis (<i>Gm.</i>), <i>S. N. i.</i> p. 767 (1788).
Milne-Edw. & Grand. <i>Hist. Mad.</i> , <i>Ois.</i> p. 494, pl. 202 (1882); <i>Cat. xxii.</i> p. 549. | M. |

Genus II. ORTYXELUS.

- Type.
- | | |
|--|---------------|
| Ortyxelos, <i>Vieill. Gall. Ois.</i> ii. p. 91 (1834) | O. meiffreni. |
| 2328. meiffreni (<i>Vieill.</i>), <i>N. Dict.</i> xxxv. p. 49 (1818). W., E., N.E.
Temm. <i>Pl. Col. v.</i> pl. 60. f. 1 (1823); Swains. <i>Zool. Ill.</i> iii. pl. 163 (1823); <i>Vieill. Gal. Ois.</i>
ii. p. 92, pl. 300 (1834); <i>Cat. xxiv.</i> p. 30. | |

Family III. PHASIANIDÆ.

Subfamily I. COTURNICINÆ.

Genus I. EXCALFACTORIA.

- Type.
- | | |
|--|---------------|
| Excalfactoria, <i>Bp. C. R.</i> xlvi. p. 881 (1856) | E. elhiensis. |
| 2329. adansoni (<i>Verr.</i>), <i>Rev. et Mag. Zool.</i> 1851, p. 515. W., S., E., N.E.
Reichen. <i>J. f. O.</i> 1892, p. 18, pl. 1, fig. 3; <i>Cat. xxii.</i> p. 255 (1894). | |

Genus II. COTURNIX.

Type.

- | | |
|--|--------------|
| Coturnix, <i>Möhring, Av. Gen.</i> pp. 25, 54 (1752); <i>Bonn. Tabl. Enc. Méth.</i> i. pp. lxxxvii, 216 (1791) | C. coturnix. |
| 2330. coturnix (<i>Linn.</i>), <i>S. N. i.</i> p. 278 (1766). W., S., E., N.E.
Dresser, <i>B. Eur.</i> vii. p. 143, pl. 476 (1878); <i>Cat. xxii.</i> p. 231. | |
| 2331. "capensis, <i>Licht.</i> ," <i>Gray, Hand-l. B.</i> ii. p. 268 (1870). W., S.
<i>Cat. xxii.</i> p. 237. | |

- 2332. delegorguei, *Deleg. Voy. Afr. Aust.* ii. p. 615 (1847). W., S., E., N.E.
Hartl. Beitr. Orn. W.-Afr. pp. 1, 38, pl. 11 (1852); Cat. xxii. p. 243.

Genus III. MARGAROPERDIX.

Type.

Margaroperdix, *Reichenb. Nat. Syst. Vög.* p. xxviii (1852). M. madagascariensis.

2333. madagascariensis (*Scop.*), *Del. Fl. et Faun. Ins.* ii. p. 93 (1786). M.
Milne-Edw. & Grand. Hist. Mad., Ois. pls. 199–201 a (1885); Cat. xxii. p. 196.

Genus IV. AMMOPERDIX.

Type.

Ammoperdix, *Gould, B. Asia*, vii. pl. 1 (1851) A. bouhami.

2334. heyi, *Temm. Pl. Col.* v. pls. 37, 38. nos. 328, 329 (1825). N.E.
Cat. xxii. p. 125.

Subfamily II. FRANCOLININÆ.

Genus I. PTERNISTES.

Type.

Pternistis, *Wagl. Isis*, 1832, p. 1229 P. nudicollis.

2335. nudicollis (*Bodd.*), *Tabl. Pl. Enl.* p. 11. no. 180 (1783). S.
Cat. xxii. p. 174.

2336. humboldti, *Peters, MB. Ak. Wiss. Berlin*, 1854, p. 134. E.
Cat. xxii. p. 176.

2337. afer (*P. L. S. Müll.*), *S. N. Suppl.* p. 129 (1776). S.
Bonn. Enc. Méth. i. p. 208, pl. 94, fig. 3 (1790); Cat. xxii. p. 177.

2338. cranchi (*Leach*), in *Tuckey's Narr. Expl. R. Zaire*, App. p. 408 (1818). W., S., E.
Gray, Ill. Ind. Zool. ii. pl. 43. fig. 3 (1833); Cat. xxii. p. 178.

2339. boehmi, *Reichen. J. f. O.* 1885, p. 465. E.
Finsch & Hartl. Vög. Ost-Afr. p. 579, pl. 9 (1870); Cat. xxii. p. 179.

2340. swainsoni (*Smith*), *Rep. Exp. Centr. Afr.* p. 54 (1836). S.
Smith, Ill. Zool. S. Afr. Av. pl. 12 (1838); Cat. xxii. p. 179.

2341. rufopictus, *Reichen. J. f. O.* 1887, p. 52. E.
Cat. xxii. p. 180.

2342. leucoscepus, *Salvad. Ann. Mus. Civ. Gen.* 1888, p. 308. N.E.
Grant, Cat. B. M. xxii. p. 181, pl. 8 (1893).

2343. infuscatus, *Cab. J. f. O.* 1868, p. 413. E., N.E.
Cab. in Decken's Reis. iii. p. 44, pl. 14 (1869); id. J. f. O. 1871, pl. 1; Cat. xxii. p. 182.

Genus II. FRANCOLINUS.

	Type.
Francolinus, Steph. in Shaw's Gen. Zool. xi. p. 316 (1819).	F. francolinus.
Chætopus, Swains. Class. B. ii. p. 344 (1837)	F. bicalcaratus.
Scleroptila, Blyth, Cat. B. Mus. As. Soc. p. 250 (1849)	F. levaillanti.
Clamator, Blyth, l. c.	F. capensis.
Perdicideus, Heine, J. f. O. 1860, p. 198.	F. lathami.
2344. chinensis (Osbeck), Voy. en Chine, ii. p. 326 (1771). (Introduced.)	M.
Bonn. Tabl. E. Mth. i. p. 214, pl. 95. f. 3 (1790); Hume & Mars. Game B. I. ii. p. 27, pl. (1879).	
Cat. xxii. p. 136.	
2345. lathami, Hartl. J. f. O. 1854, p. 210.	W.
Temm. Bijdr. tot Dierk. i. p. 50, pl. — (1854); Cat. xxii. p. 139.	
2346. coqui (Smith), Rep. Expd. Centr. Afr. p. 55 (1836).	S., E.
Smith, Ill. Zool. S. Afr. Av. pl. 15 (1838); Cat. xxii. p. 143.	
2347. schlegeli, Heugl. J. f. O. 1863, p. 275.	N.E.
Heugl. Orn. N.O.-Afr. p. 898, pl. 30 (1870); Cat. xxii. p. 145.	
2348. "buckleyi, Shelley," Grant, Ibis, 1892, p. 41.	W.
2349. dybowskii, Oust. Le Naturaliste, 1892, p. 232.	W.
2350. hubbardi, Grant, Bull. B. O. Club, iv. p. xxvii (1895).	E.
2351. streptophorus, Grant, Ibis, 1891, p. 126.	E.
Grant, Cat. B. M. xxii. p. 145, pl. 1 (1893).	
2352. sephæna (Smith), Rep. Exp. Centr. Afr. p. 55 (1836).	S.
Smith, Ill. Zool. S. Afr. Av. pl. 14 (1838); Cat. xxii. p. 146.	
2353. granti, Hartl. P. Z. S. 1865, p. 665, pl. 39. fig. 1.	E., N.E.
Cat. xxii. p. 148.	
2354. spilogaster, Salvad. Ann. Mus. Civ. 1888, p. 541.	N.E.
Cat. xxii. p. 149.	
2355. kirki, Hartl. P. Z. S. 1867, p. 827.	E.
Finsch & Hartl. Vög. Ost-Afr. p. 588, pl. 10. fig. 1 (1870); Cat. xxii. p. 149.	
2356. albogularis, Gray, List Gall. Brit. Mus. iii. p. 35 (1844).	W.
Grant, Cat. B. M. xxii. p. 149, pl. 2 (1893).	
2357. spilolaemus, Gray, List Gall. Brit. Mus. p. 50 (1867).	N.E.
Grant, Cat. B. M. xxii. p. 150, pl. 3 (1893).	
2358. gutturalis (Rüpp.), N. Wirb. Vög. p. 13 (1835).	N.E.
Rüpp. Syst. Uebers. p. 103, pl. 40 (1845); Cat. xxii. p. 151.	
2359. uluensis, Grant, Ibis, 1892, p. 44.	E.
Grant, Cat. B. M. xxii. p. 151, pl. 4 (1893).	

2360. *africanus*, *Steph. in Shaw's Gen. Zool.* xi. p. 323 (1819). S.
Cat. xxii. p. 152.
2361. *finschi*, *Bocage, Orn. Angola*, p. 406 (1881). S.
Cat. xxii. p. 153.
2362. *castaneicollis*, *Salvad. Ann. Mus. Civ. Gen.* 1888, p. 542. N.E.
Grant, *Ibis*, 1890, p. 350, pl. 11; Cat. xxii. p. 153.
2363. *levaillanti* (*Valenc.*), *Dict. Sc. Nat.* xxxviii. p. 441 (1825). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 85 (1843); Cat. xxii. p. 154.
2364. *gariepensis*, *Smith, Ill. Zool. S. Afr. Av.* pls. 83 ♂, 84 ♀. S.
Cat. xxii. p. 155.
2365. *jugularis*, *Büttik. Notes Leyd. Mus.* 1889, p. 76, pl. 4. S.
Cat. xxii. p. 156.
2366. *shelleyi*, *Grant, Ibis*, 1890, p. 348. S.
Grant, *Cat. B. M.* xxii. p. 157, pl. 6 (1893).
2367. *elgonensis*, *Grant, Ibis*, 1891, p. 126. E.
Grant, *Cat. B. M.* xxii. p. 157, pl. 5 (1893).
2368. *adspersus*, *Waterh. in Alexander's Exp.* ii. p. 267, pl. (1838). S.
Grant, *Cat. B. M.* xxii. p. 159, pl. 7 (1893).
2369. *griseostriatus*, *Grant, Ibis*, 1890, p. 349, pl. 10. S.
Cat. xxii. p. 160.
2370. *bicalcaratus* (*Linn.*), *S. N. i.* p. 277 (1766). W.
Bonn. Tabl. Enc. Méth. i. p. 212, pl. 93, fig. 2 (1791); Cat. xxii. p. 160.
2371. *clappertoni*, *Childr. in Denh. & Clapperton's Trav.* App. xxi. p. 198 (1826). N.E.
Rüpp. Atlas, Vög. p. 13, pl. 9 (1826); *Gr. Gen. B.* iii. p. 505, pl. 130 (1846); Cat. xxii. p. 162.
2372. *gedgii*, *Grant, Ibis*, 1891, p. 124. E.
Sharpe, *Ibis*, 1892, p. 551, pl. 14; Cat. xxii. p. 163.
2373. *hartlaubi*, *Bocage, Jorn. Lisb.* 1869, p. 350. S.
Cat. xxii. p. 163.
2374. *icterorhynchus*, *Heugl. J. f. O.* 1863, p. 275. W., N.E.
Heugl. *Orn. N.O.-Afr.* p. 894, pl. 29, fig. 1 (head); Cat. xxii. p. 163.
2375. *sharpii*, *Grant, Ibis*, 1892, p. 47. N.E.
Des Murs in *Lefebvre's Vey. Abyss.* p. 146, pl. 12 (1845); Cat. xxii. p. 164.
2376. *capensis* (*Gm.*), *S. N. i.* p. 759 (1788). S.
Cat. xxii. p. 165.
2377. *natalensis*, *Smith, S. Afr. Quart. Journ. (2)* p. 48 (1833). S.
Smith, *Ill. Zool. S. Afr. Av.* pl. 13 (1838); Cat. xxii. p. 166.

2378. hildebrandti, *Cab. J. f. O.* 1878, pp. 206, 243, pl. 4, fig. 2, ♀. E.
Fisch. & Reichen. *J. f. O.* 1884, p. 179, pl. 2, ♂; Cat. xxii. p. 168.
2379. johnstoni, *Shelley, Ibis*, 1891, p. 24. S.
Cat. xxii. p. 559.
2380. fischeri, *Reichen. J. f. O.* 1887, p. 51. E.
Cat. xxii. p. 169.
2381. squamatus, *Cass. Proc. Philad. Acad.* 1857, p. 321. W.
Cat. xxii. p. 169.
2382. schuetti, *Cab. J. f. O.* 1880, p. 351. W., E.
Cab. J. f. O. 1881, pl. 2; Cat. xxii. p. 170.
2383. ahantensis, *Temm. Bijdr. tot Dierk.* i. p. 49, pl. 14 (1854). W.
Cat. xxii. p. 171.
2384. jacksoni, *Grant, Ibis*, 1891, p. 123. E.
Grant, *Ibis*, 1892, p. 51, pl. 1; Cat. xxii. p. 171.
2385. erckeli (*Rüpp.*), *N. Wirb. Vög.* p. 12 (1835). N.E.
Hartl. *P. Z. S.* 1865, p. 666, pl. 39, fig. 2; Cat. xxii. p. 172.

Genus III. PTILOPACHYS.

Type.

- Ptilopachus, Swains. Class. B.* ii. p. 344 (1837; laps. cal.) . . . *P. fuscens.*
2386. *fuscus* (*Vieill.*), *Tabl. Enc. Méth.* i. p. 366 (1820). W., E., N.E.
Vieill. Gall. Ois. ii. p. 40, pl. 212; *Jard. Ill. Orn.* (n. s.) pl. 16 (1837); Cat. xxii. p. 256.

Subfamily III. NUMIDINÆ.

Genus I. AGELASTES.

Type.

- “*Agelastes, Temm.*,” *Bp. P. Z. S.* 1849, p. 145 *A. meleagrides.*
Phasidus, Cass. Proc. Philad. Acad. 1856, p. 322 *A. niger.*
2387. *niger* (*Cass.*), *Proc. Philad. Acad.* 1856, p. 322. W.
Cass. J. Ac. Phil. (2) iv. p. 7, pl. 3 (1885); *Elliot, Mon. Ph.* pl. 36 (1872); Cat. xxii. p. 373.
2388. “*meleagrides, Temm.*,” *Bp. P. Z. S.* 1849, p. 145. W.
Elliot, Mon. Phas. pl. 37 (1872); Cat. xxii. p. 374.

Genus II. NUMIDA.

Type.

- Numida, Linn. S. N.* i. p. 273 (1766) *N. meleagris.*
Querelea, Reichenb. Nat. Syst. Vög. p. xxvii (1852) *N. mitrata.*
2389. *meleagris, Linn. S. N.* i. p. 273 (1766). W.
Elliot, Mon. Phas. pl. 39 (1872); Cat. xxii. p. 375.

2390. *coronata*, *Gray*, *List B.* pt. iii. *Gall.* p. 29 (1814). S.
Elliot, *Mon. Phas.* pl. 40 (1872); *Cat. xxii.* p. 376.
2391. *reichenowi*, *Grant*, *Ibis*, 1894, p. 536, fig. 1. E.
2392. *marungensis*, *Schalow*, *Zeit. ges. Orn.* 1884, p. 105. W., S.
Cat. xxii. p. 377.
2393. *cornuta*, *Finsch & Hartl.* *Vög. Ost-Afr.* p. 569 (1870). S.
Cat. xxii. p. 378.
2394. *mitrata*, *Pall. Spic. Zool.* i. fasc. iv. p. 18, pl. 3 (1767). E., M.
Bonn. *Tabl. Enc. Méth.* i. p. 192, pl. 85, fig. 2; Elliot, *Mon. Phas.* pl. 41; *Cat. xxii.* p. 378.
2395. " *ptilorhyncha*, *Licht.*," *Less. Traité*, p. 498 (1831). W., N.E.
Gray, *Gen. B.* iii. p. 501, pl. 128 (1845); Elliot, *Mon. Phas.* pl. 42; *Cat. xxii.* p. 379.

Genus III. GUTTERA.

- Type.*
- Guttera*, *Wagl. Isis*, 1832, p. 1225 G. *cristata*.
2396. *cristata* (*Pall.*), *Spic. Zool.* i. fasc. iv. p. 15, pl. 2 (1767). W.
Bonn. *Tabl. Enc. Méth.* i. p. 192, pl. 85, fig. 3 (1791); Elliot, *Mon. Phas.* p. 45; *Cat. xxii.* p. 381.
2397. *edouardi* (*Hartl.*), *J. f. O.* 1867, p. 36. S.
Elliot, *Mon. Phas.* pl. 44 (1872); *Cat. xxii.* p. 382.
2398. *pucherani* (*Hartl.*), *J. f. O.* 1860, p. 341. E.
Elliot, *Mon. Phas.* pl. 46 (1872); *Cat. xxii.* p. 383.
2399. *plumifera*, *Cass. Proc. Philad. Ac.* viii. p. 321 (1856). W.
Cass. Journ. Ac. Philad. iv. p. 6, pl. 2 (1858); Elliot, *Mon. Phas.* pl. 47 (1872); *Cat. xxii.* p. 384.

Genus IV. ACRYLLIUM.

- Type.*
- Acryllium*, *Gray*, *List Gen. B.* p. 61 (1840) A. *vulturinum*.
2400. *vulturinum* (*Hardw.*), *P. Z. S.* 1834, p. 52. W., E.
Gould, *Icon. Av.* pl. 8 (1837); Elliot, *Mon. Phas.* pl. 38 (1872); *Cat. xxii.* p. 385.

Family IV. PTEROCLIDÆ.

Genus I. PTEROCLURUS.

- Type.*
- Pteroclurus*, *Bp. Compt. Rend.* xlvi. p. 880 (1856) P. *alchata*.
2401. *namaquus* (*Gm.*), *S. N. i.* p. 754 (1788). S.
Cat. xxii. p. 10 (1893).
2402. *exustus* (*Temm.*), *Pl. Col.* pls. 28, 29 (1825). W., E., N.E.
Gould, *B. Asia*, vi. pl. 64; *Hume & Marsh. Game B. Ind.* i. p. 69, pl. —; *Cat. xxii.* p. 12.
2403. *senegalensis* (*Linn.*), *Mantissa*, p. 526 (1767). N.E.
Temm. Pl. Col. pl. 27 (1825); *Koenig, J. f. O.* 1895, pl. 12; *Cat. xxii.* p. 14.

Genus II. PTEROCLES.

*Type.**Pterocles, Temm. Man. Orn.* p. 299 (1815) P. arenarius.

2404. *decoratus*, *Cab. J. f. O.* 1868, p. 413; 1870, pl. 3. E.
Cat. xxii. p. 21.
2405. *variegatus*, *Smith, Rep. Exped. Cent. Afr.* p. 56 (1836). S.
Smith, Ill. Zool. S. Afr. Av. pl. 10 (1838); Cat. xxii. p. 22.
2406. *coronatus*, *Licht. Verz. Doubl.* p. 65 (1823). N.E.
Temm. Pl. Col. pls. 23, 24 (1825); Cat. xxii. p. 23.
2407. *gutturalis*, *Smith, Rep. Exped. Centr. Afr.* p. 56 (1836). S., E., N.E.
Tem. Pl. Col. v. pls. 23, 24; Sm. Ill. Z.S. Af. Av. pls. 3 ♂, 31 ♀ (1839); *Gld. B.A. vi. pl. 63* (1851).
Cat. xxii. p. 25.
2408. *personatus*, *Gould, P. Z. S.* 1843, p. 15. M.
Milne-Edw. & Grand. Hist. Mad., *Ois.* p. 481, pl. 196 (1885); Cat. xxii. p. 26.
2409. *lichtensteinii*, *Temm. Pl. Col. pls. 25, 26* (1825). E., N.E.
Cat. xxii. p. 29.
2410. *bicinctus*, *Temm. Pig. et Gall.* iii. p. 247 (1885). S.
Cat. xxii. p. 30.
2411. *quadricinctus*, *Temm. Pig. et Galt.* iii. p. 252 (1815). W., N.E.
Vieill. Gal. Ois. iii. p. 60, pl. 220; *Swains. B. W. Afr.* ii. p. 222, pl. 23, ♀; Cat. xxii. p. 32.

Family V. OTIDIDÆ.

Genus I. AFROTIS.

*Type.**Afrotis, Bp. Conspl. Syst. Orn.* p. 44 (1854) A. afra.*Lophotis, Rchenb. Av. Syst. pl. 31. f. 9* (1849); *nec Lophotes, Less.* 1831) A. ruficrista.

2412. *ruficrista* (*Smith*), *Ill. Zool. S. Afr. Av.* pl. 4 (1838). S.
Cat. xxiii. p. 291 (1894).
- 2413. *gindiana* (*Oust.*), *Bull. Soc. Philom.* 1881, p. 163. E., N.E.
Cat. xxiii. p. 292.
2414. *afra* (*Gm.*), *S. N. i.* p. 724 (1788). S.
Lath. Gen. Syn. ii. pt. 2, p. 802, pl. 69 (1782); Cat. xxiii. p. 293.
2415. *afroides* (*Smith*), *P. Z. S.* 1830, p. 11 (here spelt *afraoides*). S.
Smith. Ill. Zool. S. Afr. Av. pl. 19 (1839); Cat. xxiii. p. 294.

Genus II. HETEROTETRAX.

	<i>Type.</i>
Heterotetrax, Sharpe, Cat. B. M. xxiii. p. 296 (1894)	H. vigorsi.
2416. vigorsi (Smith), P. Z. S. 1830, p. 11.	S.
Temm. Pl. Col. v. pl. 576 (1835); Cat. xxiii. p. 296.	
2417. rueppelli (Wahlb.), J. f. O. 1857, p. 1.	S.
Hartl. P. Z. S. 1865, p. 88, pl. 6; Cat. xxiii. p. 297.	
2418. humilis (Blyth), J. A. S. Beng. xxiv. p. 305 (1856).	N.E.
Cat. xxiii. p. 298.	

Genus III. OTIS.

	<i>Type.</i>
Otis, Linn. S. N. i. p. 264 (1766)	O. tarda.
Lissotis, Reichenb. Syst. Av. pl. 31 (1849)	O. nuba.
Trachelotis, Reichenb. l. c.	O. cærulescens.
Neotis, Sharpe, Bull. B. O. C. i. p. 1 (1893)	O. ludwigi.

2419. ludwigi, Rüpp. Mus. Senckenb. ii. p. 223, pl. 14 (1873).	S.
Cat. xxiii. p. 299.	
2420. "burchelli (Württ.)," Heugl. J. f. O. 1867, p. 301.	N.E.
Heugl. Orn. N.O.-Afr. p. 943, pl. 31 (1873); Cat. xxiii. p. 300.	
2421. caffra, Licht. Cat. rer. Nat. rariss. Hamb. p. 36 (1773).	S., E., N.E.
Bryden, Kloof & Karroo, pl. 14, fig. 1 (1889); Cat. xxiii. p. 301.	
2422. denhami, Children, in Denh. & Clappert. Trav. ii. App. p. 199 (1826).	W., N.E.
Gray, Gen. B. iii. p. 533, pl. 141 (1845); Cat. xxiii. p. 302.	
2423. heuglini, Hartl. Ibis, 1859, p. 344, pl. 11.	N.E.
Cat. xxiii. p. 303.	
2424. "nuba, Rüpp.," Cretzschm. in Rüpp. Atlas, Vög. p. 1, pl. 1 (1826).	N.E.
Cat. xxiii. p. 305.	
— 2425. melanogaster, Rüpp. Mus. Senckenb. ii. p. 240 (1837).	W., S., E., N.E.
Rüpp. N. Wirb. Vög. p. 16, pl. 7, ♂; id. Syst. Uebers. p. 107, pl. 41, ♀; Cat. xxiii. p. 306.	
2426. hartlaubi, Heugl. J. f. O. 1863, p. 1.	S., E., N.E.
Heugl. Orn. N.O.-Afr. p. 954, pl. 32 (1873); Cat. xxiii. p. 307.	
2427. maculipennis, Cab. J. f. O. 1868, p. 413.	E.
Cab. in Decken's Reis. iii. p. 45, pl. 15 (1869); id. J. f. O. 1871, pl. 2; Cat. xxiii. p. 304.	
2428. cærulescens, Vieill. Enc. Méth. i. p. 334 (1820).	S.
Temm. Pl. Col. v. pl. 532 (1832); Cat. xxiii. p. 308.	
2429. canicollis, Reichen. Orn. Centralbl. 1881, p. 79; id. J. f. O. 1852, p. 113.	E., N.E.
Cat. xxiii. p. 309.	

2430. *senegalensis*, *Vieill. Enc. Méth.* i. p. 333 (1819). W., N.E.
Rüpp. Mus. Senckenb. ii. p. 230, pl. 15 (1837); *Cat. xxiii.* p. 310.
2431. *barrovii*, *J. E. Gray, in Griffith An. Kingd. B.* iii. p. 302 (1829). S.
Cat. xxiii. p. 311.

Genus IV. EUPODOTIS.

- Eupodotis, Less. Rev. Zool.* 1839, p. 47 Type. E. arabs.
2432. *arabs* (*Linn.*), *S. N.* i. p. 264 (1766). N.E.
Rüpp. Atlas, Vög. p. 25, pl. 16 (1826); *Cat. xxiii.* p. 322.
2433. *kori* (*Burch.*), *Trav. S. Afr.* i. pp. 393, 402 (1822). S., E., N.E.
Bryden, Kloof & Karroo, p. 319, pl. 16, fig. 2 (1889); *Cat. xxiii.* p. 324.

Family VI. GRUIDÆ.

Genus I. BALEARICA.

- Balearica, Briss. Orn.* v. p. 511 (1760) Type. B. pavoniua.
2434. *pavonina* (*Linn.*), *S. N.* i. p. 233 (1766). W., N.E.
Vieill. Gal. Ois. Suppl. pl. 17 (1825); *Cat. xxiii.* p. 272.
2435. *chrysopelargus* (*Licht.*), *Cat. rer. Nat. rariss. Hamb.* p. 29 (1793). S., E.
Cat. xxiii. p. 274.
2436. *gibbericeps*, *Reichenb. J. f. O.* 1892, p. 125. E.
Cat. xxiii. p. 275.

Genus II. GRUS.

- Grus, Pall. Miscell. Zool.* fasc. iv. pp. 1-9 (1767) . . . G. grus.
Anthropoides, Vieill. Analyse, p. 59 (1816) G. virgo.
Tetrapteryx, Thunberg, K. Vet.-Ak. Handl. Stockh. 1818, p. 242 G. paradiseus.
Bugeranus, Gloger, Hand- u. Hilfsb. pp. xxxii, 440 (1842). G. carunculatus.
2437. *grus* (*Linn.*), *S. N.* i. p. 234 (1766). N.E.
Dresser, B. Eur. vii. p. 337, pl. 505 (1873); *Cat. xxiii.* p. 250.
2438. *carunculatus* (*Gm.*), *S. N.* i. p. 613 (1788). S., E.
Gray, Gen. B. iii. p. 552, pl. 149 (1845); *Cat. xxiii.* p. 267.
2439. *paradiseus* (*Licht.*), *Cat. rer. Nat. rariss. Hamb.* p. 28 (1793). S.
Vig. Zool. Journ. ii. p. 234, pl. 8 (1826); *Cat. xxiii.* p. 268.
2440. *virgo* (*Linn.*), *S. N.* i. p. 234 (1766). N.E.
Dresser, B. Eur. vii. p. 353, pl. 506 (1879); *Cat. xxiii.* p. 269.

Order XV. CHARADRIIFORMES.

Family I. PARRIDÆ.

Genus I. PHYLLOPEZUS.

*Type.**Phyllopezus*, Sharpe, Cat. B. M. xxiv. p. 76 (1896) P. africanus.

2441. *africanus* (*Gm.*), S. N. i. p. 709 (1788). W., S., E., N.E.
Lath. Gen. Syn. iii. pt. 1, p. 246, pl. 87 (1785); Swains. Zool. Ill. (2) pl. 6 (1829); Cat. xxiv. p. 76.

2442. *albinucha* (*Geoffr. St.-Hilaire*), Rev. et Mag. Zool. 1832, pl. 6. M.
Milne-Edw. & Grand. Hist. Mad., Ois. p. 579, pl. 237 (1882); Cat. xxiv. p. 78.

Genus II. MICROPARRA.

*Type.**Microparra*, Cab. J. f. O. 1877, p. 349 M. capensis.

2443. *capensis* (*Smith*), Ill. Zool. S. Afr. Av. pl. 32 (1839). S., E., M.
Cat. xxiv. p. 88.

Family II. CHARADRIIDÆ.

Subfamily I. VANELLINÆ.

Genus I. LOBIVANELLUS.

*Type.**Lobivanellus*, Strickl. P. Z. S. 1841, p. 33 L. lobatus.*Xiphidiopterus*, Reichenb. Natürl. Syst. Vög. p. xviii (1852). . . L. albiceps.

2444. *senegalus* (*Linn.*), S. N. i. p. 259 (1766). W., N.E.
Swains. B. W. Afr. ii. p. 241, pl. 27 (1837); Cat. xxiv. p. 141.

2445. *lateralis* (*Smith*), Ill. Zool. S. Afr. Av. pl. 23 (1839). S., E.
Cat. xxiv. p. 144.

2446. *albiceps* (*Gould*), P. Z. S. 1834, p. 45. W., N.E.
Seeböhm, Geogr. Distrib. Charadr. p. 195, pl. 8 (1888); Cat. xxiv. p. 147.

Genus II. SARCIOPHORUS.

*Type.**Sarciophorus*, Strickl. P. Z. S. 1841, p. 32 S. tectus.*Tylibyx*, Reichenb. Av. Syst. Nat. p. xviii (1852). . . . S. melanoccephalus.*Anomalophrys*, Sharpe, Cat. B. M. xxiv. p. 156 (1896). . S. superciliosus.

2447. *tectus* (*Bodd.*), Tabl. Pl. Enl. p. 51 (1783). W., N.E.
D'Aubenton, Pl. Enl. ix. pl. 834; Cat. xxiv. p. 128.

2448. *latifrons*, *Reichenb. J. f. O.* 1881, p. 334. E., N.E.
Cat. xxiv. p. 130.
2449. *melanocephalus* (*Rüpp.*), *Syst. Uebers.* p. 115, pl. 44 (1845). N.E.
Cat. xxiv. p. 153.
2450. *superciliosus* (*Reichen.*), *J. f. O.* 1886, p. 116, pl. 3, juv. W.
Seeböhm, *Geogr. Distrib. Charad.* p. 201, pl. 9 (1888); Cat. xxiv. p. 156.

Genus III. HOPLOPTERUS.

- Hoplopterus*, *Bp. Saggio Distr. Anim. Vert.* p. 56 (1831). . . . II. *spinosus*.
Type.
2451. *spinosus* (*Linn.*), *S. N. i.* p. 256 (1766). W., E., N.E.
Dresser, *B. Eur.* vii. p. 539, pl. 530 (1878); Cat. xxiv. p. 157.
2452. " *speciosus* (*Licht.*)," *Wagl. Isis*, 1829, p. 649. S., E.
Temm. *Pl. Col. v.* p. 526 (1832); Cat. xxiv. p. 161.

Genus IV. STEPHANIBYX.

- Type.*
Stephanibyx, *Reichenb. Natürl. Syst. Vög.* p. xviii (1852) . . . S. *coronatus*.
2453. *coronatus* (*Bodd.*), *Tabl. Pl. Enl.* p. 49 (1783). S., E., N.E.
D'Aubent. *Pl. Enl. ix.* pl. 800; Cat. xxiv. p. 178.
2454. " *melanopterus* (*Rüpp.*)," *Cretzs. in Rüpp. Atl.* p. 46, pl. 31 (1826). S., E., N.E.
Cat. xxiv. p. 180.
2455. *inornatus* (*Swains.*), *B. W. Afr.* ii. p. 239 (1837). W., S., E.
Seeböhm, *Geogr. Distrib. Charadr.* p. 225, fig.; Cat. xxiv. p. 181.

Genus V. VANELLUS.

- Type.*
Vanellus, *Briss. Orn. v.* p. 94 (1760) V. *vauillus*.
Chettusia, *Bp. Icon. Faun. Ital. Intr.* p. 9 (1839) V. *gregarius*.
Defilippia, *Salvad. Att. Soc. Ital.* viii. p. 373 (1865) . . . V. *crassirostris*.
Limnetes, *Finsch & Hartl. Vög. Ost-Afr.* p. 640 (1870) . . . V. *leucopterus*.
Eurypterus, *Sharpe, Cat. B. M.* xxiv. p. 171 (1896) . . . V. *leucurus*.
2456. *leucurus* (*Licht.*), *in Eversm. Reis. v. Orenburg n. Buchara*, p. 137 (1823). N.E.
Wright, *Ibis*, 1865, p. 459, pl. 10; Dresser, *B. Eur.* vii. p. 531, pl. 529; Cat. xxiv. p. 171.
2457. " *crassirostris* (*De Filippi*)," *Hartl. J. f. O.* 1855, p. 427. E., N.E.
Sharpe, *Cat. B. M.* xxiv. p. 126, pl. 7, fig. 2.

2458. *leucopterus*, *Reichen. J. f. O.* 1889, p. 268. S., E.
Sharpe, Cat. B. M. xxiv. p. 127, pl. 7. fig. 1.
2459. *gregarius* (*Pall.*), *Reis. Russ. Reichs*, i. p. 456 (1771). N.E.
Dresser, B. Eur. vii. p. 527, pl. 528 (1875); Cat. xxiv. p. 174.

Subfamily II. CHARADRIINÆ.

Genus I. SQUATAROLA.

Squatarola, *Leach, Syst. Cat. Mam. & B. Brit. Mus.* p. 29 (1816). Type.
S. *helvetica*.

2460. *helvetica* (*Linn.*), *S. N.* i. p. 250 (1766). W., S., E., N.E.
Dresser, B. Eur. vii. p. 455, pls. 515. fig. 2, 517. fig. 1, 518. fig. 2, 519. fig. 1 (1871).

Genus II. CHARADRIUS.

Charadrius, *Linn. S. N.* i. p. 253 (1766) C. *alexandrinus*.
Cirrepidesmus, *Bp. C. R.* xlivi. p. 417 (1856) C. *geoffroyi*.
Leucopolius, *Bp. l. c.* C. *marginatus*.
Ægialophilus, *Gould, Handb. B. Austr.* ii. p. 234 (1865) . C. *alexandrinus*.

2461. *alexandrinus*, *Linn. S. N.* i. p. 253 (1766). W., S., N.E.
Dresser, B. Eur. vii. p. 483, pl. 523 (1876); Cat. xxiv. p. 275.

2462. *marginatus*, *Vieill. N. Dict.* xxvii. p. 138 (1818). S.
Reichen. J. f. O. 1885, pl. 6. figs. 2a, b (heads); Cat. xxiv. p. 282.

2463. *asiaticus*, *Pall. Reis. Russ. Reichs*, ii. p. 715 (1773). S., E., N.E.
Dresser, B. Eur. vii. p. 479, pls. 520. fig. 1, 522 (1878); Cat. xxiv. p. 230.

2464. “*pyrrhothorax*, *Temm.*,” *Gould, B. Eur.* iv. pl. 299 (1837). E., N.E.
Cat. xxiv. p. 226.

2465. *geoffroyi*, *Wagl. Syst. Av. Charadr.* p. 61. no. 19 (1827). S., E., N.E., M.
Dresser, B. Eur. vii. p. 475, pls. 520. fig. 2, 521 (1878); Cat. xxiv. p. 217.

2466. *sancta-helenæ* (*Harting*), *Ibis*, 1873, p. 268, pl. 9. S.
Cat. xxiv. p. 299.

2467. *pecuarius*, *Temm. Pl. Col.* v. pl. 183 (1823). W., S., E., N.E.
Cat. xxiv. p. 297.

2468. *pallidus*, *Strickl. Contr. Orn.* 1852, p. 158. W., S., E., M.
Seebohm, *Geogr. Distr. Charad.* p. 163, pl. 7 (1888); Cat. xxiv. p. 284.

2469. *venustus*, *Fisch. & Reichen. J. f. O.* 1884, p. 178. E.
Reichen. J. f. O. 1885, pl. 6. figs. 4a, b (heads); Cat. xxiv. p. 286.

Genus III. ÆGIALITIS.

- Type.
- Ægialitis*, Boie, Isis, 1822, p. 558 A. hiaticula.
2470. *hiaticula* (*Linn.*), S. N. i. p. 253 (1766). W., S., E., N.E.
Dresser, B. Eur. vii. p. 467, pl. 525 (1876); Cat. xxiv. p. 256.
2471. *dubia* (*Scop.*), Del. Faun. et Flor. Iusub. ii. p. 93 (1783). W., E., N.E.
Dresser, B. Eur. vii. p. 491, pl. 524 (1876); Cat. xxiv. p. 263.

Genus IV. OXYECHUS.

- Type.
- Oxyechus*, Reichenb. Av. Syst. Nat. p. xviii (1852) O. vociferus.
2472. *tricollaris* (*Vieill.*), N. Dict. xxvii. p. 147 (1818). W., S., E., N.E.
Heugl. Orn. N.O.-Afr. p. 1027, pl. 34, fig. 5, head (1870); Cat. xxiv. p. 247.
2473. *bifrontatus* (*Cab.*), J. f. O. 1882, p. 112. M.
Cab. J. f. O. 1885, pl. 6. fig. 5, head; Cat. xxiv. p. 249.
2474. *forbesi* (*Shelley*), Ibis, 1883, p. 560, pl. 14. W.
Cat. xxiv. p. 250.

Genus V. MORINELLA.

- Type.
- Morinella*, Meyer & Wolf, Tasch. deutsch. Vög. ii. p. 383 (1810). M. morinella.
2475. *morinella* (*Linn.*), S. N. i. p. 58 (1766). N.E.
Dresser, B. Eur. vii. p. 507, pl. 526 (1875); Cat. xxiv. p. 234.

Family III. SCOLOPACIDÆ.

Subfamily I. LIMOSINÆ.

Genus I. ARENARIA.

- Type.
- Arenaria*, Briss. Orn. v. p. 132 (1760); Temm. Man. Orn. p. 333 (1815). A. interpres.
2476. *interpres* (*Linn.*), S. N. i. p. 248 (1766). W., S., E., N.E., M.
Dresser, B. Eur. vii. p. 555, pl. 532 (1875); Cat. xxiv. p. 92.

Genus II. TRINGA.

- Type.
- Tringa*, Briss. Orn. v. p. 177; Linn. S. N. i. p. 247 (1766). T. alpina.
- Canutus*, Briss. Orn. v. p. 258; Brehm, Vög. Deutschl. p. 653 (1831). T. canutus.
- Erolia*, Vieill. Analyse, p. 55 (1816) T. subarquata.
- Actedromas*, Kaup, Natürl. Syst. p. 55 (1829) T. minuta.
- Arquatella*, Baird, Rep. Expl. Surv. ix. pt. 2, Zool. pp. 714, 717 (1858). T. maritima.
2477. *subarquata* (*Güldenst.*), Nov. Comm. Petr. xix. p. 471 (1775). W., S., E., N.E., M.
Dresser, B. Eur. viii. p. 59, pl. 553 (1878).

2478. *canutus*, *Linn. S. N. i.* p. 251 (1766). W., S.
Dresser, *B. Eur. viii.* p. 77, pls. 555, 556 (1877).
2479. *alpina*, *Linn. S. N. i.* p. 249 (1766). E., N.E.
Dresser, *B. Eur. viii.* p. 21, pl. 548 (1876).
2480. “*maritima*, *Brünnich*,” *Gm. S. N.* p. 678 (1788). S.
Dresser, *B. Eur. viii.* p. 69, pl. 554 (1877).
2481. *minuta*, *Leisler, Nachtr. Bechst. Nat. Deuts. i.* p. 74 (1812). W., S., E., N.E., M.
Dresser, *B. Eur. viii.* p. 29, pls. 549, fig. 2, 551, fig. 1 (1871).
2482. *melanota*, *Vieill. N. Dict. xxxiv.* p. 462 (1819). S.

Genus III. CALIDRIS.

- Calidris*, *Illiger, Prodr.* p. 249 (1811) *Type.*
C. arenaria.
2483. *arenaria*, *Linn. S. N. i.* p. 251 (1766). W., S., E., M.
Dresser, *B. Eur. viii.* p. 101, pls. 559, 560 (1877).

Genus IV. PAVONCELLA.

- Pavoncella*, *Leach, Syst. Cat. M. & B. Brit. Mus.* p. 29 (1816) . *Type.*
P. pugnax.
2484. *pugnax* (*Linn.*), *S. N. i.* p. 247 (1766). S., E., N.E.
Dresser, *B. Eur. viii.* p. 87, pls. 557, 558 (1878); *Cat. xxiv.* p. 500.

Genus V. LIMOSA.

- Limosa*, *Briss. Orn. v.* p. 261 (1760) *Type.*
L. lapponica.
2485. *lapponica* (*Linn.*), *S. N. i.* p. 246 (1766). W., N.E., M.
Dresser, *B. Eur. viii.* p. 203, pls. 573, fig. 1, 574, fig. 2 (1872); *Cat. xxiv.* p. 273.
2486. *limosa* (*Linn.*), *S. N. i.* p. 246 (1766). N.E.
Dresser, *B. Eur. viii.* p. 211, pl. 574 (1872); *Cat. xxiv.* p. 381.

Genus VI. TOTANUS.

- Totanus*, *Cuv. Leçons Anat. Comp. i. tab. 2* (1800) *Type.*
T. calidris.
- Actitis*, *Ilt. Prodr.* p. 262 (1811) T. hypoleucus.
- Glottis*, *Koch, Syst. baier. Zool.* p. 301 (1816) T. nebularius.
- Erythroscelus*, *Kaup, Natürl. Syst.* p. 54 (1829) T. fuscus.
- Xenus*, *Kaup, t. c.* p. 115 T. littoreus.
- Rhyacophilus*, *Kaup, t. c.* p. 140 T. glareolus.
- Helodromas*, *Kaup, t. c.* p. 144 T. ochropus.
- Iliornis*, *Kaup, t. c.* p. 156 T. stagnatilis.
2487. *calidris* (*Linn.*), *S. N. i.* p. 245 (1766). W., S., E., N.E.
Dresser, *B. Eur. viii.* p. 157, pls. 568, fig. 1, 569, fig. 2 (1875); *Cat. xxiv.* p. 414.

2488. *fuscus* (*Linn.*), *S. N.* i. p. 243 (1766). N.E.
Dresser, *B. Eur.* viii. p. 165, pls. 568, figs. 2, 3, 569, fig. 1 (1875); *Cat. xxiv.* p. 409.
2489. *nebularius* (*Gunner.*), *Leem. Lapp. Beschr.* p. 251 (1767). W., S., E., N.E., M.
Dresser, *B. Eur.* viii. p. 173, pl. 570 (1871); *Cat. xxiv.* p. 481.
2490. *stagnatilis*, *Bechst. Orn. Taschenb.* ii. p. 292. fig. (1803). W., S., E., N.E.
Dresser, *B. Eur.* viii. p. 151, pl. 566 (1871); *Cat. xxiv.* p. 422.
2491. *glareola* (*Linn.*), *S. N.* i. p. 250 (1766). W., S., E., N.E.
Dresser, *B. Eur.* viii. p. 143, pl. 565 (1877); *Cat. xxiv.* p. 490.
2492. *ochropus* (*Linn.*), *S. N.* i. p. 250 (1766). W., E., N.E.
Dresser, *B. Eur.* viii. p. 135, pl. 564 (1876); *Cat. xxiv.* p. 437.
2493. *littoreus* (*Linn.*), *S. N.* i. p. 251 (1766). S., E., N.E., M.
Dresser, *B. Eur.* viii. p. 195, pl. 572 (1871); *Cat. xxiv.* p. 474.
2494. *hypoleucus* (*Linn.*), *S. N.* i. p. 250 (1766). W., S., E., N.E., M.
Dresser, *B. Eur.* viii. p. 127, pl. 563 (1877); *Cat. xxiv.* p. 456.

Genus VII. NUMENIUS.

- Type.*
- Numenius*, *Briss. Orn.* v. p. 311 (1760). N. *arcuatus*.
Phæopus, *Cuv. Règne Anim.* i. p. 485 (1817) N. *phæopus*.
2495. *arcuatus* (*Linn.*), *S. N.* i. p. 242 (1766). W., S., E., N.E., M.
Dresser, *B. Eur.* viii. p. 243, pl. 578 (1873); *Milne-Edw. & Grand. Hist. Mad.*, *Ois.* p. 619, pl. 254 (1882); *Cat. xxiv.* p. 341.
2496. *phæopus* (*Linn.*), *S. N.* i. p. 243 (1766). W., S., E., N.E., M.
Dresser, *B. Eur.* viii. p. 227, pl. 576 (1873); *Cat. xxiv.* p. 355.

Subfamily II. SCOLOPACINÆ.

Genus I. GALLINAGO.

- Type.*
- Gallinago*, *Leach, Syst. Cat. Mamm. & B. Brit. Mus.* p. 31 (1816). G. *media*.
Telmatias, *Boie, Isis*, 1826, p. 979 G. *gallinago*.
2497. " *media* (*Frisch*)," *Gerini, Orn. Méth. Dig.* iv. p. 59, pl. 446 (1773). S., E., N.E.
Dresser, *B. Eur.* vii. p. 631, pl. 541 (1876).
2498. *nigripennis*, *Bp. Icon. Faun. Ital. Ucc.* p. 4, text to pl. 43 (1832). W., S., E., N.E.
2499. *macrodactyla*, *Bp. Icon. Faun. Ital. Ucc.* p. 3, text to pl. 43 (1834). M.
Milne-Edw. & Grand. Hist. Mad., *Ois.* p. 637, pl. 260 (1882).
2500. *gallinago* (*Linn.*), *S. N.* i. p. 244 (1766). W., N.E.
Dresser, *B. Eur.* vii. p. 641, pls. 542, 543 (1880).

Genus II. RHYNCHÆA.

- Type.
- | | |
|---|--------------|
| Rhynchæa, <i>Cuv. Règne An.</i> i. p. 487 (1817) | R. capensis. |
| 2501. capensis (<i>Linn.</i>), <i>S. N.</i> i. p. 246 (1766). | E., N.E., M. |
| Shelley, <i>B. Egypt</i> , p. 250, pl. 11; <i>Milne-Edw. & Grand. Hist. Mad.</i> , <i>Ois.</i> p. 638, pl. 261. | |

Subfamily III. HIMANTOPODINÆ.

Genus I. RECURVIROSTRA.

- | | |
|--|------------------|
| Type. | |
| Recurvirostra, <i>Linn. S. N.</i> i. p. 256 (1766) | R. avocetta. |
| 2502. avocetta, <i>Linn. S. N.</i> i. p. 256 (1766). | W., S., N.E., M. |
| Dresser, <i>B. Eur.</i> vii. p. 577, pl. 534 (1875); <i>Cat. xxiv.</i> p. 326. | |

Genus II. HIMANTOPUS.

- | | |
|---|----------------------|
| Type. | |
| Himantopus, <i>Briss. Orn.</i> v. p. 33 (1769) | H. himantopus. |
| 2503. himantopus (<i>Linn.</i>), <i>S. N.</i> i. p. 255 (1766). | W., S., E., N.E., M. |
| Dresser, <i>B. Eur.</i> vii. pls. 535, 536; <i>Milne-Edw. & Grand. Hist. Mad.</i> , <i>Ois.</i> p. 635, pl. 259 (1882); <i>Cat. xxiv.</i> p. 310. | |

Genus III. HÆMATOPUS.

- | | |
|--|----------------|
| Type. | |
| Hæmatopus, <i>Linn. S. N.</i> i. p. 257 (1766) | H. ostralegus. |
| Melanibyx, <i>Reichenb. Nat. Syst. Vög.</i> p. xii (1852) | H. capensis. |
| 2504. ostralegus, <i>Linn. S. N.</i> i. p. 257 (1766). | E., N.E. |
| Dresser, <i>B. Eur.</i> vii. p. 567, pl. 533 (1877); <i>Cat. xxiv.</i> p. 107. | |
| 2505. capensis, <i>Licht. Verz. Doubl.</i> p. 73 (1823). | W., S., N.E. |
| Gray, <i>Gen. B.</i> iii. pl. 146 (1847); <i>Cat. xxiv.</i> p. 119. | |

Family IV. CHIONIDÆ.

Genus CHIONIS.

- | | |
|--|--------------------------|
| Type. | |
| Chionis, <i>Forster, Enchiridion Hist. Nat.</i> p. 37 (1788) | C. alba. |
| 2506. alba (<i>Gm.</i>), <i>S. N.</i> i. p. 705 (1788). | (<i>Crozet Is.</i>) S. |
| Vieill. <i>Gal. Ois.</i> p. 146, pl. 258 (1825). | |
| [January 1893.] | o |

Family V. DROMADIDÆ.

Genus DROMAS.

- Dromas, Paykull, K. Vet.-Ak. Handl. Stockh. xxvi. p. 188 (1805) . D. ardeola.
2507. ardeola, Payk. K. Vet.-Ak. Handl. Stock. xxvi. pp. 182, 188, pl. 8 (1805). E., N.E., M.
Temm. Pl. Col. v. p. 362 (1825); Cat. xxiv. p. 28.

Family VI. CURSORIIDÆ.

Genus I. **ŒDICNEMUS.**

- Type.

2508. <i>œdienemus</i> , <i>Temm. Man. Orn.</i> p. 321 (1815)	<i>(E. œdienemus.)</i>	N.E.
2509. <i>œdienemus</i> (<i>Linn.</i>), <i>S. N. i.</i> p. 255 (1766). Dresser, <i>B. Eur.</i> vii. p. 401, pl. 512 (1876); <i>Cat. xxiv.</i> p. 4.		
2510. <i>senegalensis</i> , <i>Swains. B. W. Afr.</i> ii. p. 228 (1837). <i>Cat. xxiv.</i> p. 10.		W., N.E.
2511. <i>vermiculatus</i> , <i>Cab. J. f. O.</i> 1868, p. 413. <i>Cab.</i> in <i>Deeken's Reis.</i> iii. p. 46, pl. 16 (1870); <i>Cat. xxiv.</i> p. 11.		W., S., E.
2512. <i>affinis</i> , <i>Rüpp. Mus. Senck.</i> ii. p. 210 (1837). <i>Rüpp. Syst. Uebers.</i> p. 117, pl. 42 (1845); <i>Cat. xxiv.</i> p. 17.		N.E.

Genus II. PLUVIANUS.

- Type.

Pluvianus, Vieill. Analyse, p. 55 (1816) P. ægyptius.

2513. ægyptius (Linn.), S. N. i. p. 254 (1766). W., N.E.
 Dresser, B. Eur. vii. p. 521, pl. 527 (1878); Cat. xxiv. p. 32.

Genus III. CURSORIUS.

- | | Type. |
|--|----------------------|
| <i>Cursorius</i> , <i>Lath. Ind. Orn.</i> ii. p. 751 (1790) | <i>C. gallicus</i> . |
| 2514. <i>gallicus</i> (<i>Gm.</i>), <i>S. N.</i> i. p. 692 (1788). | W., N.E. |
| Dresser, <i>B. Eur.</i> vii. p. 425, pl. 514 (1875); <i>Cat. xxiv.</i> p. 34. | |
| 2515. <i>somalensis</i> , <i>Shelley, Ibis</i> , 1885, p. 415. | N.E. |
| Seeböhm, <i>Geogr. Distrib. Charadr.</i> p. 237, pl. 11 (1888); <i>Cat. xxiv.</i> p. 37. | |
| 2516. <i>rufus</i> , <i>Gould, P. Z. S.</i> 1836, p. 81. | S. |
| Gould, <i>Icones Av.</i> pl. 10 (1837); <i>Cat. xxiv.</i> p. 38. | |
| 2517. <i>temminckii</i> , <i>Swains. Zool. Ill.</i> ii. pl. 106 (1822). | W., S., E. |
| Swains. <i>B. W. Afr.</i> ii. p. 230, pl. 24 (1837); <i>Cat. xxiv.</i> p. 41. | |

Genus IV. RHINOPTILUS.

- Type.*
- Rhinoptilus**, *Strickl. P. Z. S.* 1850, p. 220 R. chalcopterus.
Hemerodromus, *Heugl. Ibis*, 1863, p. 31, pl. 1 R. cinctus.
2518. **bicinctus** (*Temm.*), *Man. Orn.* ii. p. 515 (1820). S.
 Jard. & Selby, *Ill. Orn.* i. pl. 43 (1839); *Cat. xxiv.* p. 43.
2519. **bisignatus** (*Hartl.*), *P. Z. S.* 1865, p. 87. S., E.
 Sharpe, *Cat. B. M.* xxiv. p. 45, pl. 1.
2520. **hartingi**, *Sharpe, Bull. B. O. Club*, iii. p. xiv (1893). N.E.
 Sharpe, *Cat. B. M.* xxiv. p. 46, pl. 2.
2521. **cinctus** (*Heugl.*), *Syst. Ueb.* p. 54 (1856); *id. Orn. N.O.-Afr.* p. 792 (1873). E., N.E.
 Sharpe, *Cat. B. M.* xxiv. p. 46, pl. 3, fig. 2.
2522. **seebohmi**, *Sharpe, Bull. B. O. Club*, iii. p. xiii (1893). S.
 Sharpe, *Cat. B. M.* xxiv. p. 47, pl. 3, fig. 1.
2523. **chalcopterus** (*Temm.*), *Pl. Col.* v. pl. 298 (1824). W., S., E., N.E.
 Sharpe, *Cat. B. M.* xxiv. p. 48, pl. 4, fig. 1.
2524. **albofasciatus**, *Sharpe, Bull. B. O. Club*, iii. p. xiv (1893). S.
 Sharpe, *Cat. B. M.* xxiv. p. 49, pl. 4, fig. 2.

Family VII. GLAREOLIDÆ.

Genus GLAREOLA.

- Type.*
- Glareola**, *Briss. Orn.* v. p. 141, pl. 12, fig. 1 (1760). . . . G. pratincola.
2525. **pratincola** (*Linn.*), *S. N. i.* p. 345 (1766). W., S., E., N.E.
 Dresser, *B. Eur.* vii. p. 411, pl. 513, fig. 1 (1874); *Cat. xxiv.* p. 53.
2526. **melanoptera**, *Nordm. Bull. Soc. Imp. Nat. Moscon.* ii. p. 314, pl. 2 (1842). W., S.
 Dresser, *B. Eur.* vii. p. 419, pl. 513, fig. 2 (1874); *Cat. xxiv.* p. 57.
2527. **ocularis**, *Verr. S. Afr. Quart. Journ.* ii. p. 80 (1833). S., E., M.
 Milne-Edw. & Grand. Hist. Mad., Ois. p. 645, pl. 256 (1882); *Cat. xxiv.* p. 62.
2528. **marchei**, *Oust. Bull. Soc. Philom.* (7) i. p. 104 (1877). W.
 Sharpe, *Cat. B. M.* xxiv. p. 63, pl. 5, fig. 2.
2529. **emini**, *Shelley, P. Z. S.* 1888, p. 49. N.E.
 Sharpe, *Cat. B. M.* xxiv. p. 64, pl. 5, fig. 1.
2530. **nuchalis**, *Gray, P. Z. S.* 1849, p. 63, pl. 9. N.E.
 Cat. xxiv. p. 64.
2531. **cinerea**, *Fraser, P. Z. S.* 1843, p. 26. W.
 Gray, *Gen. B.* iii. p. 538, pl. 141 (1844); *Cat. xxiv.* p. 64.

Order XVI. STRUTHIONIFORMES.

Family STRUTHIONIDÆ.

Genus STRUTHIO.

Type.

- Struthio**, *Briss. Orn.* v. p. 3 (1760); *Linn. S. N. i.* p. 265 (1766). *S. camelus*.
2532. **camelus**, *Linn. S. N. i.* p. 265 (1766). W., N.E.
Vieill. *Gal. Ois.* ii. p. 70, pl. 223 (1825); *Selat. Tr. Z. S. iv.* p. 353, pl. 67; *Cat. xxvii.* p. 572.
2533. **molybdophanes**, *Reichen. J. f. O.* 1883, p. 399. E., N.E.
Reichen. Mitth. orn. Ver. Wien, 1883, p. 203, pl.; *Cat. xxvii.* p. 574.
2534. **australis**, *Gurney, Ibis*, 1868, p. 254. S.
Andersson's Lake Ngami, p. 253, pl. 7 (1854); *Cat. xxvii.* p. 574.

INDEX.

<i>Accipiter</i>	152	<i>Balcarica</i>	186	<i>Chalcomitra</i>	4
<i>Acridotheres</i>	45	<i>Barbatula</i>	128	<i>Chalycopelia</i>	137
<i>Acrocephalus</i>	79	<i>Bathiocercus</i>	66	<i>Chalcostar</i>	43
<i>Acryllium</i>	133	<i>Baza</i>	146	<u>C. ARADIDIÆ.</u>	137
<i>Aedonopsis</i>	82	<i>Bebrornis</i>	77	<i>Claradrius</i>	139
<i>AEGIALITIS</i>	190	<i>Bernieria</i>	65	<i>Clavilasaris</i>	172
<i>AEGITHALUS</i>	9	<i>Bessonornis</i>	85	<i>Chelidon</i>	100
<i>Aethocichla</i>	59	<i>Bias</i>	96	<i>Chenalopex</i>	171
<i>Afroris</i>	184	<i>Blax</i>	129	<u>CHILOIDIÆ.</u>	193
<i>Aegorhinis</i>	140	<i>Bucaria</i>	58	<i>Chionis</i>	193
<i>Agelastes</i>	182	<i>Bostrychia</i>	155	<i>Chlorocichla</i>	63
<i>Afrobates</i>	81	<i>Btaurus</i>	158	<i>Chlorodonta</i>	72
<i>Alaeron</i>	13	<u>BRACHYPTERIDÆ.</u>	59	<i>Chlorocetes</i>	96
<i>Alario</i>	21	<i>Brachypteras</i>	108	<i>Chrysococcyx</i>	124
<i>Alauda</i>	15	<i>Bradyornis</i>	93	<i>Chrysonitris</i>	19
<u>ALAUDIDIÆ.</u>	13	<i>Bradypterus</i>	77	<i>Cicladusa</i>	83
<i>Alaudula</i>	15	<i>Bubo</i>	143	<i>Ciconia</i>	159
<i>Alcedo</i>	116	<u>NYCEROTIDÆ.</u>	113	<u>CICONIIDÆ.</u>	159
<u>ALCEDINIDIÆ.</u>	115	<i>Bucorvus</i>	113	<i>Cinnamopterus</i>	45
<i>Alcippe</i>	56	<i>Bulweria</i>	167	<i>Cinnamopteryx</i>	40
<i>Alectroenas</i>	134	<i>Euphaga</i>	41	<i>Cinnyris</i>	2
<i>Alethe</i>	83	<i>Durnesia</i>	73	<i>Circaetus</i>	150
<i>Alseonax</i>	94	<i>Butastur</i>	150	<i>Circus</i>	153
<i>Ariadina</i>	26	<i>Buteo</i>	150	<i>Cisticola</i>	74
<i>Anauruccichla</i>	66	<i>Butorides</i>	157	<i>Clytospiza</i>	32
<i>Amblyospiza</i>	33	<i>Bycanistes</i>	113	<i>Coccophygia</i>	29
<i>Anthonianus</i>	17	<i>Calanocichla</i>	79	<i>Coccoecolius</i>	44
<i>Anoperdix</i>	179	<i>Calamonastes</i>	72	<i>Coccytes</i>	123
<i>Anhydrus</i>	44	<i>Calandrella</i>	15	<u>COLIIDÆ.</u>	118
<i>Anaplectes</i>	35	<i>Calendula</i>	17	<i>Colius</i>	118
<i>Anas</i>	171	<i>Calicalicus</i>	49	<i>Coliuspasser</i>	23
<i>Anastomus</i>	159	<i>Calidris</i>	191	<i>Collocalia</i>	104
<u>ANATIDIÆ.</u>	171	<i>Callene</i>	85	<i>Columba</i>	135
<i>Androctonus</i>	31	<i>Calanoptera</i>	69	<u>COLUBRIDÆ.</u>	134
<i>Ancus</i>	164	<i>Camoplaga</i>	50	<i>Coprophorus</i>	83
<u>ANSERIDIÆ.</u>	170	<u>CAMPONIAGIDÆ.</u>	50	<i>Coracias</i>	109
<i>Antiochus</i>	6	<i>Capitothera</i>	131	<u>CORACIDIÆ.</u>	108
<i>Anthothreutes</i>	6	<u>CAPTONIIDÆ.</u>	125	<i>Coracopsis</i>	139
<i>Aithus</i>	12	<u>CAPRINULGIDÆ.</u>	106	<i>Corethrura</i>	177
<i>Apalis</i>	71	<i>Caprimulgus</i>	106	<u>CORVIIDIÆ.</u>	46
<i>Aquila</i>	148	<i>Carine</i>	143	<i>Corvinella</i>	51
<i>Ardea</i>	157	<i>Casarca</i>	171	<i>Corvultur</i>	46
<u>ARDINIIDIÆ.</u>	156	<i>Cassinia</i>	95	<i>Corvus</i>	46
<i>Ardetta</i>	158	<i>Centropus</i>	122	<i>Corythaeola</i>	120
<i>Arenaria</i>	190	<i>Ceratogymna</i>	113	<i>Corythornis</i>	116
<i>Argya</i>	58	<i>Cercococcyx</i>	124	<i>Cosmetornis</i>	107
<i>Aritania</i>	43	<i>Cerconela</i>	91	<i>Cosmopsarus</i>	42
<i>Artomyias</i>	95	<i>Cercotrichias</i>	78	<i>Cossypha</i>	84
<i>Asio</i>	141	<u>CERTHIDIÆ.</u>	10	<i>Coturnicops</i>	177
<i>Astur</i>	152	<i>Certilianda</i>	13	<i>Coturnix</i>	178
<i>Asturinula</i>	151	<i>Ceryle</i>	115	<i>Cotyle</i>	100
<i>Atelornis</i>	108	<i>Centrarchares</i>	122	<i>Coua</i>	121
<i>Baeogagon</i>	62	<i>Chaetops</i>	76	<u>CRAETHOPIDÆ.</u>	57
<i>Balaeniceps</i>	158	<i>Chaetura</i>	104	<i>Craterops</i>	58

Crex	176	Euryceros	49	Himantopus	193
Criniger	62	Euryptila	78	Himantornis	176
Cryptolophia	70	Eurystromis	109	<u>HINDEIDAE.</u>	100
Cryptorkina	47	Eutriorchis	151	Hirundo	101
Cryptospiza	28	Excalfactoria	178	Histurgops	34
<u>CUCULIDAE.</u>	121	Falco	144	Hooopelia	137
Cuculus	123	<u>FALCONIDAE.</u>	144	Hoplopterus	138
Cupiopteris	78	Falculia	11	Iumbotia	96
<u>CURJONIIDAE.</u>	194	Fiscus	51	Hydrocelidon	162
Cursorius	194	Foudia	56	Nylia	67
Cyanochen	171	Francolinus	180	Nyliota	96
Cyanomitra	5	Fraseria	83	Iti argus	32
<u>CYPSILLIDAE.</u>	104	Fregata	160	Hyperferus	57
Cypselus	105	<u>FRIGATIDAE.</u>	160	Hyphantornis	39
Dafila	173	Fregilupus	46	Hylanturgus	38
Daption	168	Fringillaria	18	Hypohera	22
Dendrocygna	171	<u>FRINGILLIDAE.</u>	18	Hypocolius	41
Dendrocopos	132	Fulica	175	Hypolais	80
<u>DICRUTIDAE.</u>	110	Fuligula	173	Hypositta	10
Dicrurus	47	Galeochar	45	Ibis	175
<u>DIDIDAE.</u>	47	Galerida	16	Indicator	124
Didus	138	Gallinago	192	<u>INDICATORIDAE.</u>	124
Dilepis	138	Gallinula	175	Irrisor	112
Dinemellia	46	Callirex	120	Ispidina	116
Dicnidea	33	Cecocaptes	130	Ixocinclla	59
<u>DIOCHDEIDAE.</u>	168	Geopelia	138	Ixonotus	62
<u>DICLATIDAE.</u>	168	Glareola	195	Lymipicus	133
Dromaeocercus	194	<u>DIARCHOLIDAE.</u>	195	Irru	130
Dromas	77	Clavicidium	142	Lagonosticta	30
Dryoscopus	194	Cranatina	29	Jalape	51
Dryotricchis	54	Crucalus	50	Lamprocolius	43
Dyaphorophya	151	<u>CRVIDAE.</u>	186	Lampetornis	42
Dybowskia	97	Grus	186	Laniarius	53
Elaeocerthia	73	Cuttera	183	<u>LANIIDAE.</u>	51
Elanus	5	Gygis	164	Lanioturdus	53
Ellisia	147	Gymnobucco	127	Lanius	52
Elminia	78	Gymnoschizorhynchus	121	<u>LARIDAE.</u>	162
Ellminia	98	Gymnactes	148	Larus	164
Ellarginata	98	Gymnoderax	148	Leptoptilos	159
Emberiza	18	Gyps	154	Leptosomus	108
Ennia	70	Hæmatopus	193	Lirmocorax	177
Enneapterygius	52	Hagedashia	156	Linosa	191
Eremomela	68	Halcyon	117	Linurus	22
Erisniatura	174	Haliaetus	148	Loiptilus	92
Eritacus	87	Halobaena	168	Jobivanellus	187
Eroessa	68	Hapaloderma	108	Jobernis	67
Erythrlobucco	125	Halozelia	136	Jobotus	50
Erythrocercus	98	Hartlaubius	42	Ictiniaetus	149
Erythrops	145	Hedydipna	2	Iodiceeros	114
Erythrocagia	81	Helectarsis	148	Iolophrys	154
Erythrocypria	19	Heliobucco	127	Iolophibis	156
Estrilda	29	Herodias	156	Machaeranthurus	147
Eudynamys	169	Heterlypiantes	37	Macrodipteryx	107
Eupodotis	186	Heterocorys	14	Macronyx	13
Eurocellalurus	51	Heterotetrao	185	Macrosphenus	61



Majacuens	167	Lumenius	192	Phlexis	78
Malacirops	8	Nunida	182	<u>PICOCOPTERID</u>	169
Malaconotus	56	Nycticorax	158	Phoenicopterus	169
Malimbus	35	Nyroca	173	Pholidopteridae	42
Mareca	172	Oceanites	166	Pholicornis	52
Margaroperdix	179	Oidicenus	194	Phoneus	52
Mascarinus	140	OENA	138	Plyllolais	72
Megaliias	97	Ostreolata	167	Plylloloides	187
Melaenornis	93	Oxychonatulus	44	Phylloscopus	80
Melanobucco	126	Oriolia	48	Plyllestrophus	65
Melanocorypha	14	<u>OTIOLIDAE.</u>	41	Picathartes	47
Melanopterix	35	Oriolus	41	<u>PICIDAE.</u>	130
Melierax	151	Orthocelius	115	Pilarlimis	45
Melittophagus	110	Orthotomus	72	Pinarocroea	36
Melocichla	76	Ortygospiza	28	Pinarornis	76
<u>MENOPIDAE.</u>	110.	Ortyxelus	178	Pitta	1
Mercops	111	Ossifraga	168	<u>PIFIDAE.</u>	1
Mesites	174	Otlyphantes	37	Platulea	156
Mesopicus	133	<u>OTIDIDAE.</u>	184	<u>PIATALEIDAE.</u>	155
Micrancus	164	Otis	185	Platystira	97
Microparra	187	Otocoris	14	Plectropterus	170
Milvus	147	Otocoris	154	Plegadis	156
Mirafra	15	Oscularis	190	<u>PLOCEDIDAE.</u>	22
Monticola	89	Oxylabes	65	Plocepasser	34
Morinella	190	Pachycoccyx	123	Ploceus	35
Motacilla	11	Pachypalantes	36	Plotus	161
<u>MOTAILLIDA.</u>	11	Pachyrhoda	97	Pluvianus	194
Munia	26	Palaearornis	140	Podica	174
Muscicapa	93	Pandion	144	Podocies	174
<u>MUSCICAPIDAE.</u>	92	<u>PARIDAE.</u>	8	<u>PODICIPITIDAE.</u>	174
Muscicapula	120	Parisoma	10	Poecilonetta	172
<u>MUSOPTERICIDA.</u>	119	Parnoptila	67	Poecilepalalus	138
Mycetaria	159	<u>PAMIIDAE.</u>	187	Poecoptera	45
Myioccyx	217	Parus	8	Pogonornithus	125
Myioscolus	95	Passer	19	Policlerax	146
Myrmecocichla	91	Pavoncella	191	Pilosspiza	20
Myotacornis	65	<u>PELECANIDAE.</u>	161	Pol. boroides	153
Naevius	147	Pelecanides	168	Porphyrio	175
Necrosittacus	140	<u>PELECANOIDIDAE.</u>	168	Porzana	176
Nectarinia	2	Pelecanus	161	Pratincola	85
<u>NECTARINIIDA.</u>	1	Pelecaninus	56	Prinia	13
Telicurus	36	Pentclaelaea	92	Priccella	167
Neocichla	32	Pernis	147	Priofimus	167
Neocossyphus	85	Petrocelidon	103	Prion	168
Nectranis	1	Petronia	19	<u>PRIOPIDAE.</u>	19
Nephron	155	Pezoplias	138	Prionops	49
Nesilymantes	36	Plaeton	162	Procellaria	166
Nettopus	170	<u>PSETTOMIDAE.</u>	162	<u>PROCELLARIIDAE.</u>	166
Newtonia	95	<u>PTELACROCORACIDAE.</u>	160	Predotiscus	125
Nicator	57	Ptelacrocraix	160	<u>PTELICOPIDAE.</u>	6
Nicrita	27	<u>PIASIANIDAE.</u>	178	Promerops	6
Nilus	53	Predina	101	Psalidoprocne	103
Ninox	142	Ptilaeterus	27	Pseudobias	95
Nisaetus	149	Ptileitta	1	Pseudochelidon	103
		<u>PIVILIPITIDAE.</u>	1	Pseudocossyphus	85



Pseudoyi's	154	Speristes	28	<u>TURDIDAE.</u>	31
<u>PSITTACIDAE.</u>	138	Spermospiza	32	Turdinus	66
Psittacus	139	<u>SPHENISCIDAE.</u>	169	Turdus	87
Pterocles	184	Spheniscus	169	<u>TURNICIDAE.</u>	178
<u>PTEROCLIDAE.</u>	183	Sileneaetus	76	Turnix	178
Pteroclurus	183	Sillocorydon	16	Turtur	136
Pternistes	179	Spiloptila	74	Turturoena	135
Pteronetta	170	Spizaetus	149	Tylas	70
Ptilopachys	182	Spizocorys	14	Tympanistria	138
Ptyonoprogne	101	Sporophiles	33	Upupa	112
Puffinus	166	Sireo	44	<u>UPUPIDA.</u>	112
Pachonotis	60	Squatula	169	Uratelornis	109
Pyrenestes	26	Stactolaema	129	Urobrachya	24
Pyronelaena	24	Stephanibyx	183	Urolestes	51
Pyrhocorax	47	<u>STERCOLAPIIDAE.</u>	168	Uroloncha	26
Pyrhlulanda	17	Stercorarius	165	Urctriorellis	151
Pyrhlurus	64	Sterna	163	Vanelpus	182
Pytelia	31	Stiltropsar	45	Vanga	48
Cuclea	25	Stiphronis	67	<u>VANGIDAE.</u>	48
Oquerquedula	172	<u>STRITIDAE.</u>	141	Verreauxia	130
<u>MALLIDAE.</u>	174	Strix	141	Vidua	23
Rallus	175	Struthio	196	Vinage	134
Rectirostrum	72	<u>STRUTHIONIDAE.</u>	196	Vultur	154
Recurvirostra	193	<u>STURNIDAE.</u>	41	Xanthopelia	33
Mincionastes	113	Sula	161	Xenocichla	61
Mincotilus	105	<u>SILIIDAE.</u>	161	Xenopirostris	48
Miodocioneus	56	Sycobrictus	37	<u>ZOSTEROPIDAE.</u>	7
Miodornis	67	Sylvia	80	Zosterops	7
Mlynchaca	193	Sylviella	70		
Mlynchops	164	<u>SILVIIDAE.</u>	67		
Mlynchostruthis	119	Syrnium	142		
Magetius	177	Tachornis	106		
Riticilla	86	Tantalus	160		
Salpornis	11	Tarsiger	36		
Sarcidiornis	170	Telephorus	55		
Sarciphorus	187	Tephrocorys	14		
Saxicola	89	Terpsiphone	99		
<u>SAXICOLIDAE.</u>	89	Textor	33		
<u>SCOTORPACIDAE.</u>	190	Thalassicoris	173		
Schizorhis	120	Thamnolaea	92		
Schoenicola	77	<u>THAMNOLEPIDAE.</u>	92		
Scops	143	Trichodroma	10		
Scoptelus	112	Tigrornis	158		
Scopus	159	<u>TIELLIIDAE.</u>	65		
Sectopelia	144	Tiunculus	146		
Sectornis	107	Thethothylacus	13		
Serinus	21	Totanus	191		
Certharius	154	Trachylepis	129		
Sturnia	54	Tricholaema	126		
Sturnoidis	27	Tringa	190		
Sturnornis	96	Trochocercus	99		
Sturnodus	49	<u>TILOOMIDAE.</u>	108		
Sturngra	38	Turacous	19		
Spatula	173				

THE

BIRDS OF AFRICA.

BY

G. E. SHELLEY, F.Z.S., F.R.G.S.



VOL. I.

LONDON:

R. H. PORTER, 18 PRINCES STREET, CAVENDISH SQUARE, W.

1896.

Price 10s. 6d. net.

Demy 4to. Vol. I. Cloth, Price £3 3s. net.

THE
BOOK OF ANTELOPES.

BY
P. L. SELATER, M.A., F.R.S.,
AND
OLDFIELD THOMAS, F.Z.S., F.R.G.S.
ILLUSTRATED BY
JOSEPH WOLF, F.Z.S., AND J. SMIT.

Sir WILLIAM FLOWER, K.C.B., F.R.S., &c., &c., President of the Zoological Society, and Director of the Natural History Collection, British Museum, writes:—"The Book of Antelopes by Selater and Thomas, I trust, will meet with great success, as it seems excellently done both as to letterpress and illustrations, and is much needed. I am particularly glad to see that the beautiful drawings, over the preparation of which Sir Victor Brooke took such pains, are now to be made use of."

THE BOOK OF ANTELOPES, when complete, will make four volumes with nearly 100 plates.

The first of these contains the BUBALS (subfamily *Bubalidinæ*) and the DUikers (subfamily *Cephalophinæ*).

The second will comprise the DWARF ANTELOPES (*Neotraginæ*) and the WATERBUCKS (*Cervicaprinæ*).

The third will be devoted to the true ANTELOPES and GAZELLES (*Antilopinæ*).

The last will contain the SABLE and ROAN ANTELOPES and GEMSBUCK (*Hippotraginæ*) and the NYLGHAI, BUSHBUCKS, KUDUS, and ELANDS (*Tragelaphinæ*), with Indexes &c.

LONDON :

R. H. PORTER, 18 PRINCES STREET, CAVENDISH SQUARE, W.

PROSPECTUS.

THE 'Birds of Africa' will contain a *résumé* of what is considered of interest regarding the birds of the entire Ethiopian Region, which includes Tropical and Southern Africa with the surrounding islands.

The five Subregions may be divided as follows :—

WEST AFRICA : consisting of Tropical Africa west of 25° E. long., and southwards to the Quanza River, in about 10° S. lat.

SOUTH AFRICA : south of 10° S. lat. and from 50° W. long. to 41° E. long. ; this includes the African continent south of the Quanza and Rovuma Rivers, St. Helena on the west, but not the Comoro Islands on the east, and may include in the Southern Ocean the Crozet and Marion Islands, which are north of 50° S. lat.

EAST AFRICA : Tropical Africa, east of 25° E. long. and between 10° S. lat. and 1° N. lat., including the Victoria Nyanza, but not the Nile.


NORTH-EAST AFRICA : Tropical Africa and the Red Sea, east of 25° E. long., north of 1° N. lat., including the whole of the Nile water-shed north to Asuan.

MADAGASCAR : the island region between 41° and 65° E. long., from the Equator to 25° S. lat.

The work will be divided into Volumes complete in themselves: thus, the present "List," and next the "Classification" (which it is hoped will be issued this year). The "Classification" will contain many "Keys" of the form adopted by the authorities of the British Museum in their Catalogues—the object of these "Keys" being to clearly indicate in the fewest possible words the characters by which species may be readily identified and named.

After the publication of the two above-mentioned volumes, the remainder of the work will be issued in probably yearly volumes, and will contain an ample *résumé* of all that is known regarding the birds in the Ethiopian Region, and will be illustrated in the best possible style with examples of all the hitherto unfigured, or incorrectly figured, species of that region.





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00703 5272